

## MONTERREY™ 0.5 GPM

## TWO-HANDLE CENTERSET LAVATORY FAUCET


WITH GOOSENECK SPOUT



#### MODEL NUMBER:\*

#### ☐ 7500.174 Centerset Lavatory

0.35 gpm Pressure Compensating, Vandal-Resistant non-aerated Spray. Rigid/swivel gooseneck spout. Vandal-Resistant Wrist Blade handles. Less drain and pop-up hole.



#### GENERAL DESCRIPTION:

Durable cast brass construction. 1/2" male threaded inlet shanks with brass shank nuts and coupling nuts. 1/4 turn ceramic disc valve cartridges. Field-convertible rigid/swivel gooseneck spout. Vandal-Resistant Wrist Blade handles with blue & red color indexes. 0.35 gpm/1.3L/min. maximum flow rate.

#### PRODUCT FEATURES:

Meets CALGreen: 0.35 gpm/1.3 L/min. flow rate

Pressure Compensating Spray: Provides a constant water flow of 0.35 gpm throughout the pressure range

Solid Brass Construction: Durable - Excellent in high use applications. Ideal for prolonged contact with water.

Ceramic Disc Valve Cartridge: Assures a lifetime of drip-free performance.

Field-Convertible Swivel/Rigid Spout: Easily adjusted in the field.

**Lead Free:** Faucet contains ≤ 0.25% total lead content by weighted average.

#### SUGGESTED SPECIFICATION:

4" centerset lavatory faucet shall be cast brass construction with all brass shank nuts and coupling nuts. Shall feature water-conserving, pressure compensating vandal-resistant 0.35 gpm/1.3L/min. non-aerated spray. Vandal-Resistant Wrist Blade handles. Shall also feature 1/4 turn washerless ceramic disc valve cartridges. Shall also feature field-convertible gooseneck spout. Fitting shall be American Standard Model # 7500.174.002.




## MONTERREY™ 0.35 GPM

# TWO-HANDLE CENTERSET LAVATORY FAUCET WITH GOOSENECK SPOUT

## **CODES AND STANDARDS**

These products meet or exceed the following codes and standards:

ANSI A117.1 ASME A112.18.1 CSA B 125 NSF 61/Section 9 and Annex G CALGreen



		Finish
Product		Polished Chrome
Number	Description	002
7500.174	Centerset Lavatory with rigid/swivel gooseneck spout. 0.35 gpm/1.3L/min pressure compensating, vandal-resistant non-aerated spray. Vandal-Resistant Wrist Blade Handles. Less drain and pop-up hole.	

MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ANSI A117.1 REQUIREMENTS FOR ACCESSIBLE AND USABLE BUILDING FACILITIES-CHECK LOCAL CODES