

The sleek profile encompasses an integrated LED light source., its frosted opal glass in perfect balance with the brushed polished nickel surface of the fan body. The trio of fan blades are reversible, providing a choice of maple or brushed nickel finish to suit both room décor and personal style.

FEATURES

Standard, 3 Speed Reversible Motor

Dual Mount

4" Downrod (Included)

Limited Lifetime Warranty

Blades Included

Integrated LED Light Source (Dimmable)

Hard-Wired Dual Wall Control -4 Speed Fan Control and Full Range Dimmer OR request with UCI-2000 remote or wall

LED Specs:

Color Temp 3000K Lumens 900 lm CRI 90 Watts 22

LED Module is Guaranteed for 5 Years


SPECS

Blade Sweep. 52" Number of Blades 3 Blade Pitch......12.5° Motor Size (MM) 153 x 18 Shipping Wt. (lbs.)............ 18.92 CU. FT. in Carton 1.54 Energy Guide Airflow* (Cubic Feet Per Minute).....2,974 Energy Guide Wattage 38 Watts

Energy Guide Estimated Yearly Cost*.....\$11

Airflow at High Speed (Cubic Feet Per Minute).....4,795

CEILING DROP DIMENSIONS



A: 4" DR - 15.11" C: 6.02" **E**: 9.65"

B: 4" DR - 10.44" **D:** 5.91" **DR** = Downrod







^{*}Based on 12 cents per kWh and 6.4 hours use per day.





Α

Brushed Polished Nickel 52" Beltre

ModelBEL52BNK3-LED
BladeSilver/Maple

Light Integrated, Frosted Opal Glass

AVAILABLE FINISHES BLADE OPTIONS LIGHT KIT OPTIONS

BNK Brushed Polished Nickel

Included

Integrated

FAN CONTROL OPTIONS

Standard Configuration: CM-7W Dual Wall Control – 4 Speed Fan Control and Full Range Dimmer

Alternate Configuration: UCI-2000 remote or wall control







Use this order codes: BEL52BNK3-LED-UCI

