

FEATURES

Energy Saving DC Motor

Dual Mount

6" Downrod (Included)

Limited Lifetime Warranty

Blades Included

Light Kit Optional

IDC Remote and Wall Controls (Included)

Blades Must be Mounted at Least 10' Above the Floor for Safety

SPECS

Blade Sweep. 72" Number of Blades 6

Blade Pitch......13° Motor Size (MM) 165 x 25

AMPS (HI Speed) <1

Shipping Wt. (lbs.)............ 21.36 CU. FT. in Carton 2.71


Energy Guide Airflow

(Cubic Feet Per Minute).....7,698 Energy Guide Wattage 41 Watts

Energy Guide Estimated Yearly Cost*..... \$17

Airflow at High Speed (Cubic Feet Per Minute)..... 7,698

CEILING DROP DIMENSIONS



A: 6" DR - 15.56" **C**: 6.5"

B: 6" DR - 13.23" **D:** 5.12" **DR** = Downrod **E**: 9.59"









^{*}Based on 12 cents per kWh and 6.4 hours use per day.



Brushed Polished Nickel 72" Mondo

Model MND72BNK6

Blade Silver

Light. Adaptable: LK104-BNK-LED Shown,

Sold Separately

Location . . . Suitable for Damp Location

Espresso 72" Mondo

Model MND72ESP6 Blade Espresso

Light. Adaptable, Optional

Location . . . Suitable for Damp Location

*Blades Must be Mounted at Least 10' Above the Floor for Safety.

Flat Black 72" Mondo

Model MND72FB6 Blade Flat Black

Light. Adaptable, Optional

Location . . . Suitable for Damp Location

AVAILABLE FINISHES

BNK Brushed Polished Nickel

ESP Espresso

FB Flat Black

BLADE OPTIONS

Included Blades Must be Mounted at Least 10' Above the Floor for Safety.

LIGHT KIT OPTIONS

Bowl Light Kits (see page 414-418)



FAN CONTROL OPTIONS




DC remote control operation











engineering. The unique aileron design of the three long, graceful blades move air with remarkable efficiency indoors or out.

FEATURES

Energy Saving DC Motor

Dual Mount

6" Downrod (Included)

Limited Lifetime Warranty

Blades Included

Light Kit Optional

IDC Remote and Wall Controls (Included)

Blades Must be Mounted at Least 10' Above the Floor for Safety

SPECS

Blade Sweep. 54" Number of Blades 3 Blade Pitch......13°

Motor Size (MM) 125 x 30

Shipping Wt. (lbs.)........... 11.24 CU. FT. in Carton 1.73

Energy Guide Airflow (Cubic Feet Per Minute).....5,358


Energy Guide Wattage 34 Watts

Energy Guide Efficiency (CFM Per Watt)163

Energy Guide Estimated Yearly Cost*..... \$18

Airflow at High Speed (Cubic Feet Per Minute)..... 5,424

CEILING DROP DIMENSIONS



A: 6" DR - 14.4" C: 4.92"

E: 9.26"

B: 6" DR - 12.5" D: 5.11"











^{*}Based on 12 cents per kWh and 6.4 hours use per day.



*Blades Must be Mounted at Least 10' Above the Floor for Safety.

△ | Espresso 54" Mondo

Model......MND54ESP3
BladeEspresso

Light Adaptable: LK104-ESP-LED Shown,

Sold Separately

Location. . . Suitable for Damp Location

□ Brushed Polished Nickel 54" Mondo

Model MND54BNK3
Blade Silver

Light..... Adaptable (Optional)

Location. . . Suitable for Damp Location

| Flat Black 54" Mondo

Model MND54FB3 Blade Flat Black

Light..... Adaptable (Optional)
Location. . . Suitable for Damp Location

AVAILABLE FINISHES

BNK Brushed Polished Nickel

ESP Espresso

FB Flat Black

BLADE OPTIONS

Blades Must be Mounted at Least 10'
Above the Floor for Safety.

LIGHT KIT OPTIONS

Bowl Light Kits (see page 414-418)



FAN CONTROL OPTIONS



Scan to view video on DC remote control operation

IDC Remote and Wall Controls (Included)



