


## Low Voltage Recess Lighting

### Catalog Number

- 2800 White
- 2802 Black
- 2808 Brushed Nickel

#### • Ceiling Cut-out

3 5/8" dia



Hole Cut-out

#### • Adjustability

130° Adjustability

359° Rotation of Center Swivel

#### • Lamp

Maximum 35W 12V

MR-11 bi-pin (not included)

#### • Construction

Die-cast A380 aluminum trim

Black Aluminum Baffle

Spring Steel mounting clips

Ceramic bi-pin socket (supplied with housing)

#### • Listings



UL 1598 listed

© Design copyright

#### • Housings



3.6 New Construction Housing

DX Integral Magnetic Transformer  
120V/11.6V, 35W-50W max. MR16 bi-pin

DX277 Integral Magnetic Transformer  
277V/11.6V, max. 50W MR16 bi-pin

DX75 Integral Magnetic Transformer  
120V/11.6V, max. 75W MR16 bi-pin



3.6 Remodel Housing

DXR Integral Magnetic Transformer  
120V/11.6V, max. 50W MR16 bi-pin

DXR277 Integral Magnetic Transformer  
277V/11.6V, max. 50W MR16 bi-pin

DXR35 Integral Magnetic Transformer  
120V/11.6V, max. 35W MR16 bi-pin



3.6 Insulated Ceiling Housing

DXIC Integral Electronic Transformer  
120V/11.6V, max. 50W MR16 bi-pin

DXIC-AT Air Tight Integral Electronic Transformer  
120V/11.6V, max. 50W MR16 bi-pin

DXICM Integral Magnetic Transformer  
120V/11.6V, max. 50W MR16 bi-pin

DXICM-AT Air Tight Integral Magnetic Transformer  
120V/11.6V, max. 50W MR16 bi-pin





3.6 Remote Transformer Housing

TCJ Tall Can w/J-Box & Thermal Protector  
120V/11.6V, max. 50W MR16 bi-pin

SCJ Short Can w/J-Box & Thermal Protector  
120V/11.6V, max. 35W MR16 bi-pin

TC Tall Can  
120V/11.6V, max. 50W MR16 bi-pin

SC Short Can  
120V/11.6V, max. 35W MR16 bi-pin



130° ADJUSTABILITY

359° ROTATION  
CENTER SWIVEL TRIM

Trim	Housings	MR	Optical Accessories	Lamp
<input type="checkbox"/> 2800 White <input type="checkbox"/> 2802 Black <input type="checkbox"/> 2808 Brushed Nickel	<input type="checkbox"/> DX <input type="checkbox"/> DX277 <input type="checkbox"/> DX75 <input type="checkbox"/> DXR <input type="checkbox"/> DXR277 <input type="checkbox"/> DXR35 <input type="checkbox"/> DXIC <input type="checkbox"/> DXIC-AT <input type="checkbox"/> DXICM <input type="checkbox"/> DXICM-AT <input type="checkbox"/> TCJ <input type="checkbox"/> SCJ <input type="checkbox"/> TC <input type="checkbox"/> SC	<input type="checkbox"/> 0-1 <input type="checkbox"/> 0-2 <input type="checkbox"/> 0-3 <input type="checkbox"/> 0-4 <input type="checkbox"/> 0-12 <input type="checkbox"/> 0-13 <input type="checkbox"/> 0-20	<input type="checkbox"/> 0-21 <input type="checkbox"/> 0-22 <input type="checkbox"/> 0-23 <input type="checkbox"/> 0-24	<hr/>