Microwave Combination Oven

professional series



Signature Features



Wave-Touch® Controls

Sleek control panel illuminates with just a touch — giving you more control over your cooking — and fades away to an uncluttered display after an option is selected.



CustomConvect^{3™} **Convection Technology**

Distributes heat evenly throughout the oven by adding a third cooking element plus a variable speed fan.



Smooth-Glide® Oven Racks

Ball bearing oven racks glide with unparalleled ease and extend fully for effortless access.



Custom-Set™ Options with **Temperature Probe**

Seven cooking modes with eight cooking functions give you more cooking flexibility and control — and the temperature probe monitors the progress of your meat dishes.

E30MC75PPS

PRODUCT DIMENSIONS

45-3/4" 30" Width Depth 24-5/8"

MORE EASY-TO-USE FEATURES

Cool-Touch™ Oven Door

Beautiful all-glass door allows you to see what's inside and is cool to the touch and easy to clean.

Theatre Lighting

Features luxury ramp-up halogen lighting for a beautiful, visible interior.

"My Favorite" Settings

A setting you can customize to meet your needs, so the option you want is available at the touch of a button.

Perfect Turkey® Button
Ensures moist, delicious poultry. Imagine stress-free holiday cooking.

Automatic Cooking OptionsThe microwave oven features 12 Auto Cook options, 3 Auto Reheat options and 6 Auto Defrost options for your cooking flexibility.

Cook-2-Perfection® Technology

Evenly distributes microwave cooking energy throughout the oven's interior for even cooking. A 13" x 9" pan — with handles — can be evenly heated.


Auto Sensor Cooking

12 Sensor Cook options automatically adjust the cooking time and power level needed to cook your food — so your food will turn out just the way you want it.

Sabbath Mode (Star-K® Certified)



MICROWAVE FEATURES	
Oven Cavity	1.5 Cu. Ft.
Watts	900
Stainless Steel Interior	Yes
Interior Krypton Light	Yes
Ceramic 16" Turntable	Yes
MICROWAVE CONTROL OPTIONS	
Wave-Touch® Electronic Controls	Yes
Cook-2-Perfection® Technology	Yes
Electronic Clock & Timer	Yes
Humidity Sensor	Yes
Power Levels Touch Pad Controls	11 37
Auto Start	Yes
Auto Defrost Options	6
Automatic Cooking Options –	
Pizza (1), Snacks (6), Soften/Melt (4), Beverage (1)	12
Convection Cook Categories -	
Auto Broil (4), Auto Roast (4), Auto Bake (4)	12
Auto Reheat Categories -	
Breads/Muffins (2), Pasta (1)	3
Auto Sensor Cooking –	
Cook (5), Reheat (1), Popcorn (2), Baked Potato (1), Frozen Vegetables (1), Fresh Vegetables (2)	12
Stage Cooking Options	4
Add 30 Seconds	Yes
Electronic Lockout	Yes
Adjustable Sound Level for Timers/Reminders More/Less Function	Yes Yes
Power Failure Indicator	Yes
OVEN FEATURES	
Oven Cavity	4.8 Cu. Ft.
Cobalt Blue Interior	Yes
Smooth-Glide® Racks/Standard Racks	2/1
CustomConvect3™ Convection System	Yes
Halogen Theatre Lighting	Yes
Removable Cool-Touch™ Oven Door with Extra-Large Window	Yes
'My Favorite" Settings	Yes
Convection Conversion	Yes
Custom-Set™ Options with Temperature Probe	Yes
Light Clean/Heavy Clean	Yes
Self-Cleaning with Auto-Safety Latch™	Yes
Self-Cleaning Cycle with Rack Removal Alert	V
Fresh Clean	Yes
Perfect Turkey® Dual Radiant™ Baking System	Yes Yes
Eight-Pass Broil & Radiant Bake Element	Yes
Sabbath Mode (Star-K® Certified)	Yes
OVEN CONTROLS	
Wave-Touch™ Electronic Controls	Yes
Electronic Clock/Timer/Temperature Display	Yes
Automatic Oven - Delay, Cook & Off	Yes
Electronic Lockout	Yes
Automatic Oven Shutoff - 12 Hour	Yes
ntegrated Halogen Oven Light - Touch Pad	Yes
SPECIFICATIONS	
Power Supply Connection Location	Left Bottom Rear
Connected Load (kW Rating) @ 240/208 Volts	8.5/6.4
Amps @ 240/208 Volts	36/31
Minimum Circuit Required (Amps) Shipping Weight (Approx.)	40
Shipping Weight (Approx.)	334




Height	45-3/4"
Width	30"
Depth	24-5/8"
MICROWAVE OVEN CAVITY	DIMENSIONS
Height	9-5/8"
Width	16-1/8"
Depth	16-1/8"
OVEN CAVITY DIMENSIONS	;
Height	17-1/2"
14 (1.1.1	24-1/8"
Width	
Depth	19-1/2"
	19-1/2"
Depth	19-1/2" 43-7/8" – 44"
Depth CUTOUT DIMENSIONS	



Electrolux Major Appliances, N.A.





30" Microwave Combination Oven Specifications

- Product Weight 286 Lbs.
- Single phase 3- or 4-wire cable, 120/240 or 120/208 Volt, 60 Hertz AC only electrical supply with ground required on separate circuit fused on both sides of line.
- Connected Load (kW Rating) @ 240/208 Volts = 8.5/6.4kW
- Amps @ 240/208 Volts = 36/31 Amps
- Recommended Circuit Breaker 40 Amps
- Always consult local and national electric codes.
- Minimum 21" clearance for oven door depth when open.
- Suggested distance from floor is 11-1/2". Minimum required distance is 4-1/2".
- To adapt Microwave Combination Oven to fit cutout height between 44" and 44-5/8", add one 2"-wide wood shim of appropriate height to each side of opening under oven side rails. Lifting oven will hide larger cutout opening at top and oven's 1"-high bottom trim will hide shims at bottom. (Standard 1"-High Bottom Trim included.)

- \bullet To adapt Microwave Combination Oven to fit cutout height between 44-5/8" and 46-3/8", optional 3"-High Bottom Trim available.
- Minimum 23-1/2" deep cutout dimension is critical for proper installation, to ensure that oven's faceplate will fit flush against cabinet front.
- Full oven base of solid plywood or similar material required, capable of supporting 350 Lbs.
- Base must be level and cabinet front must be square.
- Microwave Combination Oven is NOT approved to be used in stackable or side-by-side installation.

Note: For planning purposes only. Refer to Product Installation Guide on the web at electroluxicon.com for detailed instructions.

Optional Accessories

• 3"-High Bottom Trim - (PN# 903114-9110).



High standards of quality at Electrolux Home Products, Inc.