

## Installation manual for


1483D32 VBGI

Dimensions : L32"W12"H61"L4

Collection : CHESAPEAKE

Bulb Type: E26 bulb not included

Total Weight: 31 LBS



Thank you for choosing our product(s).

Our Company is actively involved in every step of the

application that graces your home or business Our product(s) are designed to be utilized for every

service to all of the valued customers. We pride ourselves in providing the most prompt and courtesy

assisting you, please call our toll free HOTLINE AT: our professional customer service team is committed to carefully for proper installation. If you have any questions, Please find the enclosed detailed instruction and read

1-888-388-3390 (U) C (Q) C



#### SAFETY

Warning: MAKE SURE THE ELECTRICITY TO THE WIRES YOU ARE WORKING ON IS SHUT OFF. BY EITHER REMOVING THE FUSE OR TURNING OFF THE CIRCUIT BREAKER.

#### CAUTION

- Before assembling the lighting fixture, please read all instructions carefully.
- All frame & crystal components are fragile, please handle

with care.

- Required supply circuit : 110 130V/60Hz
- Labeled wires are "L" for live wire, "N" for neutral wire, "E" for ground wire.
- Never install fixture on damp ceiling, the room should be dry and well ventilated
- All electrical components must be installed by a licensed

electrician and in accordance with the National Electrical Code and the appropriate local electrical codes.

### Unpack the Package

Please open the box carefully and check all the items are inside the box. If you have any installation, assembling and missing parts questions, please call our Customer Service department at 1-888-388-3390. Please have model number (at the front page), where you purchase from and any other relevant information ready, our customer service team will provide comprehensive and worry free service to our valued customers.



(02)

#### 1483D32 L32"W12"H61 L4

Step 1

Please use the parts list to ensure you are not missing any parts.

#### 1483D32

PARTS LIST


P8	P7	Р6	P5	P4	Р3	P2	P1	ZG	ZF	ZE	ZD	ZC	ZB	ZA	Part #
<u>.</u>	Ĩ					)100	0	W	\	Ĩ	•	Î	8	<b>(i)</b>	Picture
Nut cap	Screws	Lamp shade bracket	Thread pipe	Tube (∅0.625″*16″)	Tube (∅0.625″*12″)	Tube (∅0.625″*6″)	Washer	Junction caps	Ground wire	Screws	Canopy (10 ½"*6"*1")	Crossbar Screws	Crossbar 9 $\frac{3}{4}$ "*5 $\frac{1}{2}$ "* $\frac{3}{4}$ "	Junction Box notincluded	Description
32	2	2	36	1	2	1	3	2	1	4	1	2	1	1	Qty
															Check list

1483D32 L32"W12"H61 L4

 1												$\overline{}$
				P16	P15	P14	P13	P12	P11	P10	P9	Part #
				1				Ĵ		0 0	7	Picture
				Terminal block	Lamp shade	Socket	Lamp cup	Ring	Tube (∅0.5″*2″)	Accessory	Accessory	Description
				1	1	4	4	8	4	4	2	Qty
												Check list

1483D32 L32"W12"H61 L4

# Frame Assembly Diagram








### 1483D32 L32"W12"H61 L4

IMPORTANT: Test sockets with bulb before dressing the fixture.

- 1. Attach the Crossbar (ZB) to the Junction Box(ZA) using the two crossbar screws (ZC) which are not supplied and should already be in your box.
- 2. Be sure when connecting the wire use electrician approved junction caps  $(\mathbb{Z}G)$ .
- 3. Stow the excess wire in the junction box(ZA).
- 4. Mounting screws (ZE), attach the fixture to the

Step 2

## Canopy Installation Instruction



(3)

1483D32 L32"W12"H61 L4

# Frame Assembly Instructions


Installation:

Please read all instructions carefully. Before you proceed to install make sure that the power supply is turned off and remains off until installation is complete. Please note that each part has been assigned a number. Please proceed in a numerical order.

- 1. Fix the metal rod 2.3.4.5 and canopy 1.
- 2. Hang the lamp body 6 on the metal rod

Step 3

# Frame Assembly Diagram



### Congratulations!

You are now done installing your Elegant Lighting fixture. Sit back and admire each crystal as it will become the statement piece for your room/house.

If you require any additional assistance, please contact us at 1-888-388-3390.

Thank you.

# Cleaning and Maintenance of Chandelier Frame

The finish on our chandelier frames and fixture frames is protected by a durable coating of lacquer. To clean, use a clean soft, dry cloth.

Do not use any metal polishes, cleaners, abrasives or any substance which could remove the protective finish. Failure to follow these instructions automatically voids the guarantee.

## Cleaning and Maintenance of Crystals

Wet a soft cotton fabric in clean warm water and wipe gently, then polish with a dry soft cotton fabric.

## To Order Crystal Replacement Parts

Should you require replacement crystals or pins (the metal connectors attaching the crystals), contact the store where the product was purchased or contact us at the address shown on the reverse side. For ease of ordering, you may use the original crystal trimming instructions provided with this product and circle the items you wish to order, indicating the quantity by writing the number needed adjacent to the circle and faxing it to our customer service department at 215-423-8882. You will be contacted with prices prior to shipment. All orders must be pre-paid.

### Elegant Lighting Warranty

The finish and frame of your new chandelier or fixture are warranted for a period of two (2) years from the date of purchase. Our company will, at its option, repair or replace any frame that has a defect in the materials or workmanship during the warranty period. All crystals are guaranteed for their original quality during the life of the chandelier. Breakage is not covered by this warranty.

To make a claim under this warranty, contact our customer service department at the address and phone number shown below. A written return authorization form will be sent to you with specific instructions.

CUSTOMER SERVICE DEPARTMENT

500-550 E. Erie Avenue

Philadelphia, PA 19134

Tel: 215-423-8880

Fax: 215-423-8882

#### 00

## Returns and Conditions of Warranty

sale of our products assume for us, authorize nor permit any other person or firm to obligations or liabilities. Further, we neither and all other guaranteed or warrantee, whether others, nor for damages resulting from a failure to other than a pre-authorized facility. We will not product that has been repaired or altered by anyone or otherwise modified, nor shall it apply to any apply to any product that has been changed, altered inspect all returned merchandise to fully determine shipping charges pre-paid. We reserve the right to written return merchandise authorization and return reverse side. Returns will only be accepted with a Returns must be pre-authorized by contacting our written or implied and any and all other procedures. This guarantee is issued in lieu of any follow the recommended maintenance or installation incurred during improper installation or wiring by negligence, accident or inappropriate handling frame part that have been subject to misuse during transit, nor for crystal parts or metal be responsible for any breakage or damages incurred the nature of any defect. This guarantee shall not customer service department at the address on the Also, we will not be held responsible for damage any liability in connection with the