

INSTALLATION DIMENSIONS

Serie San Marco

89KIT09

Shower Kit 09



1-877-55-FORTIS (36784)

19701 Da Vinci
Lake Forest, CA 92610

WWW.FORTISFAUCET.COM

FORTIS.
PURO DESIGN ITALIANO

Serie San Marco

8912900

Adjustable Slidebar Handshower Set

STANDARDS

- Compliant with ASME A112.18.1-B125.1 requirements
- Certified By CSA international

Finishes	8912900PC	8912900BN	8912900TB
Polished Chrome	X		
Brushed Nickel		X	
Tuscan Bronze			X

Features	8912900PC	8912900BN	8912900TB
24" Adjustable Brass Slide Bar	X	X	X
Hand Shower with Dual Check Valves	X	X	X
Back Flow Prevention System	X	X	X
Includes: Hand Shower, Hose, Slide Bar, and Drop Elbow	X	X	X
60" Hose with Matching Finish	X	X	X
Self Cleaning Spray Head	X	X	X
Step By Step Installation Instructions	X	X	X
Limited Lifetime Warranty	X	X	X

Project: _____

Contractor: _____



Serie San Marco

8975000

Showerhead Kit

STANDARDS


- Compliant with ASME A112.18.1-B125.1
- Certified by CSA International

Finishes

	8975000PC	8975000BN	8975000TB
Polished Chrome	X		
Brushed Nickel		X	
Tuscan Bronze			X

Features

	8975000PC	8975000BN	8975000TB
Raincan Showerhead Kit with Matching 12" arm and flange	X	X	X
Delivers 2.5gpm at 80psi MAX	X	X	X
Showerhead features Rotating Ball Joint	X	X	X
1/2" NPT Inlets	X	X	X
Self Cleaning Spray Nozzles	X	X	X
Step-By-Step Installation Instructions	X	X	X
Limited Lifetime Warranty	X	X	X



Project: _____
Contractor: _____

Serie San Marco

8972100

Body Spray

STANDARDS

- Compliant with ASME A112.18.1-B125.1
- Certified by CSA International


Finishes

	8972100PC	8972100BN	8972100TB
Polished Chrome	X		
Brushed Nickel		X	
Tuscan Bronze			X

Features

	8972100PC	8972100BN	8972100TB
Invigorating Body Jet	X	X	X
Delivers 2.5gpm at 80psi MAX	X	X	X
Sprayer features 30° Rotation	X	X	X
1/2" NPT Inlets	X	X	X
Self Cleaning Spray Nozzles	X	X	X
Step-By-Step Installation Instructions	X	X	X
Limited Lifetime Warranty	X	X	X

Project: _____
Contractor: _____



Serie San Marco

8969000

1/2" Thermostatic Valve with Volume Control
Trim only

STANDARDS


- Compliant with ASME A112.18.1-B125.1
- Compliant with ASSE 1016
- Certified by CSA International
- Compliant with ANSI A117.1

Finishes

	8969000PC	8969000BN	8969000TB
Polished Chrome	X		
Brushed Nickel		X	
Tuscan Bronze			X

Features

	8969000PC	8969000BN	8969000TB
Solid Brass Construction	X	X	X
1/2" Stacked Thermostatic Valve Featuring Ceramic Discs	X	X	X
High Flow Valve Supports Multiple Outlets	X	X	X
Kit Includes Trim and Thermostatic cartridge	X	X	X
1/2" NPT Inlets	X	X	X
Progressive Volume Control	X	X	X
Independent Temperature Control	X	X	X
Step-By-Step Installation Instructions	X	X	X
Limited Lifetime Warranty	X	X	X



Project: _____

Contractor: _____

1-877-55-FORTIS (36784)

WWW.FORTISFAUCET.COM

19701 Da Vinci
Lake Forest, CA 92610

FORTIS.
FURO DESIGN ITALIANO

Serie San Marco

8942500

3 Way Diverter Valve Trim only

STANDARDS


- Compliant with ASME A112.18.1-B125.1 requirements
- Certified By CSA international

Finishes

	8942500PC	8942500BN	8942500TB
Polished Chrome	X		
Brushed Nickel		X	
Tuscan Bronze			X

Features

	8942500PC	8942500BN	8942500TB
Solid Brass Construction	X	X	X
Ceramic Disc Valving	X	X	X
1/2" NPT Inlet	X	X	X
1 Inlet, 3 Outlets	X	X	X
Select Individual Or Shared Outlet Positioning	X	X	X
3 Shared Positions For Activating 2 Outlets Simultaneously	X	X	X
Kit Includes Trim	X	X	X
Step-By-Step Installation Instructions	X	X	X
Limited Lifetime Warranty	X	X	X



Project: _____
Contractor: _____