

GERBER

Abigail™ Tub/Shower Fitting

Ż

Features:

- Traditional styling
- 2 3/4" faceplate
- Shower at 2.5 gpm @ 80 psi
- Chrome, brushed nickel, and oil rubbed bronze finishes
- Fit on Gerber *PLUS*[™] washerless valves GS-315 series and ceramic valves GH-301, GH-305
- Multifunction showerhead
- Back to back capability
- Diverter tub spout in thread/slip combination
- 5" tub spout length
- Fully ADA compliant
- Limited lifetime warranty

Standards & Certifications:

- ASME A112.18.1M
- ANSI A117.1
- IAPMO/cUPC
- Mass Code

Catalog Numbers:

- **G9-040** Single Handle and Flange Trim Kit, Chrome
- **G9-040-BN** Single Handle and Flange Trim Kit, Brushed Nickel
- G9-040-RB Single Handle and Flange Trim Kit, Oil Rubbed Bronze
- **G9-042** Shower Only Trim Kit, Chrome
- G9-042-BN Shower Only Trim Kit, Brushed Nickel
- G9-042-RB Shower Only Trim Kit, Oil Rubbed Bronze
- **G9-043** Tub/Shower Trim Kit, Chrome
- G9-043-BN Tub/Shower Trim Kit, Brushed Nickel
- G9-043-RB Tub/Shower Trim Kit, Oil Rubbed Bronze

Prefixes Available:

None

Suffixes Available:


None

Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	

Gerber Toll Free Technical Support: 888-648-6466 www.gerberonline.com








SINGLE HANDLE PRESSURE BALANCE TUB & SHOWER VALVES

Critical Dimensions : Rough-in valve GH-305 (w/stops) & GH-301 (Less stops)




Because we are committed to continual product improvement, specifications are subject to change without notice.



GERBER PLUS VALVES

Critical Dimensions : Rough-in valve GS-315 (PK) (w/stops) & GS-313-PK (w/stops)



Critical Dimensions : Rough-in valve GS-314-PK (w/stops) & GS-317-PK (w/stops)

