

Hunter WITH YOU IN MIND

HERITAGE | HUNTER | CUSTOM BUILDER | PRESTIGE | ACCESSORIES





EACH AND EVERY IMPROVEMENT MADE WITH YOU IN MIND.

We're never satisfied. Our newest collection not only showcases all the innovative design, quality craftsmanship and unmatched performance you expect from Hunter[®]. It also features a variety of improvements designed to give our customers better products, more flexibility, easier installation and the best experience possible.



Just how you want it. Most fans include three-position mounting (flush, standard or angled) and can be installed with or without a light kit. Plus, we've designed all of our blades to be interchangeable, allowing you the freedom to switch things up.



Hunter's new hands-free operation makes installation easier than ever. Our patented triangular hanger-ball system reduces torque for maximum stability and unmatched performance. An improved owner's manual puts you in control.



Our latest universal controls come loaded with new innovative features: automatic pairing, secure programming to eliminate interference, auto detect and longer range (up to 75 feet).

And it's damp rated for use on covered porches.



IT'S ALWAYS BEEN ALL ABOUT YOU

This year's improvements aren't part of a new strategy. Taking care of our customers has always been our focus. Here are a couple more reasons you should consider purchasing a Hunter® fan.

Lifetime Guarantee

We stand behind the quality and craftsmanship of each and every fan with our Limited Lifetime Motor Warranty. Backed by the only fan company that's been around for over 125 years, it's a guarantee you can trust.

Energy Efficiency

We don't just strive to give you a great value on your fan. We also work hard to create fans that will save you money every month on your electric bill.

We're proud to offer ceiling fans and light kits with the ENERGY STAR® label, which identifies highly efficient products and designates superior energy performance.

To make it more convenient, we've included an informational energy chart for every ceiling fan. Please note that the energy data provided is for fans running at high speed.





XX w

XX cfm/w

36- to 48-inch ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.

49- to 60-inch ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

HUNTER® TIP

Remember, ceiling fans cool people, not rooms. So turn the fan off when you leave the room to save energy.



FIND THE PERFECT FAN

We want you to be happy. This guide will help ensure you find the Hunter® fan that's just right for you.

1. Determine the fan size that's best for your room.

Room Size	Fan Size
Small rooms up to 10' x 10'	30" to 48" fan
Large rooms up to 20' x 20'	50" to 54" fan
Great rooms over 20' x 20'	56" or larger fan

If you're unsure about room dimensions, choose a larger fan to maximize your comfort at low or medium speed.

2. Select a style.

For a coordinated look, match the blade finish to furniture or wood molding. Or, choose a fan body finish that matches door or cabinet hardware.

3. Choose the appropriate fan mount and accessories based on ceiling height.

Low ceilings (8')	Hunter® Low Profile® fans with motor housings that fit flush to the ceiling	Low Profile-8'
Standard or angled ceilings (up to 9')	Most Hunter® fans with the Installer's Choice® Three-Position Mounting System	Flush-8' Standard-9'+ Angled*
High ceilings (9')	Add an extension downrod, purchased separately	

4. Get the light right.

Choose a fan with a coordinated light fixture, or customize the fan with your choice of accessories.

5. Pick out a fan control.

To operate your fan and light separately from a single switch without additional rewiring	Wall control
For convenient, easy operation in bedrooms and rooms with high ceilings	Wireless remote control

TABLE OF CONTENTS

HERITAGE CEILING FANS

1886 Limited Edition

Classic Original

Outdoor Original

Classic Original – 42 Inch

Hotel Original

Specifications

HUNTER CEILING FANS

GREAT ROOM

Markley **NEW**

Valerian NEW

Riazzi

Stockbridge

The Royal Oak

LARGE ROOM

Westover

Kingsbury

Italian Countryside

Aventine

Vernazza

Palermo

1912 Mission

Skyline

Conway NEW

Cortland

Domino

Banyan NEW Markham NEW

Sonic

The Kensington

The Brookline

The Astoria

The Sonora

Five Minute Fan

Caribbean Breeze

Studio Series

The Sontera The Savoy

SMALL ROOM & OFFICE

Caraway NEW

Watson NEW

Paxton

Newstead

The Beacon Hill

The Kensington

Hudson

LOW CEILING

42" Low Profile IV NEW

52" Low Profile III

52" Low Profile III Plus

Reinert NEW Conroy NEW

Hatherton NEW

Ashmont NEW

Fantasy Flyer

OUTDOOR LIVING

Sea Wind Bayview

Sea Air

Matheston NEW Beachcomber NEW

The Mariner

SPECIFICATIONS

CUSTOM BUILDER CEILING FANS

Pro's Best

Bridgeport Builder Deluxe

Southern Breeze

Builder Elite NEW

Builder Plus NEW

Specifications

PRESTIGE CEILING FANS

Headley

Torrence



Crown Park NEW Windemere **NEW**

Kingsbridge NEW Teague

Whitten

Eurus Bingham

Bixby **ORBit**

St. Michaels

Orchard Park

Specifications

ACCESSORIES

Light Kits

Outdoor Light Kits Dual Use Light Fixtures Bowl Fitters & Glass

Bowls

Kid's Bowls

Globe Fitters & Glass Traditional Globes

21/4" Accessory Glass Fitters & Finial Packs

Angled Ceiling Mounts

Extension Downrods Remote Controls





TIMELESS STYLE.

A collection that celebrates the best of more than a century of cutting-edge innovation and craftsmanship. These designs continue to stand the test of time.


Classic Original



1886 LIMITED EDITION®

A true Hunter® masterpiece is reborn with the elegant 1886 Limited Edition®. The intricate sand-cast motor housing and decorative rope downrod sleeve reflect Hunter's enduring attention to detail. A powerful and whisper-quiet Hunter® motor moves two perfectly balanced carved wood blades for exceptional air movement for years to come.

- Furniture grade veneer blades
- 14° blade pitch
- 172 x 20 mm motor
- 12" decorative downrod included for standard/ angled mounting
- Limited-edition replica of turn-of-the-century Tuerk fan model
- Detailed cast motor housing rotates with blades
- For use on nine foot or higher ceilings
- Optional controls available (see Accessories section for details)



Airflow **6,422** cfm

Electricity Use

76 w



CLASSIC ORIGINAL®

In the age of disposability, few products have earned the right to be called classics. Rest assured, the Classic Original® is one of them. This is a fan that has changed little in decades, yet is so far ahead of its time, it earns the EPA's Energy Star® Rating.

- Furniture grade veneer blades
- 15° blade pitch
- 210 x 20 mm motor
- Indestructible cast iron housing
- Unique oil bath lubrication system
- Optional controls available (see Accessories section for details)



Oil for Hunter Original® fans







Airflow **6,947** cfm Electricity Use **87** w Airflow Efficiency 80 cfm/w

HERITAGE CEILING FANS HERITAGE CEILING FANS





25602 White with four White plastic blades



OUTDOOR ORIGINAL®

ETL Damp Rated, the Outdoor Original® is ideal for enclosed porches, covered patios, greenhouses and more.

- 52" and 55" blade span (see Individual Elements® on next page)
- 12° blade pitch (models 25601 and 22282); 15° blade pitch (model 25602)
- 210 x 20 mm motor
- Indestructible cast iron housing
- Unique oil bath lubrication system
- Rated for damp locations
- Optional controls available (see Accessories section for details)

PORCH

Oil for Hunter Original® fans



		22282	25602
←E→ ↑C	Dimensions A: 14.45 "	Airflow 7,097 cfm	Airflow 7,501 cfm
F	B: * C: 3.30 " D: 12.53 "	Electricity Use 81 w	Electricity Use 82 w
	E: 6.24 "	Airflow Efficiency 88 cfm/w	Airflow Efficiency 92 cfm/w
	F: —	88 cfm/w	92 cfm/w

*Dimension varies by blade. See specifications page. Energy information for model 25601 motor on opposite page.

INDIVIDUAL ELEMENTS®

With the Hunter® Individual Elements® Accessory Blades, our fans are even more versatile. Create your own custom fan. Select the black Outdoor Original® Fan body. Then add a set of accessory fan blades to match your décor.





Airflow 7,097 cfm

Energy information based on 25601 motor.





25676

55" Gossamer Brown synthetic wicker blades

5,113 cfm

Electricity Use **82** w

Airflow Efficiency 62 cfm/w

Energy information based on 25601 motor.





52" reversible Antique Dark plastic palm/wicker blades

Airflow **6,379** cfm

Electricity Use Airflow Efficiency 78 cfm/w

Energy information based on 25601 motor.

HERITAGE CEILING FANS HERITAGE CEILING FANS




CLASSIC ORIGINAL® - 42 INCH

Compact but never compromised, this is the Classic Original® revised for smaller spaces. A motor built to precise standards and a unique oil bath lubrication system mean your small rooms will be as cool and quiet as your big rooms, thanks to Hunter's 42" Classic Original.

- 10.5° blade pitch
- 172 x 15 mm motor
- Indestructible cast iron housing
- Unique oil bath lubrication system
- Optional controls available (see Accessories section for details)

22732 Oil for Hunter Original® fans





Dimensions
A: 14.00"
B: 12.00"
C: 3.30"
D: 10.00"
E: 5.50"

Airflow
2,570 cfm
Electricity Use
62 w
Airflow Efficiency
41 cfm/w




HOTEL ORIGINAL®

With Hunter's patented Adaptair™ adjustable blade pitch technology, the Hotel Original® keeps your home cool in summer or warm in winter with ease. Simply adjust the blade pitch—from updraft to downdraft and vice versa—with a single lever. Designed before reversible electric motors, the Adaptair™ system represents our rich tradition of innovation.

- Furniture grade veneer blades
- Adaptair[™] adjustable blade pitch technology
- 210 x 20 mm motor
- Indestructible cast iron housing
- Unique oil bath lubrication system
- Schoolhouse glass globe
- One 19w CFL bulb (75w equivalent)
- Optional controls available (see Accessories section for details)



22732Oil for Hunter Original® fans



Dimensions

A:

F B: 17.25"

C: 5.13"

D: 12.50"

E: 5.40"

F: 26.00"

Airflow
7,501 cfm


Electricity Use
82 w

Airflow Efficiency
92 cfm/w

HERITAGE CEILING FANS

HERITAGE SPECIFICATIONS


		.g.,	10 10 10 10 10 10 10 10 10 10 10 10 10 1	t2 hch			250 000 000 000 000 000 000 000 000 000			
	1886 Lin.;	1885 61160	Chair, China.	40,600 42,40,40,40,40,40,40,40,40,40,40,40,40,40,	a cono	lama de	3500,000	2500 000 000 000 000 000 000 000 000 000	250 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
SIZE	60	52	42	52	52	52	52	52	55	
BLADES	2	4/5	4	4	5	4	5	5	5	
°РІТСН	14	15	10.5	N/A	12	15	12	12	12	
INCLUDES LIGHT	No	No	No	Yes	No	No	No	No	No	
INCLUDES REMOTE	No	No	No	No	No	No	No	No	No	
DUST ARMOR	No	No	No	No	No	No	No	No	No	
CFM (HIGH)	6422	6947	2570	<i>7</i> 501	7097	<i>7</i> 501	7097	6379	5113	
CFM (MED)	3945	3989	1717	4545	4619	4545	4619	4032	3133	
CFM (LOW)	1828	3595	1046	2706	2633	2706	2633	2332	1996	
RPM (HIGH)	190	197	187	270	225	257	225	207	151	
RPM (MED)	117	116	122	167	155	145	155	130	99	
RPM (LOW)	63	74	83	100	93	92	93	80	64	
WATTS	76	87	62	82	81	82	81	82	82	
AMPS	0.64	0.73	0.52	0.68	0.69	0.71	0.69	0.70	0.71	
A	23.98	14.16	14.00	-	14.45	14.45	14.45	14.45	14.45	
В	22.50	11.83	12.00	17.25	12.18	12.18	12.18	12.35	12.22	
С	5.13	3.33	3.30	5.13	3.30	3.30	3.30	3.30	3.30	
D	9.80	12.53	10.00	12.50	12.53	12.53	12.53	12.53	12.53	
E	5.40	5.50	5.50	5.40	6.24	6.24	6.24	6.24	6.24	
F	-	-	-	26.00	_	-	-	_	-	

























Dimensions
A: 12.78"
F B: 11.41"
C: 2.75"
D: 14.09"
E: 6.50"

Airflow 6,855 cfm

Electricity Use **78** w

Airflow Efficiency

WESTOVER® FOUR SEASONS™ HEATER FAN

- WhisperWind® Motor
- EZ Hang® Mounting System
- Two-position mounting
- Illumi-Heat™ lighting fixture featuring 700w PTC ceramic heating element
- Integrated 120-watt bowl light fixture
- Uses three 40w candelabra bulbs (included)
- No dedicated circuit required; installs like a standard ceiling fan
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- Remote control included for separate operation of light, heat and fan functions



Hunter Illumi-Heat™ Ceramic Heating Technology



ARE YOU A FAN OF YEAR-ROUND COMFORT?

The Westover® Four Seasons™ Heater Fan cools your home when the weather is warm, heats it when winter comes, and looks great the whole year through.

In the summer, use this unique Hunter® fan conventionally, to cut back on air conditioning without sacrificing comfort. When it gets cold, make the switch to heat so you can stay warm even at a lower thermostat setting.

Ideal for adding comfort to a bedroom or family room, the Westover® may also act as the sole means of cooling and heating a space year-round. Either way, this fan is sure to help you save on energy bills all year long. That's a beautiful thing.








Dimensions
A:
B: 13.00"
C: 3.10"
D: 13.50"
E: 7.60"
F: 22.20"


Airflow
5,005 cfm

Electricity Use
66 w

Airflow Efficiency
76 cfm/w

Please note model 21894 will transition to new model number 59033.





















Airflow **6,707** cfm Electricity Use **87** w Airflow Efficiency
77 cfm/w



- WhisperWind® Motor
- AVT[®] Hanging System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt iridescent art glass light fixture
- Uses two 60w candelabra bulbs (included)
- Limited lifetime warranty





Electricity Use **74** w Airflow Efficiency **86** cfm/w

6.22"

Will be discontinued in 2014.


SKYLINE

Family Code H149 52P2

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Dust Armor[™] blade coating repels dust build-up
- Limited lifetime warranty







11.65"


Airflow N/A cfm Electricity Use N/A w Airflow Efficiency
N/A cfm/w

HUNTER CEILING FANS LARGE ROOM LARGE ROOM HUNTER CEILING FANS











11.26" 6.50" 18.22"


Airflow **5,159** cfm Electricity Use **67** w Airflow Efficiency
77 cfm/w





- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 80-watt downlight/80-watt uplight
- Uses four 40w candelabra bulbs (included)
- Dust Armor[™] blade coating repels dust build-up
- Limited lifetime warranty





Electricity Use N/A w Airflow Efficiency
N/A cfm/w


HUNTER CEILING FANS LARGE ROOM LARGE ROOM HUNTER CEILING FANS



53176 52" New Bronze with five Roasted Walnut/Yellow Walnut blades

Snow White blades





MARKHAM NEW
Family Code H170 52P0 WhisperWind® Motor • Installer's Choice® Three-Position Mounting System • Dust Armor™ blade coating repels dust build-up • Limited lifetime warranty



52" Snow White with five

Snow White blades

Hunter




54109

52" Brushed Nickel with five

Medium Walnut/

Dark Walnut blades



Not available at time of print

11.69"

Airflow N/A cfm Electricity Use N/A w Airflow Efficiency
N/A cfm/w

HUNTER CEILING FANS LARGE ROOM LARGE ROOM HUNTER CEILING FANS

Airflow **5,160** cfm

Electricity Use 68 w

Airflow Efficiency 76 cfm/w

2.75" 11.06" 6.50"



- WhisperWind® Motor
- Integrated 18-watt bowl light fixture
- Uses one 18w GU24 CFL bulb (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty














59073

52" White with four

White/Maple blades



6.50" 14.54"

Airflow 5,892 cfm Electricity Use Airflow Efficiency

THE KENSINGTON® Family Code H055 52P2


- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty



52" New Bronze with five Walnut/Cherry blades












Airflow 4,748 cfm Electricity Use Airflow Efficiency










imensions
12.02"
10.62"
2.75"
11.06"
6.50"
Airflow
5,013 cfm
Electricity Use
65 w
Airflow Efficiency
77 cfm/w







52" New Bronze with five Dark Cherry/Medium Oak blades

53086










2. Attach to bracket and connect wires 3. Attach blades

4. Attach bowl

The Five Minute Fan* ceiling fan can be installed by most users in five minutes or less. Five minute time interval does not include installation of mounting plate.





Airflow **5,010** cfm Electricity Use **67** w Airflow Efficiency


CARIBBEAN BREEZE TM Family Code H129 54P2

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt wicker bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Dust Armor[™] blade coating repels dust build-up
- Limited lifetime warranty












Airflow **5,559** cfm Electricity Use **76** w Airflow Efficiency 73 cfm/w

HUNTER CEILING FANS LARGE ROOM LARGE ROOM HUNTER CEILING FANS




















1. Fan comes 90% pre-assembled

2. Attach to bracket and connect wires **3.** Attach blades

4. Attach bowl

The Five Minute Fan* ceiling fan can be installed by most users in five minutes or less. Five minute time interval does not include installation of mounting plate.





11.41" 6.49"

Airflow 4,085 cfm Electricity Use **64** w Airflow Efficiency 64 cfm/w

HUNTER CEILING FANS LARGE ROOM SMALL ROOM & OFFICE HUNTER CEILING FANS




- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty










Airflow **3,516** cfm Electricity Use **60** w Airflow Efficiency
59 cfm/w






- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty







Airflow **3,932** cfm Electricity Use 47 w Airflow Efficiency 83 cfm/w

Will be discontinued in 2014.

HUNTER CEILING FANS SMALL ROOM & OFFICE SMALL ROOM & OFFICE HUNTER CEILING FANS

THE BEACON HILL Family Code H061 42P3 (models 53078-53082)

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Can be installed without light fixture
- Dust Armor™ blade coating repels dust build-up (models 53078-53082 only)
- Limited lifetime warranty





53081 42" White with five White/Light Oak blades



42" Antique Brass with five Rosewood/Medium Oak blades




20434/53080 42" Hunter Bright Brass Finish° with five Rosewood/ Medium Oak blades



20430, 20434

53078-53082



Di	mensions
A:	12.50"
B:	11.50"
C:	2.50"
D:	9.50"
E:	6.75"
F:	18.00"

20430	, 20434
ensions 12.50"	Airflow 4,013 cfm
11.50" 2.50" 9.50"	Electricity Use 63 w
6.75" 8.00"	Airflow Efficiency 64 cfm/w

	Di	mensions
m	A:	12.52
Jse	B:	11.17
)se	C:	2.75'
	D:	9.50'
ency	E:	6.50'
~	F:	18.31


Airflow **4,461** cfm Electricity Use **63** w Airflow Efficiency
71 cfm/w THE KENSINGTON®
Family Code H005 42P2

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty










Airflow 3,302 cfm 10.77" Electricity Use **58** w Airflow Efficiency
57 cfm/w 6.49"

HUNTER CEILING FANS SMALL ROOM & OFFICE SMALL ROOM & OFFICE HUNTER CEILING FANS











Airflow 3,790 cfm Electricity Use **64** w Airflow Efficiency
59 cfm/w
















LOW CEILING














23566/53054 52" White with five White Plastic blades











A: 12.40" B: **9.40**"
C: **2.10**"
D: **12.90**"

23562, 23566, 23568 Airflow **5,498** cfm Electricity Use **58** w 6.20"

53053-53055 A: 12.55" B: 11.15" 2.75" D: 12.94" 6.50"

Not available at time of print Airflow N/A cfm Electricity Use N/A w Airflow Efficiency

MATHESTON NEW Family Code H162 52P2

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 28-watt bowl light fixture
- Uses two 14w CFL bulbs (included)
- Can be installed without light kit
- Dust Armor™ blade coating repels dust build-up
- ETL Damp Listed for use in covered porches, patios and sunrooms
- Limited lifetime warranty



Hunten


52" Cottage White with five Grey Pine blades











Airflow **6,201** cfm Electricity Use **79** w Airflow Efficiency 79 cfm/w

HUNTER CEILING FANS OUTDOOR LIVING OUTDOOR LIVING HUNTER CEILING FANS


BEACHCOMBER® NEW Family Code H070 52P2

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Dust Armor™ blade coating repels dust build-up
- ETL Damp Listed for use in covered porches, patios and sunroom
- Limited lifetime warranty









A: 12.03" B: 10.62" C: 2.75" D: 11.06" E: 6.50" 18.00"

Airflow **5,226** cfm Electricity Use 65 w

Airflow Efficiency **80** cfm/w

THE MARINER Family Code H119 52PO (model 59126)


- WhisperWind® Motor
- Two-position mounting (model 21958 only)
- Dust Armor[™] blade coating repels dust build-up (model 59126 only)
- ETL Wet Listed for use in covered and uncovered applications
- Limited lifetime warranty













21958 Airflow **5,716** cfm Electricity Use 63 w

59126 A: 12.80" B: 11.53" C: **2.75**" D: **12.65**" E: 6.50"

Not available at time of print Airflow **5,716** cfm Electricity Use **63** w

Airflow Efficiency

HUNTER SPECIFICATIONS

			,		ROOM	,	,	LARGE ROOM					
	Moor			# 10 5 10 10 10 10 10 10 10 10 10 10 10 10 10	230 11 64 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	(16) (16) (16) (16) (16) (16) (16) (16)	19/5/5/ 18/5/18/5/ 18/5/5/5/5/5/5/5/5/5/5/5/5/5/5/5/5/5/5/5	5305 4.0.1	\$30.5° 7.6 \$30.5° 7.6 \$30.5°	53/2 Fam.	23/2 (33/2) 23/2 (33/2)	1. (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	53.00 S.
SIZE	56	56	60	70	60	52	54	52	52	52	52	54	52
BLADES	5	5	5	5	5	5	5	5	5	5	5	5	5
°PITCH	13	12	13	12	13	13	14.5	13	13	13	13	13	13
INCLUDES LIGHT	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
INCLUDES REMOTE	No	No	Yes	No	No	Yes	No	No	No	No	No	No	No
DUST ARMOR	Yes	No	Yes	No	Yes	Yes	No	Yes	Yes	Yes	No	Yes	Yes
CFM (HIGH)	5523	5734	6855	8766	7185	5005	6379	5013	4881	5160	4905	5559	5159
CFM (MED)	3548	3453	4289	5081	4291	3030	3837	3235	2990	3181	2765	3195	3276
CFM (LOW)	2144	1892	2552	2207	2644	1440	1803	1993	1856	1953	1393	1602	2049
RPM (HIGH)	N/A	122	145	106	142	142	180	159	147	159	168	161	159
RPM (MED)	N/A	77	83	62	78	92	110	100	86	92	98	90	95
RPM (LOW)	N/A	42	44	33	41	50	50	56	50	51	55	47	54
WATTS	66	65	78	83	82	66	74	65	65	68	63	76	67
AMPS	0.54	0.54	0.71	0.70	0.67	0.52	0.64	0.52	0.53	0.56	0.67	0.65	0.54
A	13.02	-	12.78	12.70	12.78	_	_	12.02	12.77	13.02	14.00	13.03	12.52
В	11.81	10.25	1141	11.10	11.47	13.00	11.06	10.62	11.54	11.83	11.70	12.20	11.26
С	2.75	3.07	2.75	3.30	2.75	3.10	2.60	2.75	2.75	2.75	2.80	2.75	2.75
D	13.49	8.80	14.09	12.30	12.59	13.50	12.64	11.06	12.30	11.06	12.25	8.40	10.61
E	6.50	7.61	6.50	7.20	6.50	7.60	6.22	6.50	6.50	6.50	6.75	6.50	6.50
F	18.48	18.75	_	18.50	18.20	22.20	17.23	17.99	18.93	18.30	19.75	19.04	18.22

FE→ TIC													
SIZE	54	52		Í						52		<u> </u>	<u> </u>
		-	52	52	52	52	52	52	52		52	52	52
BLADES	5	5	5	5	5	5	5	5	5	5	4	5	5
°PITCH	12	13	13	13	13	15	13	15	12	13	13	13	13
INCLUDES LIGHT INCLUDES REMOTE	Yes	Yes	Yes	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes	Yes Yes
DUST ARMOR	No No	No Yes	No Yes	No Yes	No Yes	No Yes	No Yes	Yes No	No No	No Yes	Yes	No No	Yes
	5934		-	5094	4748		-	6707			-		5040
CFM (HIGH)		N/A	5010			4164	N/A		5348	N/A	5892	5680	
CFM (MED)	3168	N/A	3067	3411	3155	2581	N/A	3690	3412	N/A	3560	3351	1926
CFM (LOW)	1591	N/A	1842	2085	1719	1443	N/A	1719	1760	N/A	1943	1356	8063
RPM (HIGH)	208	N/A	160	155	165	148	N/A	187	189	N/A	239	185	152
RPM (MED)	121	N/A	93	98	100	87	N/A	122	121	N/A	134	110	91
RPM (LOW)	60	N/A	51	56	55	48	N/A	40	59	N/A	64	50	51
WATTS	80	N/A	67	63	68	72	N/A	87	71	N/A	77	77	64
AMPS	0.67	N/A	0.54	0.51	0.55	0.59	N/A	0.71	0.59	N/A	0.63	0.67	0.52
Α	13.00	N/A	12.27	13.02	12.52	13.93	13.03	_	12.50	13.02	N/A	12.63	12.02
В	11.90	10.61	11.04	12.22	11.29	11.35	11.69	10.80	11.50	11.65	10.15	11.70	10.61
С	3.60	2.75	2.75	2.75	2.75	2.68	2.75	2.83	2.50	2.75	2.75	2.72	2.75
D	12.10	8.39	11.06	13.99	10.75	11.06	11.06	12.50	11.88	8.15	10.67	11.06	11.06
E	7.54	6.50	6.50	6.50	6.50	6.69	6.50	7.20	6.75	6.50	6.50	6.69	6.50
F	22.50	16.35	18.16	18.98	18.38	_	N/A	14.60	_	17.82	14.54	18.78	17.80

HUNTER SPECIFICATIONS

		LARG	E ROOM			SM	ALL ROC	M & OE	EICE			LOW CEILING				
	530, 50, 65, 55, 65, 55, 65, 55, 65, 55, 65, 55, 65, 55, 65, 55, 65, 6	* 35 N	6000 0000 0000 0000 0000 0000 0000 000	905,500 905,50	300 Com.	\$ 1905. \$ 1905		1, 5, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		700 MOS	45th	18 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	40. 1035 40. 104. 104. 104. 104. 104. 104. 104. 1	1 50/2 /2 /2 /2 /2 /2 /2 /2 /2 /2 /2 /2 /2 /	##6.000 1.000	
SIZE	52	52	42	42	44	42	42	46	48	34	52	42	42	52	52	
BLADES	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
°PITCH	13	13	13	13	13	13	13	12	12	13	13	13	13	12	13	
INCLUDES LIGHT	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	
INCLUDES REMOTE	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
DUST ARMOR	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	No	Yes	
CFM (HIGH)	4740	4769	4461	4013	4085	3790	3302	3932	4778	3516	3764	2825	2902	5000	2852	
CFM (MED)	2985	2986	3016	2803	2083	1910	1743	2287	2998	1590	2134	1433	1453	2900	2612	
CFM (LOW)	1766	1747	1752	1620	1418	1210	1183	1490	1632	1013	1390	936	889	1500	1567	
RPM (HIGH)	145	140	240	237	217	218	190	196	216	331	175	175	N/A	170	137	
RPM (MED)	90	82	152	161	102	106	96	115	154	170	103	86	N/A	107	83	
RPM (LOW)	50	43	85	90	59	65	62	74	88	102	62	54	N/A	60	47	
WATTS	65	66	63	63	64	64	58	47	66	60	57	56	N/A	66	63	
AMPS	N/A	0.53	0.50	0.51	0.52	0.52	0.47	0.47	0.54	0.49	0.54	0.45	N/A	0.56	0.53	
A	12.27	13.03	12.52	12.50	12.77	12.66	12.00	_	-	12.76	9.06	8.80	8.80	9.38	9.31	
В	10.96	11.28	11.17	11.50	11.41	11.52	10.77	11.72	9.59	11.80	7.84	7.63	7.53	7.41	7.96	
С	2.75	2.75	2.75	2.50	2.75	2.75	2.75	2.60	2.72	2.75	-	-	-	-	_	
D	11.69	12.16	9.50	9.50	9.50	9.50	9.82	9.50	8.80	9.50	12.50	11.50	11.50	12.50	12.50	
E	6.50	6.50	6.50	6.75	6.49	6.50	6.49	6.69	6.69	6.50	-	-	-	-	_	
F	18.00	19.27	18.31	18.00	18.74	-	17.92	21.04	16.43	18.23	14.67	14.32	-	-	_	

←E→ ←E→		/	LOW CEILING				OUTDOOR LIVING							
D	A Marie Co.	10/2/01/19/18/18/18/18/18/18/18/18/18/18/18/18/18/	485 Yer	303, Her.	50 8.70	2,000 S	7 66 S	8005 (400 B	53/29 66.	Norine.	540 Medical Section 1997; 10 Medical Section 1	5005 1505 5005 1505	1365 Sept.	305, 305, 805, 805, 805, 805, 805, 805, 805, 8
SIZE	52	48	48	46	52	54	54	52	52	52	52	52	52	48
BLADES	5	3	3	5	5	5	5	5	5	5	5	5	5	5
°PITCH	13	15	15	13	13	12	13	13	12	12	13	12	13	13
INCLUDES LIGHT	Yes	No	No	Yes	Yes	No	No	Yes	No	No	Yes	No	No	No
INCLUDES REMOTE	No	No	No	No	No	No	No	No	No	No	No	No	No	No
DUST ARMOR	Yes	No	Yes	Yes	Yes	No	Yes	Yes	No	No	Yes	No	Yes	Yes
CFM (HIGH)	2852	3000	N/A	3422	4193	5803	5803	5226	5716	5716	6201	5498	N/A	4072
CFM (MED)	2612	1500	N/A	1897	2566	3422	3422	3314	3632	3632	3710	3466	N/A	2631
CFM (LOW)	1567	1000	N/A	1188	1657	2092	2092	2103	1848	1848	2185	1925	N/A	1593
RPM (HIGH)	137	210	N/A	167	138	198	198	161	195	195	196	195	N/A	170
RPM (MED)	83	150	N/A	75	86	92	92	98	125	125	110	125	N/A	107
RPM (LOW)	47	90	N/A	47	49	53	53	58	75	75	59	75	N/A	64
WATTS	65	52	N/A	53	67	74	74	65	63	63	79	58	N/A	64
AMPS	0.53	0.44	N/A	0.52	0.52	0.62	0.62	0.53	0.56	0.56	0.64	0.56	N/A	0.52
Α	9.31	10.75	N/A	8.80	9.30	13.35	12.29	12.03	13.03	13.03	13.02	12.40	12.55	9.32
В	7.99	7.00	N/A	7.46	7.95	12.20	11.47	10.62	11.40	11.40	12.15	9.40	11.15	8.02
С	-	-	N/A	-	-	2.76	2.75	2.75	3.20	3.20	2.75	2.10	2.75	-
D	12.50	14.00	N/A	11.45	12.00	9.50	9.50	11.06	12.65	12.65	11.74	12.90	12.94	12.50
E	-	_	N/A	_	_	6.70	6.50	6.50	7.17	7.17	6.50	6.20	6.50	-
F	15.47	_	N/A	14.66	15.01	-	_	18.00	_	_	18.69	_	_	_



CUSTOM BUILDER

VISIONS BROUGHT TO LIFE.

The Custom Builder collection was created to empower professionals. Add creative flair and quality craftsmanship to your masterpiece while staying on budget.

HUNTER CEILING FANS SPECIFICATIONS



53249 52" Brushed Nickel with five Chestnut/Blackened Rosewood blades and Swirled Marble glass bowl













2. Attach to bracket and connect wires 3. Attach blades


4. Attach bowl

The Five Minute Fan* ceiling fan can be installed by most users in five minutes or less. Five minute time interval does not include installation of mounting plate.









	Dii	mensions
Î	A:	12.27"
F	B:	11.04"
Ĺ	C:	2.75"
/	D:	11.69"
	E:	6.50"
↓	F:	18.66"

7"	Fan Speed	Airflow	Electricit Use
4" 5"	Low	1,499 cfm	10 w
9"	Medium	3,027 cfm	26 w
0" 6"	High	5,232 cfm	67 w

Airflow Efficiency

156 cfm/w

109 cfm/w


76 cfm/w












5,671 cfm

136 cfm/w **86** cfm/w








42" White with five White/Bleached Oak blades and Frosted glass





Fan Speed Airflow Use

Low 1,110 cfm 8 w

Medium 1,692 cfm 16 w

High 3,369 cfm 57 w

146 cfm/w

108 cfm/w

59 cfm/w

CUSTOM BUILDER CEILING FANS

CUSTOM BUILDER CEILING FANS

BUILDER ELITE NEW Family Code H134 52P0


- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 13° blade pitch
- Dust Armor[™] blade coating repels dust build-up
- Limited lifetime warranty











A: 12.27"
B: 10.92"
C: 2.75"
D: 10.90"

Low 1,930 cfm Medium 3,252 cfm **5,049** cfm


186 cfm/w **121** cfm/w 66 w **77** cfm/w



- WhisperWind® Motor
- 13° blade pitch
- Installer's Choice® Three-Position Mounting System
- Uses three 60w candelabra bulbs (included)
- Can be installed without light kit
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty










52" New Bronze with five Harvest Mahogany/Brazilian Cherry blades and Swirled Marble glass





A: 12.27" 10.92"

1,930 cfm 10 w **27** w 66 w 5,049 cfm

186 cfm/w


121 cfm/w

77 cfm/w

CUSTOM BUILDER CEILING FANS CUSTOM BUILDER CEILING FANS

CUSTOM BUILDER SPECIFICATIONS

	33/2 8.16.	50 8 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	530 64 6 5 500)	A Company of the Comp	Section of the sectio	50.00 1325/25/25/25/25/25/25/25/25/25/25/25/25/2
SIZE	52	52	52	52	52	42
BLADES	5	5	5	5	5	5
°РІТСН	13	13	13	13	13	10.4
INCLUDES LIGHT	No	Yes	No	Yes	Yes	Yes
INCLUDES REMOTE	No	No	No	No	No	No
DUST ARMOR	Yes	Yes	Yes	Yes	Yes	Yes
CFM (HIGH)	5671	5110	5049	5049	5232	3369
CFM (MED)	3516	3220	3252	3252	3027	1692
CFM (LOW)	2254	1992	1930	1930	1499	1110
RPM (HIGH)	173	159	155	155	176	190
RPM (MED)	105	101	97	97	103	96
RPM (LOW)	58	58	54	54	55	62
WATTS	66	64	66	66	67	57
AMPS	0.53	0.52	0.52	0.52	0.54	0.47
A	12.27	12.27	12.27	12.27	12.27	12.02
В	10.99		10.92	10.92	11.04	10.77
С	2.75	2.75	2.75	2.75	2.75	2.75
D	11.69 10.9		10.90	10.90	11.69	9.82
E	6.50	6.50	6.50	6.50	6.50	6.49
F	-	17.77	-	18.06	18.66	17.77





PRESTIGE

WHEN EXCEPTIONAL DOESN'T QUITE CUT IT.

We've taken Hunter* to the next level. Prestige offers our finest collection of fans—satisfying the demands of those who want the very best.




HEADLEY Family Code P010 64P0 (model 55046)

Kick back to casual with the Headley. Its 64-inch blade span makes it a comfortable addition to great rooms and game rooms-virtually any room where relaxation is the rule.

- WhisperWind® Motor
- Two-position mounting (model 28790 only)
- Installer's Choice® Three-Position Mounting System (model 55046 only)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- 2" downrod included (model 55046 only)
- 6" downrod included
- For use on nine foot or higher ceilings (model 28790 only)







A: **19.16**" B: **15.67**" 3.07"

28790 7,540 cfm 86 w

Dimensions A: **14.68**" B: 11.56"

Airflow 7,540 cfm Electricity Use **86** w Airflow Efficiency 88 cfm/w

55046



TORRENCE

A timeless classic that doesn't follow the trends, the Torrence is a model of enduring style with its Provence Crackle finish and rich Amber glass. This performer sets a new standard for air movement in fans of its size.

- WhisperWind® Motor
- Two-position mounting
- Integrated 42-watt three-light fixture
- Uses three 14w CFL bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- 6" downrod included
- Remote control included


Please note model 28789 will transition to new model number 55045.

• For use on nine foot or higher ceilings









16.07" 7.61"

Airflow 7,429 cfm Electricity Use **84** w Airflow Efficiency 88 cfm/w

PRESTIGE CEILING FANS GREAT ROOM GREAT ROOM PRESTIGE CEILING FANS






Ornate yet simple, this traditional style caters to a wide range of tastes. Carved wood blades and decorative trim on the motor housing and glass bowl contribute to its sophisticated design.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 180-watt bowl light fixture
- Uses three 60w candelabra bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- 3" downrod included







Airflow **5,727** cfm Electricity Use **81** w




CROWN PARK NEW Family Code P002 54P3

With large, decoratively carved wood blades, the Crown Park demands attention. This simple, yet elegant design features an intricate three-light fixture with beading detail and attractive motor housing with matching blade irons.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- 3" downrod included





6.50"

Airflow **5,860** cfm Electricity Use **78** w Airflow Efficiency 75 cfm/w






WINDEMERE NEW Family Code P015 54D1

Leave the past in the past with this ultra-sleek, contemporary design. Features burnished blades and the latest in remote control technology.

- WhisperWind® Motor
- Two-position mounting
- Integrated 80-watt light fixture
- Uses two 40w candelabra bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- Remote control included
- 3" and 6" downrods included







Airflow **6,434** cfm Electricity Use **86** w




KINGSBRIDGE NEW Family Code P014 54P2

Burnished carved wood blades, casual finishes and timeless design make this traditionally styled fan a perfect complementary piece to the most sophisticated interior design.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 180-watt bowl light fixture
- Uses three 60w candelabra bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- 3" downrod included







11.82" 6.50"

Airflow **5,407** cfm Electricity Use **78** w Airflow Efficiency 70 cfm/w



TEAGUE Family Code P007 54P2


Relaxed yet refined, the Teague will add simple elegance to any room in your home. A modest style made stunning with Blackened Pecan carved wood blades and Antique Pewter finish.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 28-watt bowl light fixture
- Uses two 14w CFL bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- 3" downrod included









Airflow **6,064** cfm Electricity Use **83** w

Airflow Efficiency 73 cfm/w




WHITTEN

Craftsman style meets modern functionality in this beautifully designed model. Made to look handcrafted with ornate, carved wood blades and light stain. Bronze patina finish adds that perfect touch.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- 3" downrod included





Airflow **5,675** cfm Electricity Use **73** w Airflow Efficiency
77 cfm/w

Please note model 28792 will transition to new model number 54059.




EURUSFamily Code P004 54D1

Named for the Greek god of the east wind, the Eurus makes a powerful statement in both form and function. A compelling contrast of clean lines and warm materials, this soft contemporary fan commands a presence in any room.

- WhisperWind® Motor
- Two-position mounting
- Integrated light fixture
- One 18w dimmable CFL bulb (included)
- Dust Armor™ blade coating repels dust build-up
- Remote control included
- Limited lifetime warranty
- 5" downrod included









Airflow **6,418** cfm Electricity Use **79** w




BINGHAM Family Code P006 52P0 (model 54070)

The Bingham enjoys the distinction of hand-carved wood blades, an upscale feature usually reserved for the most expensive fans. As a 52" fan that enhances the appearance of any room, it is a welcome addition to our line.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- \bullet Dust Armor $^{\!\scriptscriptstyle{\mathrm{M}}}$ blade coating repels dust build-up
- Limited lifetime warranty
- 3" downrod included





	Dimensions
1	A: 12.44"
Ė	B: 10.40"
ì	C: 3.07 "
	D: 12.76 "
′	E: 7.61"
↓	F: —

28830

Airflow **5,013** cfm Dimensions A: **12.07**" B: **10.11**" Electricity Use **74** w Airflow Efficiency 68 cfm/w E: **6.50**"

Airflow **5,228** cfm Electricity Use 81 w Airflow Efficiency 65 cfm/w

54070

PRESTIGE CEILING FANS LARGE ROOM LARGE ROOM PRESTIGE CEILING FANS



room-even smaller ones. A simple, classic look brought to life with Antique Halifax blades and Antique Brass finish.

- WhisperWind® Motor
- Integrated 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Limited lifetime warranty
- 3" downrod included




BIXBY

Timeless and elegant, this gorgeous fan is perfect for bringing a dash of class to any

- Installer's Choice® Three-Position Mounting System
- Dust Armor™ blade coating repels dust build-up

Please note model 28791 will transition to new model number 53050.






ORBIT®

Pulling together the eclectic elements of a contemporary room can be frustrating. Armed with a dash of space-age whimsy, ORBit® makes it a breeze. With a blade span of only 36", ORBit® is small in size but big on performance.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Dust Armor[™] blade coating repels dust build-up
- Limited lifetime warranty
- 3" downrod included



Airflow* **3,822** cfm Electricity Use* Airflow Efficiency*
76 cfm/w

*Energy information based on previous model number 28421.



ST. MICHAELS ® Family Code P008 52P2 (model 54077)


The elegant classical leaf detail that graces the St. Michaels® motor housing and trim ring combines with the luxurious Amber Scavo glass light fixture to add the perfect finishing touches to a fan that's both stately and stylish.

- WhisperWind® Motor
- Low profile design
- Integrated 120-watt light fixture
- Uses two 60w candelabra bulbs (included)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty









28	419
Dimensions A: 9.28 "	Airfl 3,322
B: 8.57 " C: — D: 12.49 "	Electrici
E: — F: 15.10 "	Airflow E

28419							
mensions 9.28"	Airflow 3,322 cfm						
8.57" — 12.49"	Electricity Use 72 w						
15.10"	Airflow Efficiency 46 cfm/w						

54077 Airflow **3,438** cfm Electricity Use 76 w Airflow Efficiency **45** cfm/w





ORCHARD PARK Family Code P013 52P0 (model 54068)

With its delightfully simple styling, the Orchard Park brings the airy feel of a secluded beach house to any room. Let this fan take you away from it all.

• WhisperWind® Motor


28803/54068

52" Distressed White with five Distressed White Beadboard weatherproof plastic blades

- Two-position mounting (model 28803 only)
- Installer's Choice® Three-Position Mounting System (model 54068 only)
- Dust Armor™ blade coating repels dust build-up
- Limited lifetime warranty
- 2½" downrod included (model 28803)
- 3" downrod included (model 54068)
- ETL Wet Listed for use in covered and uncovered applications







←E→	
TC F	
<u></u>	

Dimensions 13.32" 12.00" 2.36" 11.00" 6.41"	Airflow 5,448 cfm Electricity Use 65 w Airflow Efficiency 84 cfm/w	Dimensions A: 13.05" B: 12.22" C: 2.75" D: 11.00" E: 6.50" F: —	Airflow 6,113 cfm Electricity Use 75 w Airflow Efficiency 82 cfm/w


54068

28803

PRESTIGE CEILING FANS LOW CEILING OUTDOOR LIVING PRESTIGE CEILING FANS

PRESTIGE SPECIFICATIONS

SIZE	52	52	46	54	54	54	64	64	54
BLADES	5	5	5	5	5	3	5	5	5
°PITCH	12	13	12	13	13	17	12	13	13
INCLUDES LIGHT	No	No	Yes	Yes	Yes	Yes	No	No	Yes
INCLUDES REMOTE	No	No	No	No	No	Yes	No	No	No
DUST ARMOR	Yes								
CFM (HIGH)	5013	5228	4557	5727	5860	6418	7540	7540	5407
CFM (MED)	3625	3249	2917	3318	3524	3960	4265	4265	3878
CFM (LOW)	1923	1750	1646	2092	2011	2396	2339	2339	2881
RPM (HIGH)	187	173	203	179	171	175	124	124	164
RPM (MED)	133	96	127	98	97	100	69	69	111
RPM (LOW)	65	48	69	52	51	58	35	35	80
WATTS	74	81	62	81	78	79	86	86	78
AMPS	0.61	0.65	0.50	0.66	0.63	0.65	0.73	0.73	0.63
A	12.44	12.07	-	13.03	13.03	-	19.16	14.68	13.03
В	10.40	10.11	11.66	11.18	12.14	11.38	15.67	11.56	11.82
С	3.07	2.75	2.72	2.75	2.75	2.75	3.07	2.75	2.75
D	12.76	12.76	11.55	12.16	13.50	9.66	13.05	13.05	12.01
E	7.61	6.50	6.69	6.50	6.50	6.50	7.67	6.50	6.50
F	-	_	18.61	19.27	20.65	17.28	-	-	18.59



	18 0%		to coop	3. Mich	90° (148) 1911 '5				M. M
SIZE	36	52	52	52	52	54	64	52	54
BLADES	5	5	5	5	5	5	5	5	5
°PITCH	18	12	13	14	13	13	12	12	13
INCLUDES LIGHT	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
INCLUDES REMOTE	No	No	No	No	No	No	Yes	No	Yes
DUST ARMOR	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CFM (HIGH)	3822	5448	6113	3322	3438	6064	7429	5675	6434
CFM (MED)	2769	3612	3732	1787	2107	3549	4285	3870	3577
CFM (LOW)	1635	1848	2264	879	1238	1940	2122	2097	2127
RPM (HIGH)	251	206	196	205	190	169	136	208	188
RPM (MED)	182	138	113	117	106	96	77	133	98
RPM (LOW)	114	68	61	66	55	49	37	67	52
WATTS	50	65	75	72	76	83	84	73	86
AMPS	0.41	0.55	0.61	0.59	0.61	0.71	0.71	0.59	0.70
A	13.02	13.32	13.05	9.28	9.07	13.03	-	_	_
В	11.36	12.00	12.22	8.57	8.31	12.14	16.07	11.73	9.39
с	2.75	2.36	2.75	_	-	2.75	3.07	2.72	2.75
D	8.15	11.00	11.00	12.49	12.49	13.50	14.14	11.55	8.65
E	6.50	6.41	6.50	-	-	6.50	7.61	6.69	6.50
F	-	_	-	15.10	14.17	18.25	24.58	20.67	12.62





ACCESSORIES

BEYOND FANS.

Once you've found the perfect fan, add the right touches with our assortment of finishes, fixtures and fan accessories. Each made with the same quality and innovation that go into every Hunter* collection.

LIGHT KITS Include fitter, glass and finial (if applicable).



Three-Light Soft Contemporary Liaht Kit

28011 Brushed Nickel 28012 White

180w

Uses three 60w candelabra bulbs 10.5" w x 7" h

Looks great paired with the ORBit® fan. Compatible with all "2" and indoor "5" series ceiling fan models.

Will be discontinued in 2014



Energy Efficient Low Profile with Frosted Glass

27218 White

Uses one 22w circline bulb (included) 10" w x 4.25" h



Low Profile Candelabra Kit with White Cased Glass

NEW

99153 White

99154 New Bronze

99155 Brushed Nickel 120w

Uses two 60w candelabra bulbs (included) 10.80" w x 4.05" h

Compatible with "5" series ceiling fan models.



10" Low Profile with Frosted Rosette Glass

28306 White

26w Uses two 13w CFL bulbs (included) 10" w x 4.25" h

Will be discontinued in 2014.



Energy Efficient Low Profile Kit

NEW

99148 Antique Pewter 99149 Antique Bronze 99150 New Bronze

99159 White 27w

Uses one 27w circline bulb (included) 10.80" w x 4.05" h

Compatible with "5" series ceiling fan models

DUAL USE LIGHT FIXTURES Install on a ceiling fan or the ceiling. Compatible with "5" series ceiling fan models.

OUTDOOR LIGHT KITS (CONT.)

Tea Stain Bowl Light Kit

Includes finials in Black and

Uses two 13w CFL bulbs (included)

Compatible with "5" series ceiling fan models.

Rated for damp locations

12.40" w x 5.43" h

New Bronze

26w



Tropical Damp Rated Light Kit

Includes finials in New Bronze and

Compatible with "5" series ceiling fan models.

Uses two 13w CFL bulbs (included)

Rated for damp locations

12.75" w x 7.2" h

Brushed Cocoa

26w

Swirled Marble Bowl

Includes finials in Brushed Nickel, White, **New Bronze and Antique Brass**

Uses two 14w CFL bulbs (included) 12.75" w x 7.2" h



Energy Efficient Scavo Snowflake Bowl

Includes finials in Antique Brass, Brushed Nickel, New Bronze and White

Uses one 30w circline bulb (included) 13.2" w x 3.5" h



White Cased Bowl Light Kit

Includes finials in Black and White

Compatible with "5" series ceiling fan models.

Uses two 13w CFL bulbs (included)

Rated for damp locations

12.40" w x 5.43" h

NEW

Frosted Bowl

Includes finials in Antique Brass, Hunter Bright Brass Finish® and New Bronze

Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h



Energy Efficient Frosted Bowl

Includes finials in Antique Brass, Brushed Nickel, Hunter Bright Brass Finish® and White

30w

Uses one 30w circline bulb (included) 13.2" w x 3.5" h

OUTDOOR LIGHT KITS



Marine II™ Low Profile **Outdoor Globe**

28547 New Bronze 28511 Textured Black 28438 White

28548 Weathered Bronze

Uses two 13w CFL bulbs (included) Rated for wet locations 10" w x 5" h



Outdoor Globe

22057 New Bronze 28388 White 28387 Textured Black

26w Uses two 13w CFL bulbs (included) Rated for wet locations 10.75" w x 4.5" h



Outdoor Polycarbonate Kit 28318 White

26w Uses two 13w CFL bulbs (included) Rated for wet locations 10" w x 5" h

ACCESSORIES ACCESSORIES

BOWL FITTERS & GLASS



Bowl Fitter Includes finials in Brushed Cocoa, **Brushed Nickel and White** Uses two 13w CFL bulbs (included)



Amber Linen Includes finials in New Bronze 12.75" w 6.33" h



Amber Scavo Includes finials in New Bronze 12.75" w 6.33" h



White Linen Includes finials in Antique **Pewter** 26w 12.75" w 6.33" h

BOWLS Include glass and finial.



Amber Includes finials in Weathered Bronze, Antique Brass and Cocoa Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h



Amber Linen Includes finials in Weathered **Bronze and Antique Brass** Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h Will be discontinued in 2014.



Amber Gradated 28549 Includes finials in Weathered **Bronze and Antique Brass** 26w Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h



Tea Stain Includes finials in New Bronze and Antique Pewter 28w Uses two 14w CFL bulbs (included) 12.75" w x 6.50" h

BOWLS (CONT.) Include glass and finial.



Amber Scavo

Includes finials in New Bronze and Weathered Bronze

Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h

Will be discontinued in 2014.



Swirled Marble

Includes finials in Antique Brass, Brushed Nickel, Hunter Bright Brass Finish° and White

26w Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h



Alabaster Bowl Light Kit Includes finials in Antique Brass and New Bronze

26w Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h

Will be discontinued in 2014.



White Linen

Includes finials in White and Brushed Nickel

Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h

Will be discontinued in 2014.



Scavo

Includes finials in Antique Brass, Brushed Nickel, Hunter Bright Brass Finish® and White

26w Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h

Will be discontinued in 2014.



Swirled Marble Custom Builder Bowl 21828 Includes finials in White and Brushed Nickel

26w Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h



Frosted Opal

28592 Includes finials in White and Brushed Nickel

Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h



Sculpted Swirled Marble

Includes finials in Antique Brass, Brushed Nickel, Hunter Bright Brass Finish° and White

26w Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h

Will be discontinued in 2014.



Amber Custom Builder Bow 21827

Includes finials in New Bronze and Antique Brass

26w Uses two 13w CFL bulbs (included) 12.75" w x 7.2" h

KID'S BOWLS Include glass and finial. Compatible with "5" series ceiling fan models.



Boy's Room Light Kit 22380

13.5" w x 6.5" h

Uses two 60w candelabra bulbs



Girl's Room Light Kit 22381 Uses two 60w candelabra bulbs

11.5" w x 4.75" h

GLOBE FITTERS & GLASS



Globe Fitter 99168 White* 99169 Black* 99170 New Bronze 99171 Antique Brass 99172 Brushed Nickel Fitter only, glassware not included Uses one 19w CFL bulb (included) *Rated for wet locations



Original® Schoolhouse Globe

25267 Antique Pewter 25268 Weathered Bronze 25269 Satin White 25272 Antique Black Includes fitter

Uses one 19w CFL bulb (included) 12" w x 8.7" h

Will be discontinued in 2014.



10" Opal Schoolhouse Globe

For use on globe fitters; sold separately Glass only 10" w x 7" h

8" Opal Schoolhouse Globe

For use on globe fitters; sold separately Glass only 9.5" w x 7" h



Contemporary Schoolhouse Globe

22565

For use on globe fitters; sold separately Glass only 10.5" w x 5.5" h

TRADITIONAL GLOBES



Traditional Globe 99164 White

99165 Black 99166 Chestnut Brown Includes fitter

Uses one 19w CFL bulb (included) Rated for damp locations 12.00" w x 8.90" h



Two Candelabra Base A15 Bulbs

22396 40-watt bulbs

452-lumen output 2,500-hour lifespan Vibration-resistant filament for long life in a ceiling fan



Energy-Saving Gu24 CFL Bulb

22067 26-watt bulb 10,000-hour lifespan



2 1/4" ACCESSORY GLASS For use on four-light fitter and adapters. Available in packages of four only.



28500/99037 **Swirled Marble**



28501 Frosted Seeded



28890 **Amber**



28891 **Amber Gradated**



28892 **Amber Linen**



28893 White Linen



99036 **Amber Linen**



99042 **Cased White**



99043 Tea Stain

FITTERS & FINIAL PACKS



Three-Light Fitter

99134 New Bronze 99135 White

99136 Brushed Nickel

99137 Antique Brass 99138 Antique Pewter

99139 Hunter Bright Brass Finish®

99140 Black

Fitter only; glassware not included Uses three 13w CFL bulbs (included) 7.50" w x 2.60" h

Compatible with "5" series ceiling fan models.



Four-Light Adapter with Integrated Switch Housing

28655 Weathered Brick 28656 Antique Pewter 28649 Provencal Gold

28660 Black

Fitter only; glassware not included Uses four 13w CFL bulbs (included) 4.5" w x 3.75" h

Compatible with "2" series ceiling fan models.



Four-Light Straight Arm Fitter

22574 Antique Brass* 22589 Matte Black

28129 White*

28135 Hunter Bright Brass Finish®

28137 Iron

Fitter only; glassware not included Uses four 13w CFL bulbs (included) 9" w x 3.5" h

*Uses four 40w candelabra bulbs Compatible with "2" series ceiling fan models.



Four-Light Fitter

99142 Distressed White 99143 New Bronze

99144 Cocoa 99145 White

99146 Brushed Nickel

Fitter only; glassware not included Rated for damp locations Uses four 13w CFL bulbs (included) 10.50" w x 3.21" h Compatible with "5" series ceiling fan models.



Four-Light Fitter

28124 Antique Brass 28125 White 28126 Brushed Nickel

Fitter only; glassware not included Uses four 13w CFL bulbs (included) 9" w x 5.5" h

Compatible with "5" series ceiling fan models.

Will be discontinued in 2014.



Cap and Finial Packs

28915 Hunter Bright Brass Finish® 28916 Bronze Patina

28917 Weathered Brick

28918 Black 28921 Cocoa

28924 Chestnut Bronze

28911 Satin White

Will be discontinued in 2014.

ANGLED CEILING MOUNTS Up to 45° ceiling mount.



22170 Chestnut Brown



22178 Antique Brass



22171 Cocoa



27996 New Bronze



22174 Black*



27980 Weathered Bronze



22172 Hunter Bright Brass Finish®



27992 Weathered Brick



22175 Brushed Nickel



27993 Iron**

27995

Antique Pewter

22176

White


*Black can be used with Antique Black, Matte Black, Satin Black, Textured Black and Graphite.

**Will be discontinued in 2014.

EXTENSION DOWNRODS

More homes are being constructed with high ceilings.

A Hunter 3/4" downrod sets the fan at the proper height for optimum performance. All Hunter extension downrods match Hunter fans for fit and finish, and have tapered threads for deeper engagement. All downrods are converting to single-threaded construction unless otherwise noted.



12"	18"	24"	36"	48"	60"	72"	Compatible Finishes
22719	22729	26319	26329	26339	23190	23060	Burnished Copper, Estate Brass
28054	28055	28056	28057	28058	28059	28060	_
25144	25145	25146	25147	25148	25149	25150	Antique Black, Matte Black, Satin Black, Textured Black, Graphite, Iron
28979	28886	28980	28981	28887	28888	28889	Weathered Bronze, Burled Brown
28206	28207	28208	28209	28210	_		Amber Bronze, Antique Copper, Brushed Bronze, Satin Bronze
26019	26020	26021	26022	26023	26024	26025	_
_	_	28966	28967	_	_	_	Brittany Bronze
22713	22723	26313	26323	26333	23192	23062	_
22685	22686	22687	26014	26015	26016	_	_
26041	26042	26043	26044	26045	26046	26047	Bronze, Brushed Cocoa, Leather Bronze, Provencal Gold, Roman Bronze, Rustic Bronze, Tuscan Gold, Egyptian Bronze
28224	28225	28226	28227	28228	_	_	New Bronze
28976	-	28977	28978	-	_	-	Harvest Wheat
_	28930	28931	28932	28933	_	28935	White
22681	22682	22683	26010	26011	_	26013	Chestnut Brown
_	28267	28268	28269	_	_	_	Brittany Bronze
25136	25137	25138	25139	25140	25141	25142	Satin White
	22719 28054 25144 28979 28206 26019 — 22713 22685 26041 28224 28976 — 22681 —	22719 22729 28054 28055 25144 25145 28979 28886 28206 28207 26019 26020 22713 22723 22685 22686 26041 26042 28224 28225 28976 28930 22681 22682 - 28267	22719 22729 26319 28054 28055 28056 25144 25145 25146 28979 28886 28980 28206 28207 28208 26019 26020 26021 — — 28966 22713 22723 26313 22685 22686 22687 26041 26042 26043 28224 28225 28226 28976 — 28977 — 28930 28931 22681 22682 22683 — 28267 28268	22719 22729 26319 26329 28054 28055 28056 28057 25144 25145 25146 25147 28979 28886 28980 28981 28206 28207 28208 28209 26019 26020 26021 26022 — — 28966 28967 22713 22723 26313 26323 22685 22686 22687 26014 26041 26042 26043 26044 28224 28225 28226 28227 28976 — 28977 28978 — 28930 28931 28932 22681 22682 22683 26010 — 28267 28268 28269	22719 22729 26319 26329 26339 28054 28055 28056 28057 28058 25144 25145 25146 25147 25148 28979 28886 28980 28981 28887 28206 28207 28208 28209 28210 26019 26020 26021 26022 26023 - - 28966 28967 - 22713 22723 26313 26323 26333 22685 22686 22687 26014 26015 26041 26042 26043 26044 26045 28224 28225 28226 28227 28228 28976 - 28977 28978 - - 28930 28931 28932 28933 22681 22682 22683 26010 26011 - 28267 28268 28269 -	22719 22729 26319 26329 26339 23190 28054 28055 28056 28057 28058 28059 25144 25145 25146 25147 25148 25149 28979 28886 28980 28981 28887 28888 28206 28207 28208 28209 28210 — 26019 26020 26021 26022 26023 26024 — — 28966 28967 — — 22713 22723 26313 26323 26333 23192 22685 22686 22687 26014 26015 26016 26041 26042 26043 26044 26045 26046 28224 28225 28226 28227 28228 — — 28976 — 28977 28978 — — — 28930 28931 28932 28933 — — 28930 28931 28932 28933 — — 286	22719 22729 26319 26329 26339 23190 23060 28054 28055 28056 28057 28058 28059 28060 25144 25145 25146 25147 25148 25149 25150 28979 28886 28980 28981 28887 28888 28889 28206 28207 28208 28209 28210 — — 26019 26020 26021 26022 26023 26024 26025 — — — 28966 28967 — — — 22713 22723 26313 26323 26333 23192 23062 22685 22686 22687 26014 26015 26016 — 26041 26042 26043 26044 26045 26046 26047 28224 28225 28226 28227 28228 — — 28976 — 28977 28978 — — — 28970 28931 28932 <td< td=""></td<>

Extreme Elements Downrods • Rust-Proof Stainless Steel Construction

Midnight Copper*	26496	26497	26498	26499	_	_	_	New Bronze
Satin White*	_	-	_	25159	_	-	_	Use double-threaded all-weather
Textured Black*	25161	25162	25163	25164	_	_	_	_
Weathered Brick*	26434	_	26436	26437	_	_	_	New Bronze
Weathered Bronze*	_	_	_	26495	_	_	_	New Bronze

Hunter Original® Downrods • Double-Threaded Construction

Black	26302	26219	26227	26228	26229	23194	23064	_
Chestnut Brown	22711	22721	26331	26341	26351	23195	23065	Distressed Relic, Chestnut Bronze, Weathered Brick
New Bronze All-Weather	25998	25999	26007	26008	_	_	_	Midnight Copper, Weathered Brick, Weathered Bronze
Satin White All-Weather	28254	28255	28256	28257	28258	_	_	_
Textured Black All-Weather	26430	26431	26432	26433	_	_	_	_
White	22717	22727	26317	26327	26337	23197	23067	_

*Will be discontinued in 2014.

ACCESSORIES ACCESSORIES ACCESSORIES

REMOTE CONTROLS



Three-Speed Stepped Control

- Two-wire installation—no extra wiring!
- Operates three fan speeds-high, medium and low
- Fan 1.6 amps
- Uses standard switchplate,
- not included
- One-year warranty



Four-Speed Slide Control

- Two-wire installation—no extra wiring!
- Operates four fan speeds-high, medium, low and serenity
- Fan 1.6 amps
- Rocker switchplate not included
- One-year warranty



Fan/Light Dual Slide Control

- Controls three fan speeds and full-range light dimming
- Installs in standard three-wire. single box wall switch
- Fan 1.6 amps; light 300 watts
- Rocker switchplate not included
- One-year warranty



Fan/Light Dual Slide Control with Preset

- Controls four fan speeds and full-range light dimming
- Preset feature controls both fan and light at desired settings
- Installs in standard three-wire, single box wall switch
- Fan 1.6 amps; light 300 watts
- Rocker switchplate not included
- One-year warranty



Original® Fan/Light Wall Control*

- Receiver fits between ceiling and canopyControls three fan speeds and
- full-range light dimming
- Uses existing two wires for complete control of fan and lighting
- Fan 2.0 amps; light 300 watts
- Rocker switchplate not included
- One-year warranty



22691 Original® Three-Speed Stepped Control*

- Capacitor design provides whisper-quiet speed control
- Two-wire installation—no extra wiring!
- Fan 2.0 amps; light 300 watts
- One-year warranty



Original® Fan/Light Remote Control*

- Receiver fits between ceiling and canopy
- Controls three fan speeds and full-range light dimming
- Uses existing two wires for complete control of fan and lighting
- Fan 2.0 amps; light 300 watts
- Comes with wall cradle for handheld remote control
- One-year warranty



Original[®] Multiple Fan Speed Control*

- Can be used to control up to twelve 56"/52"/48" fans or twenty 42" fans wired on a single circuit
- Fan 15.0 amps; 120 volts; 60 cycles
- One-year warranty





Fan/Light Wall Remote Control

- Complete fan and light operation in a two-wire control
- Separate buttons for three fan speeds plus "Instant Off"
- Full-range light dimming
- Auto detection to switch between incandescent and compact fluorescent bulbs
- Comes with rocker switchplate
- Battery powered
- One-year warranty



27186 Fan/Light Universal Wall Remote Control

- Complete fan and light operation in a two-wire control
- Separate buttons for three fan speeds plus "Instant Off"
- Full-range light dimming
- Fan 1.0 amp; light 300 watts
- Rocker switchplate not included
- Battery powered
- One-year warranty

Will be discontinued in 2014.



27206/99119 Fan/Light Universal Remote Control

- Complete fan and light operation in a two-wire control
- Separate buttons for three fan speeds plus "Instant Off"
- Full-range light dimming
- Includes toggle switch to allow use of remote with compact fluorescent bulbs
- Comes with wall cradle for handheld remote control
- Fan 1.0 amp; light 300 watts
- One-year warranty



27210/99122 (White) 27224/99123 (Desert Platinum) Fan/Light Universal Remote Control

- Contemporary look that matches any décor
- Complete fan and light operation in a two-wire control
- Separate buttons for three fan speeds plus "Instant Off"
- Full-range light dimming and manual light operation with wall switch access plate
- Includes toggle switch to allow use of remote with compact fluorescent bulbs (only on 2 series remote)
- Auto detection to switch between incandescent and compact fluorescent bulbs (only on 9 series remote)
- Comes with wall cradle for handheld remote control
- Fan 1.0 amp; light 300 watts
- One-year warranty



27157/99118 Basic On/Off Remote Control

- On/off switch for fan and light operation
- Features illuminated LED activation for instant feedback
- Easy canopy installation with new compact receiver • Can be used with compact
- fluorescent bulbs
- Fan 1.0 amp; light 300 watts One-year warranty
- Battery included



27209/99121 Fan/Light Universal Remote Control

• Complete fan and light operation in a

- two-wire control • Separate buttons for three fan speeds
- plus"Instant Off"
- Full-range light dimming and manual light operation with wall switch access plate
- Comes with wall cradle for handheld remote control
- Fan 1.0 amp; light 300 watts
- One-year warranty
- Battery included
- Includes toggle switch to allow use of remote with compact fluorescent bulbs (only on 2 series remote)
- Auto detection to switch between incandescent and compact fluorescent bulbs (only on 9 series remote)
- Light delay feature allows safe exit from room as lights dim to off
- Digitally programmable for easier install—no more dip switches or jumpers

ACCESSORIES ACCESSORIES

MOTOR FINISHES



Antique Black



Antique Brass



Antique Pewter



Basque Black





Bronze



Bronze Patina



Brushed Bronze

Cottage White



Brushed Cocoa

Distressed White



Brushed Nickel

Egyptian Bronze



Cocoa









Hunter Bright Brass Finish®

MOTOR FINISHES



Matte Black



Midas Black



New Bronze



Onyx Bengal





Provençal Gold



Roman Bronze



Satin Black



Snow White



Textured Black



Textured White



Tuscan Gold



Weathered Brick



Weathered Bronze




White

Note: Not all motor finishes available on every fan. Refer to fan page for available finishes.

BLADE FINISHES





Aged Ebony




Alder



Antiqued Cherry Carved Wood



Antique Dark Palm Leaf



Antique Dark Wicker





Antique Halifax



Barnwood







Bleached Oak

Beech



Brazilian Cherry



Burnished Alder

Black Oak



Burnished Caramel Carved Wood

Blackened Pecan

Carved Wood



Burnished Cherry

Blackened Rosewood



Burnished Mahogany



Burnished Walnut Carved Wood



Burnt Walnut

Chestnut



Cabin Home



Cherried Walnut



Cherry



Cherry Veneer



Cream Wicker



Dark Cherry



Dark Maple



Coffee Beech Veneer

Dark Walnut



Cool Grey

Dark Walnut Veneer



Distressed Dark Cherry Basswood Veneer



Distressed White Beadboard Plastic

BLADE FINISHES



English Cherry

Grey Pine

Maple





Eurasian Wood

Harvest Mahogany



French Vanilla

Light Cherry



Golden Walnut



Grey



Light Oak




Medium Walnut





Roasted Cherry Carved Wood Roasted Walnut



Medium Oak



Medium Oak Plastic

Rosewood



Rough Hewn Cherry Veneer



Rustic Lodge



Solid Teak

White



Stained Oak




Walnut



Walnut Veneer



Weathered Oak



White Palm Leaf Plastic







Wine Country



White Beadboard Plastic

Yellow Walnut

Note: Not all blade finishes available on every fan. Refer to fan page for available finishes.

FINISHES FINISHES







As we continue to create innovative products of the highest quality, you can rest assured that we'll keep you in mind every step of the way.



HUNTER FAN COMPANY

7130 Goodlett Farms Pkwy., Suite 400 Memphis, TN 38016 www.HunterFan.com 901.744.1200