

Shuriken LED

Inspired by the silent motion of a stingray, Shuriken[™] moves air with abundant ease. Its blades appear to be sculpted out of a single piece of material for a flowing visual effect.





Shown: 300209NI Brushed Nickel Finish with Driftwood Blades

$52^{\prime\prime}~{\rm Shuriken}^{\rm T}{\rm LED}$



3002090BB Oil Brushed Bronze[™] Finish Walnut Blades





INCLUDED FEATURES

Blades (4) Included

- 13° Pitch
- 52" Sweep
- Non-Reversible
- ABS

Downrods 4.5" Downrod with 1" (O.D.)

Downlight Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3.000 CCT

Downlight Glass Etched Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control 3-Speed CoolTouch[™] Full Function

FAN FEATURES

Mounting Slope – Pitch 30° or 7/12 Lead Wire 78" cETL Listed Indoor Hanging Weight 22.04 lbs. Body Material Steel Warranty Limited Lifetime

MOTOR FEATURES

Motor Size/Type 172mm x 17mm, AC Amps 0.69 on High RPM 135 on High Energy Star No

(Excludes

Lights)

Per Minute

on High

HANGING MEASUREMENTS

3-SPEED

COOLTOUCH™

& Reverse

- Motor Off

FULL FUNCTION

- 3 Forward Speeds

- Lights On/Off with

Full Range Dimming

370038MULTR

To see the complete Evie[™] Collection

Pendant 43627NI

visit Kichler.com.

Linear

43628NI

Chandelier

- 16							
	Fixture Drop (from ceiling)						
	A: 15.04"	B: 8.66"	C: 11.77"		D: 6.75"		
AIR PERFORMANCE							
AIRFLOW POWER AIRFLOW USAGE EFFICIENCY					LED		
	2285 Cubic Ft.	80 Watts on High	29 Cubic Ft.		LIGHT KIT		

Per Minute

Per Watt