

# 52" Renew Select Patio CFL





## **BLADE SPECS**

Fan Finish

Blade Finish & Part Number (Side 1) (Reversible)

MWH Matte White

Matte White FB339516 MWH

SBK Satin Black







**WH** White White FB339516 WH

## INCLUDED FEATURES

#### Blades (5) Included

- 12° Pitch
- 52" Sweep
- Non-Reversible
- ABS

Downrods 4" Downrod with 1" (O.D.)

**Downlight** Removable. (2) 13-W Non-Dimmable E-26 CFL

Downlight Glass Cased Opal

**Optional Downlight** Accessory Light Kits Available. See pages 284-296

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, Flush Mount Canopy Included

Control Pull Chain

#### FAN FEATURES

Mounting Slope – Pitch 22° or 4/12

Lead Wire 78"

cUL Listed Wet

Hanging Weight 15.72 lbs.

Warranty Limited Lifetime

## MOTOR FEATURES

Motor Size/Type 153mm x 15mm, AC

Amps 0.59 on High

RPM 179 on High

Energy Star N/A

#### INCLUDED CONTROLS

## Pull Chain

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS



371042MUL (shown) 337001WH 371082

## COOLTOUCH™ CONTROL SYSTEM - BASIC

See pages 306-308 for more information. NOTE: Receiver is WET rated. Transmitter for indoor use.


#### HANGING MEASUREMENTS

## WITH 4" DOWNROD

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
<b>A:</b> 19.21"	<b>B:</b> 11.02"	<b>C:</b> 11.74"	<b>D:</b> 5.75"

#### FLUSH MOUNT

Fixture Drop (from ceiling)	Blade Drop	Housing	Ceiling Canopy
	(from ceiling)	(width)	(width)
<b>A:</b> 15.81"	<b>B:</b> 7.62"	<b>C:</b> 11.74"	<b>D:</b> 5.75"



# AIR PERFORMANCE

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5409	68	80
Cubic Ft. Per Minute on High	Watts on High (Excludes Lights)	Cubic Ft. Per Minute Per Watt

