

### Terna LED

Terna offers the fun and whimsy of a pinwheel, modernized. The size and scale make it ideal for use in small spaces or in multiples. Think walk in closets, dining nooks or over a desk.





# 15" Terna LED



300230WH White Finish White Blades



300230NI

Brushed Nickel Finish Champagne Blades


#### **BLADE SPECS**


Fan Finish

Blade Finish & Part Number (Side 1) (Reversible)









Terna's contoured blade design produces a unique outward airflow pattern to cool a wider area.

#### INCLUDED FEATURES

#### Blades (5) Included

- Variable
- 15" Sweep
- Non-Reversible
- Polycarbonate

Downrods 4.5" Downrod with 1" (O.D.)

**Downlight** Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3.000 CCT

Downlight Glass Etched Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

**Control** 3-Speed CoolTouch™ Full Function

#### FAN FEATURES

Mounting Slope – Pitch 22° or 4/12

Lead Wire 78"

cETL Listed Indoor

Hanging Weight 15.87 lbs.

Warranty Limited Lifetime

#### MOTOR FEATURES

Motor Size/Type 153mm x 15mm, AC

Amps 0.28 on High

RPM 311 on High

Energy Star N/A

#### INCLUDED CONTROLS

#### 3-SPEED COOLTOUCH™ FULL FUNCTION

- 3 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off



#### OPTIONAL CONTROLS




#### 370038MULTR

**WALL TRANSMITTER – FULL FUNCTION**See pages 306-308 for more information.

#### HANGING MEASUREMENTS

WITH 4.5" DOWNROD					
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)		
<b>A:</b> 19.86"	<b>B:</b> 19.13"	<b>C:</b> 10.55"	<b>D:</b> 6.25"		



### AIR PERFORMANCE

AIIX		ANCL
AIRFLOW	POWER	AIRFLOW
	USAGE	EFFICIENCY
1029	34	31
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute	(Excludes	Per Minute
on High	Lights)	Per Watt





## 15" Terna Patio LED



#### BLADE SPECS

Fan Finish Blade Finish & Part Number (Side 1) (Reversible)





Terna's contoured blade design produces a unique outward airflow pattern to cool a wider area.

#### INCLUDED FEATURES

#### Blades (5) Included

- Variable
- 15" Sweep
- Non-Reversible
- Polycarbonate

Downrods 4.5" Downrod with 1" (O.D.)

**Downlight** Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3.000 CCT

Downlight Glass Etched Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

**Control** 3-Speed CoolTouch™ Full Function

#### FAN FEATURES

Mounting Slope – Pitch 22° or 4/12

Lead Wire 78"

cETL Listed Damp

Hanging Weight 15.87 lbs.

Warranty Limited Lifetime

#### MOTOR FEATURES

Motor Size/Type 153mm x 15mm, AC

Amps 0.28 on High

RPM 311 on High

Energy Star N/A

#### INCLUDED CONTROLS

#### 3-SPEED COOLTOUCH™ FULL FUNCTION

- 3 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off



#### OPTIONAL CONTROLS



#### 370038MULTR

**WALL TRANSMITTER – FULL FUNCTION**See pages 306-308 for more information.

#### HANGING MEASUREMENTS

WITH 4.5" DOWNROD					
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)		
<b>A:</b> 19.86"	<b>B:</b> 19.13"	<b>C:</b> 10.55"	<b>D:</b> 6.25"		

	←D→
<u> </u>	
ΑB	C ├─────
\\.	

#### AIR PERFORMANCE

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
1029	34	31
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute	(Excludes	Per Minute
on High	Lights)	Per Watt



