



Spyra LED


Inspired by a stirring whirlwind, Spyra's contoured edges on blades and body reflect the light beautifully. Once in motion, the fan generates a powerful breeze, appearing to gather speed from top to bottom.





Shown: 300700AP Antique Pewter Finish with Walnut Blades

62" Spyra LED



300700MWH
Matte White Finish
Weathered White Walnut Blades



300700NI
Brushed Nickel Finish
Silver Blades



300700NI7
Brushed Nickel Finish
Driftwood Blades

BLADE SPECS

Fan Finish Blade Finish & Part Number
(Side 1) (Reversible)

AP
Antique Pewter

Walnut
300700
AP

MWH
Matte White

Weathered White Walnut
300700
MWH

NI
Brushed Nickel

Silver
300700
NI

NI7
Brushed Nickel

Driftwood
300700
NI7

INCLUDED FEATURES

Blades (3) Included

- 20° Pitch
- 62" Sweep
- Non-Reversible
- ABS

Downrods 4.5" Downrod with 1" (O.D.)

Downlight Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3,000K CCT

Downlight Glass Etched Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control 6-Speed DC CoolTouch™

FAN FEATURES

Mounting Slope – Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 23.15 lbs.

Warranty Limited Lifetime

MOTOR FEATURES

Motor Size/Type DC-165-M

Amps 0.47 on High

RPM 112 on High

Energy Star Yes

INCLUDED CONTROLS



6-SPEED DC WALL CONTROL SYSTEM

- 3 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off
- No more than two fans on one circuit
- White Faceplate Included

OPTIONAL CONTROLS




371075WHTR

6-SPEED DC COOLTOUCH™ TRANSMITTER

HANGING MEASUREMENTS

WITH 4.5" DOWNROD			
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 14.25"	B: 14.25"	C: 12.75"	D: 6.75"



AIR PERFORMANCE

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
7141	33	216
Cubic Ft. Per Minute on High	Watts on High (Excludes Lights)	Cubic Ft. Per Minute Per Watt

