

## Voya™ LED

Voya™ combines smooth textures and materials in high-tech harmony. The look delivers a smooth breeze in fully aerodynamic fashion.







#### INCLUDED FEATURES

#### Blades (3) Included

- 20° Pitch
- 84" Sweep
- Non-Reversible
- Polycarbonate

Downrods 12" Downrod with 1" (O.D.)

**Downlight** Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3.000K CCT

Downlight Glass Etched Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control 6-Speed DC Wall Control System

#### FAN FEATURES

Mounting Slope - Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 26.9 lbs.

Body Material Polycarbonate

Warranty Limited Lifetime

#### MOTOR FEATURES

Motor Size/Type 188mm x 20mm, DC

Amps 0.38 on High

RPM 86 on High

Energy Star No

on High

#### INCLUDED CONTROLS



## 6-SPEED DC WALL CONTROL SYSTEM

- 6 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off
- No more than two fans on one circuit
- White Faceplate Included

#### OPTIONAL CONTROLS



371075WHTR

6-SPEED DC COOLTOUCH™ TRANSMITTER

#### **BLADE SPECS**

Blade Finish & Part Number (Side 1) (Reversible)

Fan Finish



BSS Brushed Stainless Steel









#### HANGING MEASUREMENTS

WITH 12" DOWNROD					←D→	
			I	I	<u> </u>	
	Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)	A B C	
	<b>A:</b> 21.0"	<b>B:</b> 17.75"	<b>C:</b> 12.75"	<b>D:</b> 7.0"		
				ı		



Per Watt

Lights)







# 60" Voya LED

Oil Brushed Bronze™ Blades





#### INCLUDED FEATURES

#### Blades (3) Included

- 20° Pitch
- 60" Sweep
- Non-Reversible
- Polycarbonate

Downrods 6" Downrod with 1" (O.D.)

Downlight Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3.000K CCT

Downlight Glass Etched Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control 6-Speed DC Wall Control System

#### FAN FEATURES

Mounting Slope - Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 23.4 lbs.

Body Material Polycarbonate

Warranty Limited Lifetime

#### MOTOR FEATURES

Motor Size/Type 188mm x 10mm, DC

Amps 0.47 on High

RPM 128 on High

Energy Star No

#### INCLUDED CONTROLS



#### 6-SPEED DC WALL **CONTROL SYSTEM**

- 6 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off
- No more than two fans on one circuit
- White Faceplate Included

#### OPTIONAL CONTROLS



371075WHTR

6-SPEED DC COOLTOUCH™ **TRANSMITTER** 

#### **BLADE SPECS**

Blade Finish & Part Number (Side 1) (Reversible)

Fan Finish



BSS Brushed Stainless Steel










#### HANGING MEASUREMENTS

## WITH 6" DOWNROD

Fixture Drop	Blade Drop	Housing	Ceiling Canopy
(from ceiling)	(from ceiling)	(width)	(width)
<b>A:</b> 15.0"	<b>B:</b> 11.75"	<b>C:</b> 12.75"	<b>D:</b> 7.0"



### AIR PERFORMANCE

AIRFLOW AIRFLOW **POWER** USAGE **EFFICIENCY** 7587 34 220 Cubic Ft. Watts on High Cubic Ft. Per Minute Per Minute (Excludes on High Lights) Per Watt







## 50" Voya LED



300708BSS Brushed Stainless Steel Finish Champagne Blades



**300708WH**White Finish
White Blades

#### INCLUDED FEATURES

#### Blades (3) Included

- 20° Pitch
- 50" Sweep
- Non-Reversible
- Polycarbonate

Downrods 6" Downrod with 1" (O.D.)

**Downlight** Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3.000K CCT

**Downlight Glass** Etched Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control 6-Speed DC Wall Control System

#### FAN FEATURES

**Mounting Slope – Pitch** 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 22.3 lbs.

**Body Material** Polycarbonate

Warranty Limited Lifetime

#### MOTOR FEATURES

Motor Size/Type 188mm x 10mm, DC

Amps 0.44 on High

RPM 175 on High

Energy Star No

#### INCLUDED CONTROLS



## 6-SPEED DC WALL CONTROL SYSTEM

- 6 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off
- No more than two fans on one circuit
- White Faceplate Included

#### OPTIONAL CONTROLS



371075WHTR

6-SPEED DC COOLTOUCH™ TRANSMITTER

#### **BLADE SPECS**

Blade Finish & Part Number (Side 1) (Reversible)

Fan Finish



BSS Brushed Stainless Steel






White FB300708 WH



#### HANGING MEASUREMENTS

### WITH 6" DOWNROD

Fixture Drop	Blade Drop	Housing	Ceiling Canopy
(from ceiling)	(from ceiling)	(width)	(width)
<b>A:</b> 15.00"	<b>B:</b> 11.75"	<b>C:</b> 12.75"	<b>D:</b> 7.00"



#### AIR PERFORMANCE

AIRFLOW AIRFLOW POWER USAGE **EFFICIENCY** 6805 32 212 Cubic Ft. Watts on High Cubic Ft. Per Minute Per Minute (Excludes on High Lights) Per Watt



