



Xety™ LED

Xety does more with less: the two innovative blades deliver air movement while the LED light brings illumination to a space. Authentic industrial hardware enhances the visual interest.





Shown: 300702NI Brushed Nickel Finish with Champagne Blades

56" Xety™ LED




300702MWH
Matte White Finish
White Blades



300702OZ
Olde Bronze® Finish
Oil Brushed Bronze™ Blades

BLADE SPECS

Fan Finish Blade Finish & Part Number
(Side 1) (Reversible)



INCLUDED FEATURES

- Blades (2) Included**
 - 16° Pitch
 - 56" Sweep
 - Non-Reversible
 - Polycarbonate
- Downrods** 4.5" Downrod with 1" (O.D.)
- Downlight** Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3,000K CCT
- Downlight Glass** Polycarbonate Lens
- Optional Downlight** N/A
- Uplight** N/A
- Uplight Glass** N/A
- Low Ceiling Adaptable** No
- Control** Wall Control System - Full Function

INCLUDED CONTROLS



- WALL CONTROL SYSTEM – FULL FUNCTION**
- 3 Forward Speeds & Reverse
 - Lights On/Off with Full Range Dimming
 - Motor Off
 - White Faceplate Included

OPTIONAL CONTROLS



337009WHTR

COOLTOUCH™ TRANSMITTER – FULL FUNCTION
See pages 306-308 for more information.

COORDINATING LIGHTING

To see the complete Imahn™ Collection visit kichler.com.



FAN FEATURES


- Mounting Slope – Pitch** 30° or 7/12
- Lead Wire** 78"
- cUL Listed** Indoor
- Hanging Weight** 20.2 lbs.
- Warranty** Limited Lifetime

MOTOR FEATURES

- Motor Size/Type** 188mm x 20mm, AC
- Amps** 0.71 on High
- RPM** 180 on High
- Energy Star** No

HANGING MEASUREMENTS

WITH 4.5" DOWNROD			
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 13.75"	B: 11.00"	C: 5.50"	D: 5.75"



AIR PERFORMANCE

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6134 Cubic Ft. Per Minute on High	82 Watts on High (Excludes Lights)	75 Cubic Ft. Per Minute Per Watt

