

**Seaside Collection**  
**54 Inch Seaside LED Ceiling Fan OZ**  
 310181OZ (Olde Bronze)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_



**Product Information**

Product ID	310181OZ
Finish	Olde Bronze
Blade Finish	Walnut
Collection	Seaside Collection

**Specifications**

Number of Blades	4
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC

**Dimensions**



Downrod	A	B	C	D
1.00 OD X 6	20.00	10.50	15.00	6.25

**Downlight**

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Watts	60/11
Initial Lumens	1600
Glass Description	Cased Opal
Optional Light Kit Available	No
Kelvin Temperature	3000K
Color Rendering Index	80

**Safety Listings & Certifications**

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

**Available Finishes**

Finish	Fixture	Glass	Blade 1	Blade 2

**Installation**

The electrical junction box and support structure must be

# Seaside Collection

## 54 Inch Seaside LED Ceiling Fan OZ

310181OZ (Olde Bronze)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Olde Bronze	310181OZ	CASED OPAL	WALNUT	
Weathered Zinc	310181WZC	CASED OPAL	WEATHERED WHITE	

Installation requirements      securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements      120v 60Hz ac

Hanging Weight      35.38 LBS

Minimum Distance Between Bottom Of Fan Blade To Floor      7 feet

**Notes:**

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.