

## Zenith<sup>™</sup> LED

A sweeping look that flows from one blade to another, Zenith brings a Zen-like feel to large living areas. The unique blade design appears to wrap around the fan body, blending the arms and blades into one cohesive piece of functioning art.



Shown: 300200SBK Satin Black Finish, Etched Cased Opal Glass, with Silver Blades

# 60" Zenith<sup>™</sup> LED



### INCLUDED FEATURES

Blades (3) Included

- 14° Pitch
- 60" Sweep
- Non-reversible
- ABS

Downrods 4.50" Downrod with 1" (O.D.)

Downlight Replaceable, Integrated (1) 17W Dimmable Lamp

Downlight Glass Etched Cased Opal Glass

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control Wall Transmitter -Limited Function

#### FAN FEATURES

Mounting Slope – Pitch 30° or 7/12 Lead Wire 78" cUL Listed Indoor Hanging Weight 33 lbs. Body Material Steel Warranty Limited Lifetime

#### MOTOR FEATURES

Motor Size/Type 188mm X 20mm, AC Amps 0.61 on High RPM 134 on High Energy Star® No

- 3 Forward Speeds & Motor Off - Manual Reverse - Lights On/Off with Full-Range Dimming	
OPTIONAL CONTROLS	
COOLTOUCH <sup>™</sup> TRANSMITTER – LIMITED FUNCTION 337214TR (Shown)	
COORDINATING LIGHTING	
To see more from these collections visit Kichler.com.	
Arcola <sup>™</sup> Sconce 10630PNLED Stelata <sup>™</sup> Sconce 45627PN	
Branches Sconce 44091BK	

INCLUDED CONTROLS

LIMITED FUNCTION

WALL TRANSMITTER -

#### HANGING MEASUREMENTS

WITH 4.50" DOWNROD					
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	<b>Housing</b> (width)	Ceiling Canopy (width)		
<b>A:</b> 14.00"	<b>B:</b> 10.25"	<b>C:</b> 11.60"	D: 6.40"		

AIR PERFORMANCE				
AIRFLOW Cubic Ft. Per Minute on High	POWER USAGE Watts on High (Excludes Lights)	AIRFLOW EFFICIENCY Cubic Ft. Per Minute Per Watt		
6225	73	86		



Α В

### BLADE SPECS



