

SEE ADDITIONAL FINISH OPTIONS ON PAGES S288-S289.



SHOWN WITH SATIN ETCHED GLASS AND CHERRY BLADES

Fan Reversible **Finish Blade Finish**

> ADC - Adobe Cream™ Blade Sample 31

> > ADC - Maple Blade Sample 31

AP - Light Cherry Blade Sample 11

AP - Dark Cherry Blade Sample 11

BSS - Light Oak Blade Sample 35

BSS - Medium Oak Blade Sample 35

NI - Maple Blade Sample 13

NI - Marive Cherry Blade Sample 13

OBB - Cherry


OBB - Walnut Blade Sample 7

SNW - Satin Natural White Blade Sample 22

> TZ - Cherry Blade Sample 19

TZ - Teak Blade Sample 19

WH - White Blade Sample 20



★ FINISH ADC: Adobe Cream™ with Reversible Adobe Cream™/Maple Blades

AP: Antique Pewter with Reversible Cherry Blades

BSS: Brushed Stainless Steel with Reversible Oak Blades

NI: Brushed Nickel with Reversible Maple/Marive Cherry Blades

OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades

SNW: Satin Natural White with Satin Natural White Blades

TZ: Tannery Bronze™ with Reversible Teak/Cherry Blades

WH: White Powder Coat with White Blades

★ BLADES (5) Blades • 12° Blade Pitch • 42" Blade Sweep • Reversible

MOUNTING SLOPE - PITCH 22° or 4/12

DOWNRODS Includes 4" Downrod with 1" (O.D.)

PRIMARY CONTROL SYSTEM Pull Chain, 3 Speeds Forward & Reverse

★ OPTIONAL CONTROLS Optional Remote Controls and Wall Controls available, see page S335 in this catalog, and pages 222-225 in our Main Catalog, K411.

DOWNLIGHT Removable. Uses (3) E-12 40-W B8 Lamps (Included)

UPLIGHT N/A

LEAD WIRE 78" ★ cUL LISTED Indoor

★ LOW CEILING ADAPTABLE Yes, Flush Mount Canopy (Included)

★ WARRANTY Limited Lifetime

U.S. Patent Pending


AIRFLOW 3774 Cubic Ft. Per Minute on High • 47 Watts on High (Excludes Lights) AIRFLOW EFFICIENCY 80 Cubic Ft. Per Minute Per Watt on High

BLADE SWEEP

153 x 13mm Motor



HANGING MEASUREMENTS: WITH 4" DOWNROD A - 17.40" B - 10.50" C - 10.25"





42" Sutter Place™ Select continued

CEILING FAN COLLECTION

