



Shown: 300018OBB Oil Brushed Bronze™ Finish with Walnut Blades

56" Hatteras Bay™



300018BAB
Burnished Antique Brass Finish
Poplar Burl Blades



300018BSS
Brushed Stainless Steel Finish
Dark Oak Blades



300018DBK
Distressed Black Finish
Walnut Blades

INCLUDED FEATURES

Blades (5) Included

- 14° Pitch
- 56" Sweep
- Reversible
- Wood

Downrods 12" Downrod with 1" (O.D.)

Downlight Integrated. Uses (4) E-12 40-W Krypton/T3 Lamps 5907FST

Downlight Glass Fresnel Lens (Etched White Inside)

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable Yes, Flush Mount Included. Note: Decor trim must be removed for flush mount application.

Control 3-Speed CoolTouch™ – Full Function

FAN FEATURES

Mounting Slope – Pitch 22° or 4/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 33.00 lbs.

Body Material Steel

Warranty Limited Lifetime

MOTOR FEATURES

Motor Size/Type 188mm x 25mm, AC

Amps 0.69 on High

RPM 146 on High

Energy Star No

INCLUDED CONTROLS

3-SPEED COOLTOUCH™ – FULL FUNCTION

- 3 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off



OPTIONAL CONTROLS

370038MULTR



WALL TRANSMITTER - FULL FUNCTION

COORDINATING LIGHTING

To see the complete Hatteras Bay™ Collection visit Kichler.com.



BLADE SPECS

Blade Finish & Part Number (Side 1) Fan Finish (Reversible)




HANGING MEASUREMENTS

WITH 12" DOWNROD

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 22.50"	B: 18.50"	C: 15.25"	D: 6.63"

FLUSH MOUNT

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 11.25"	B: 7.25"	C: 15.25"	D: 6.63"



AIR PERFORMANCE

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6124	82	75
Cubic Ft. Per Minute on High	Watts on High (Excludes Lights)	Cubic Ft. Per Minute Per Watt

AIR PERFORMANCE (FLUSH)

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5470	82	67
Cubic Ft. Per Minute on High	Watts on High (Excludes Lights)	Cubic Ft. Per Minute Per Watt



Shown: 310117WZC Weathered Zinc Finish with Dark Walnut Blades

60" Hatteras Bay™ Patio



310117DBK
Distressed Black Finish
Cherry Blades



310117TZP
Tannery Bronze™ Finish
Walnut Blades



310117WCP
Weathered Copper™ Finish
Medium Walnut Blades

INCLUDED FEATURES

Blades (5) Included

- 12° Pitch
- 60" Sweep
- Reversible
- ABS

Downrods 6" Downrod with 1" (O.D.)

Downlight Integrated. Uses (4) E-12 40-W B-10.5 Lamps 4063CLR

Downlight Glass Fresnel Lens

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable Yes, Flush Mount Canopy Included.

Control Wall Control System – Full Function

FAN FEATURES

Mounting Slope – Pitch 22° or 4/12

Lead Wire 78"

cUL Listed Damp

Hanging Weight 32.36 lbs.

Body Material Steel

Warranty Limited Lifetime

MOTOR FEATURES

Motor Size/Type 188mm x 25mm, AC

Amps 0.60 on High

RPM 157 on High

Energy Star No

INCLUDED CONTROLS



WALL CONTROL SYSTEM – FULL FUNCTION

- 3 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off
- White Faceplate Included

OPTIONAL CONTROLS



337009WHTR

COOLTOUCH™ TRANSMITTER – FULL FUNCTION

COORDINATING LIGHTING

To see the complete Hatteras Bay™ Collection visit Kichler.com.

Wall Lantern
49064OZ



Wall Lantern
49067OZ



BLADE SPECS


Blade Finish & Part Number (Side 1) Fan Finish (Reversible)



HANGING MEASUREMENTS

WITH 6" DOWNROD

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 17.50"	B: 12.90"	C: 15.40"	D: 6.80"



FLUSH MOUNT

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 12.20"	B: 7.70"	C: 15.40"	D: 6.80"



AIR PERFORMANCE

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6282	71	88
Cubic Ft. Per Minute on High	Watts on High (Excludes Lights)	Cubic Ft. Per Minute Per Watt

AIR PERFORMANCE (FLUSH)

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5449	71	77
Cubic Ft. Per Minute on High	Watts on High (Excludes Lights)	Cubic Ft. Per Minute Per Watt

BEAUTIFUL CEILING FAN, SLEEK DESIGN



“ This fan is absolutely stunning. Easy to install. Sleek design. Definitely a wonderful addition to our home. I absolutely love the wall features. ”

- Cass | Williston, ND



Shown: 310101WCP Weathered Copper Finish with Medium Walnut Blades

44" Hatteras Bay™ Patio



310101GST
Galvanized Steel Finish
Walnut Blades



310101TZP
Tannery Bronze™ Finish
Cherry Blades

INCLUDED FEATURES

Blades (5) Included

- 14° Pitch
- 44" Sweep
- Reversible
- ABS

Downrods 12" Downrod with 1" (O.D.)

Downlight Integrated. Uses (4) E-12 40-W Krypton/T3 Lamps 5907FST

Downlight Glass Fresnel Lens

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable Yes, Flush Mount Canopy Included. Note: Must remove downrod decor.

Control 3-Speed CoolTouch™ – Full Function

FAN FEATURES

Mounting Slope – Pitch 22° or 4/12

Lead Wire 78"

cUL Listed Damp

Hanging Weight 24.50 lbs.

Body Material Steel

Warranty Limited Lifetime

MOTOR FEATURES

Motor Size/Type 153mm x 17mm, AC

Amps 0.45 on High

RPM 217 on High

Energy Star No

INCLUDED CONTROLS

3-SPEED COOLTOUCH™ – FULL FUNCTION

- 3 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- Motor Off



OPTIONAL CONTROLS



370038MULTR

WALL TRANSMITTER - FULL FUNCTION

Note: Receiver is WET rated. Transmitter for indoor use.

COORDINATING LIGHTING

To see the complete Hatteras Bay™ Patio Collection visit Kichler.com.

Wall Lantern
49064OZ



Wall Lantern
49067OZ



BLADE SPECS

Blade Finish & Part Number (Side 1) Fan Finish (Reversible)



Cherry
B310101
GST




Walnut
FB310101
GST



GST
Galvanized
Steel



Cherry
B310101
TZP



Walnut
FB310101
TZP



TZP
Tannery
Bronze™



Medium Walnut
FB310101
WCP



Dark Walnut
B310101
WCP




WCP
Weathered
Copper

HANGING MEASUREMENTS

WITH 12" DOWNROD

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 22.50"	B: 18.50"	C: 14.00"	D: 6.63"



FLUSH MOUNT

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 11.25"	B: 7.25"	C: 14.00"	D: 6.63"



AIR PERFORMANCE

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
4025 Cubic Ft. Per Minute on High	53 Watts on High (Excludes Lights)	76 Cubic Ft. Per Minute Per Watt

AIR PERFORMANCE (FLUSH)

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
3604 Cubic Ft. Per Minute on High	54 Watts on High (Excludes Lights)	67 Cubic Ft. Per Minute Per Watt