

# **OPTIONAL CONTROLS**



370039MULTR 371042MUL

#### WALL TRANSMITTER - BASIC

See pages 326 and 328 for more information



#### **INCLUDED**

- ★ BLADES (5) Included ★ 13° Pitch ★ 52" Sweep Reversible ★ Wood veneer
- ★ **DOWNRODS** 4.5" Downrod with 1" (O.D.)
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12 40-W B-10 Lamps
- ★ DOWNLIGHT GLASS Clear Seeded
- ★ OPTIONAL DOWNLIGHT N/A
- ★ UPLIGHT N/A ★ UPLIGHT GLASS N/A
- **★ LOW CEILING ADAPTABLE No**
- **★ CONTROL** CoolTouch™ Control System Basic


# **FAN SPECS**

- ★ MOUNTING SLOPE PITCH 30° or 7/12
- ★ LEAD WIRE 78" ★ cUL LISTED Indoor
- ★ HANGING WEIGHT 22.70 lbs.
- ★ WARRANTY Limited Lifetime

# **MOTOR SPECS**

- ★ MOTOR SIZE/ TYPE 172mm x 15mm, AC
- **★ AMPS** 0.60 **★ RPM** 170
- **★ ENERGY STAR** N/A

# HANGING MEASUREMENTS



**WITH 4.5" DOWNROD A** - 18.25" **B** - 12.75" **C** - 9.50" **D** - 6.75"

5296 Cubic Ft. Per Minute on High POWER USAGE 71 Watts on High Excludes Lights) AIRFLOW EFFICIENCY 74 Cubic Ft. Per Minute Per Watt



# **BLADE SPECS**



# **COORDINATING LIGHTING**

To see the complete Lyndon  $\!\!\!^{\scriptscriptstyle{\mathsf{M}}}$  Collection visit kichler.com.





# Wet

# **OPTIONAL CONTROLS**



337214TR COOLTOUCH™ TRANSMITTER – BASIC

See page 328 for more information



# **INCLUDED CONTROL**

# WALL CONTROL SYSTEM – BASIC

- ★ 3 Forward Speeds and Motor Off
- ★ Manual Reverse
- ★ Light On/Off with Full Range Dimming
- ★ White Faceplate Included

# **BLADE SPECS**







# COORDINATING LIGHTING

To see the complete Bradford Collection visit kichler.com.





# INCLUDED

- ★ BLADES (5) Included ★ 13° Pitch ★ 60" Sweep Reversible ★ ABS
- ★ **DOWNRODS** 4.5" Downrod with 1" (O.D.)
- ★ **DOWNLIGHT** Integrated. Uses (3) 40-W B-10 Lamps
- ★ DOWNLIGHT GLASS Clear Seeded
- **★ OPTIONAL DOWNLIGHT** N/A
- ★ UPLIGHT N/A ★ UPLIGHT GLASS N/A
- **★ LOW CEILING ADAPTABLE** No
- ★ CONTROL Wall Control System Basic


# **FAN SPECS**

- ★ MOUNTING SLOPE PITCH 30° or 7/12
- ★ LEAD WIRE 78" ★ cUL LISTED Wet
- ★ HANGING WEIGHT 12.77 lbs.
- ★ WARRANTY Limited Lifetime

# **MOTOR SPECS**

- ★ MOTOR SIZE/ TYPE 188mm x 20mm, AC
- **★ AMPS** 0.67 **★ RPM** 140
- **★ ENERGY STAR** N/A

# HANGING MEASUREMENTS



**WITH 4.5" DOWNROD A** - 15.50" **B** - 13.25" **C** - 12.25" **D** - 6.75"

AIRFLOW

6074
Cubic Ft. Per
Minute on High

U.S. & Canadian Patent Pending

POWER USAGE
79
Watts on High Excludes Lights

AIRFLOW EFFICIENCY 77 Cubic Ft. Per Minute Per Watt



# **OPTIONAL CONTROLS**



337214TR COOLTOUCH™ TRANSMITTER -**BASIC** 

See page 328 for more information



# **INCLUDED CONTROL**

# WALL CONTROL SYSTEM -BASIC

- ★ 3 Forward Speeds and Motor Off
- ★ Manual Reverse
- ★ Light On/Off with Full Range Dimming
- ★ White Faceplate Included

# **BLADE SPECS**







Weathered Steel

# **COORDINATING LIGHTING**

To see the complete Bradford Collection visit kichler.com.







# **INCLUDED**

- ★ BLADES (5) Included ★ 13° Pitch ★ 52" Sweep Reversible \* ABS
- ★ **DOWNRODS** 4.5" Downrod with 1" (O.D.)
- ★ **DOWNLIGHT** Integrated. Uses (3) 40-W B-10 Lamps
- ★ DOWNLIGHT GLASS Clear Seeded
- ★ OPTIONAL DOWNLIGHT N/A
- ★ UPLIGHT N/A ★ UPLIGHT GLASS N/A
- ★ LOW CEILING ADAPTABLE No
- ★ CONTROL Wall Control System Basic


# **FAN SPECS**

- ★ MOUNTING SLOPE PITCH 30° or 7/12
- **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ HANGING WEIGHT 10.55 lbs.
- ★ WARRANTY Limited Lifetime

# **MOTOR SPECS**

- ★ MOTOR SIZE/ TYPE 172mm x 15mm, AC
- ★ AMPS 0.53 ★ RPM 174
- **★ ENERGY STAR** N/A

# HANGING MEASUREMENTS



WITH 4.5" DOWNROD **A** - 19.00" **B** - 13.00" **C** - 9.50" **D** - 6.75"

**AIRFLOW** 

POWER USAGE