

# ANSONIA™

POLISHED CHROME, BRUSHED NICKEL,  
OR OLDE BRONZE® FINISH  
WITH SATIN ETCHED GLASS



**A** | 5446 NI  
Wall Sconce  
NOT TO SCALE



**B** | 5447 CH, NI, OZ



**C** | 5448 CH, NI, OZ



**D** | 5449 CH, NI, OZ

## MATCHING MIRROR

41011 NI  
See page 413 or  
kichler.com.



## MATCHING COLLECTION

See entire Ansonia™  
Collection on  
pages 312-313.



## ANSONIA™

	ITEM #	FINISH	INCAND. BULB	W	H	EXT.	HCWO	NOTES
<b>A</b>	5446	NI	(1) 100W (M)	5.5	9.25	5.5	2.75	Ⓧ (9-13W CFL) May be installed on wall with glass up or down.
<b>B</b>	5447	CH, NI, OZ	(2) 100W (M)	14.75	8.75	5.5	2.75	Ⓧ (9-13W CFL) May be installed on wall with glass up or down.
<b>C</b>	5448	CH, NI, OZ	(3) 100W (M)	23	8.75	5.5	2.75	Ⓧ (9-13W CFL) May be installed on wall with glass up or down.
<b>D</b>	5449	CH, NI, OZ	(4) 100W (M)	31.25	8.75	5.5	2.75	Ⓧ (9-13W CFL) May be installed on wall with glass up or down.

Measurements shown in inches.

# ANSONIA™

BRUSHED NICKEL FINISH WITH  
SATIN ETCHED GLASS



**A** | 1748 NI  
Chandelier/Dinette



**B** | 3349 NI  
Pendant

## MATCHING BATH

See matching  
bath fixtures  
on page 524.





**C** | 3345 NI  
Mini Pendant



**D** | 5446 NI  
Wall Sconce



## CONVERTIBLE

Create two distinct lighting options with one fixture:  
Semi Flush or Inverted Pendant.

**E** | 3348 NI

Shown as  
Semi Flush - 15" H.

Shown as  
Inverted Pendant - 15.5" H.

## ANSONIA™

	ITEM #	FINISH	INCAND. BULB	W	H	OVRL. H	EXTRA WIRE	CHAIN/STEM	EXT.	HCWO	NOTES
<b>A</b>	1748	NI	(5) 100W (M)	22	16.25	91	31	72	---	---	Ⓜ (9-13W CFL) Additional chain 2996 NI. May be installed with glass up or down.
<b>B</b>	3349	NI	(1) 150W (M)	15	15	89	32	72	---	---	Ⓜ (23-30W CFL) Additional chain 2996 NI. G Type bulb recommended.
<b>C</b>	3345	NI	(1) 100W (M)	4.75	13.75	88	25	72	---	---	Ⓜ (9-13W CFL) Additional chain 2996 NI.
<b>D</b>	5446	NI	(1) 100W (M)	5.5	9.25	---	---	---	5.5	6.5	Ⓜ (9-13W CFL) May be installed with glass up or down.
<b>E</b>	3348	NI	(1) 100W (M)	12	15.5	90	32	72	---	---	Ⓜ (18-25W CFL) Additional chain 2996 NI.

Measurements shown in inches.