

HENDRIK™

POLISHED CHROME FINISH WITH SATIN ETCHED CASED OPAL GLASS



A | 5077 CH



B | 5078 CH



C | 5079 CH



D | 5085 CH



E | 7772 CH
Directional Rail Light



F | 5076 CH
Wall Sconce
NOT TO SCALE

HENDRIK™

ITEM #	FINISH	INCAND. BULB	W	H	L	EXT.	HCWO	NOTES	
A	5077	CH	(2) 100W (M)	14.5	7.75	---	6.5	5.5	Ⓛ (18-25W CFL) May be installed with glass up or down.
B	5078	CH	(3) 100W (M)	24	7.75	---	6.5	5.5	Ⓛ (18-25W CFL) May be installed with glass up or down.
C	5079	CH	(4) 100W (M)	33.75	7.75	---	6.5	5.5	Ⓛ (18-25W CFL) May be installed with glass up or down.
D	5085	CH	(5) 100W (M)	43	7.75	---	6.5	5.25	Ⓛ (18-25W CFL) May be installed with glass up or down.
E	7772	CH	(4) 50W (GU10)	5	8.25	30	6.25	2.5	Ⓛ
F	5076	CH	(1) 100W (M)	5.5	12	---	8	6	Ⓛ (18-25W CFL) May be installed with glass up or down.

Measurements shown in inches. U.S. Design Patent No. D688,828: A,B,C,F. U.S. & Canada Patent Pending: D & E.

HENDRIK™

BRUSHED NICKEL FINISH WITH
SATIN ETCHED CASED OPAL GLASS



A | 5076 NI
Wall Sconce
NOT TO SCALE



B | 5077 NI



C | 5078 NI



D | 5079 NI



E | 5085 NI



F | 7772 NI
Directional Rail Light

MATCHING MIRROR

41071 NI
See page 413 or
kichler.com.



MATCHING COLLECTION

See entire Hendrik™
Collection on
pages 207-209.



HENDRIK™

ITEM #	FINISH	INCAND. BULB	W	H	L	EXT.	HCWO	NOTES	
A	5076	NI	(1) 100W (M)	5.25	12	---	8	6	ⓓ (18-25W CFL) May be installed with glass up or down.
B	5077	NI	(2) 100W (M)	14.5	7.75	---	6.5	5.5	ⓓ (18-25W CFL) May be installed with glass up or down.
C	5078	NI	(3) 100W (M)	24	7.75	---	6.5	5.5	ⓓ (18-25W CFL) May be installed with glass up or down.
D	5079	NI	(4) 100W (M)	33.75	7.75	---	6.5	5.5	ⓓ (18-25W CFL) May be installed with glass up or down.
E	5085	NI	(5) 100W (M)	43	7.75	---	6.5	5.25	ⓓ (18-25W CFL) May be installed with glass up or down.
F	7772	NI	(4) 50W GU10	5	8.25	30	6.25	2.5	ⓓ

Measurements shown in inches. U.S. Design Patent No. D688,828: A,B,C,F. U.S. & Canada Patent Pending: D & E.

MATCHING MIRROR

41071 OZ
See page 413 or
kichler.com.



A | 5077 OZ



B | 5078 OZ



C | 5079 OZ



D | 5085 OZ



E | 7772 OZ
Directional Rail Light

HENDRIK™

OLDE BRONZE® FINISH WITH
LIGHT UMBER GLASS



F | 5076 OZ
Wall Sconce
NOT TO SCALE

MATCHING COLLECTION

See entire Hendrik™
Collection on
pages 204-206.



HENDRIK™

ITEM #	FINISH	INCAND. BULB	W	H	L	EXT.	HCWO	NOTES	
A	5077	OZ	(2) 100W (M)	14.5	7.75	---	6.5	5.5	ⓐ (18-25W CFL) May be installed with glass up or down.
B	5078	OZ	(3) 100W (M)	24	7.75	---	6.5	5.5	ⓐ (18-25W CFL) May be installed with glass up or down.
C	5079	OZ	(4) 100W (M)	33.75	7.75	---	6.5	5.5	ⓐ (18-25W CFL) May be installed with glass up or down.
D	5085	OZ	(5) 100W (M)	43	7.75	---	6.5	5.25	ⓐ (18-25W CFL) May be installed with glass up or down.
E	7772	OZ	(4) 50W GU10	5	8.25	30	6.25	2.5	ⓐ Halogen Light Source.
F	5076	OZ	(1) 100W (M)	5.25	12	---	8	6	ⓐ (18-25W CFL) May be installed with glass up or down.

Measurements shown in inches. U.S. Design Patent No. D688,828: A,B,C,F. U.S. & Canada Patent Pending: D & E.

HENDRIK™

OLDE BRONZE® FINISH WITH
LIGHT UMBER ETCHED GLASS



B | 1873 OZ
Chandelier



A | 1675 OZ
Chandelier



C | 1884 OZ
Grand Chandelier

MATCHING BATH

See matching
bath fixtures
on page 441.



HENDRIK™

	ITEM #	FINISH	INCAND. BULB	W	H	OVRL. H	EXTRA WIRE	CHAIN/STEM	NOTES
A	1675	OZ	(15) 75W (M)	42.25	36	110	68	72	ⓘ (18-25W CFL) Additional chain 4909 OZ.
B	1873	OZ	(18) 60W (M)	50.25	41.5	116	108	72	ⓘ (18-25W CFL) Additional chain 4909 OZ.
C	1884	OZ	(24) 60W (M)	55	47.5	122	114	72	ⓘ (18-25W CFL) Additional chain 4909 OZ.

Measurements shown in inches. U.S. & Canada Patent Pending.



D | 1672 OZ
Chandelier



E | 3275 OZ
Pendant

MATCHING MIRROR

41071 OZ
See page 413 or
kichler.com.



F | 1674 OZ
Chandelier



G | 1673 OZ
Oval Chandelier



HENDRIK™

	ITEM #	FINISH	INCAND. BULB	W	H	OVRL. H	L	STEM TILT	EXTRA WIRE	NOTES
D	1672	OZ	(5) 100W (M)	24.5	21.5	60	---	45°(12:12)	68	Ⓜ (18-25W CFL) Additional stem 2999 (12") OZ.
E	3275	OZ	(3) 100W (M)	24	21.75	60	---	45°(12:12)	104	Ⓜ (18-25W CFL) Additional stem 2999 (12") OZ.
F	1674	OZ	(9) 100W (M)	33.25	25.75	64	---	45°(12:12)	104	Ⓜ (18-25W CFL) Additional stem 2999 (12") OZ.
G	1673	OZ	(6) 100W (M)	18	22.75	61	35.75	45°(12:12)	104	Ⓜ (18-25W CFL) Additional stem 2999 (12") OZ.

Measurements shown in inches. U.S. & Canada Patent Pending; E.G. U.S. Design Patent No. D577,850: D, F.

HENDRIK™

OLDE BRONZE® FINISH WITH
LIGHT UMBER ETCHED GLASS

COORDINATING CEILING FAN

See the full line of Kichler®
Ceiling Fans in catalog K416
or visit kichler.com.

C | 300114 OZ



A | 5076 OZ
Wall Sconce



B | 3677 OZ
Semi Flush



D | 3674 OZ
Semi Flush



E | 3475 OZ
Mini Pendant



F | 1687 OZ
Mini Pendant



G | 1671 OZ
Chandelier

HENDRIK™

ITEM #	FINISH	INCAND. BULB	W	H	OVRL. H	STEM TILT	EXTRA WIRE	EXT.	HCWO	NOTES	
A	5076	OZ	(1) 100W (M)	5.25	12	---	---	---	8	6	Ⓛ (18-25W CFL) May be installed with glass up or down.
B	3677	OZ	(4) 100W (M) ✓	24	12.25	---	---	---	---	---	Ⓛ (23-30W CFL)
C	300114	OZ	---	---	---	---	---	---	---	---	See the full line of Kichler® Ceiling Fans in catalog K416 or visit kichler.com.
D	3674	OZ	(2) 60W (M)	15	10	---	---	---	---	---	Ⓛ (13-15W CFL)
E	3475	OZ	(1) 100W (M)	5.25	7.5	46	---	62	---	---	Ⓛ (18-25W CFL) Additional chain 2996 OZ, additional stem 2999 (12") OZ. Sloped ceiling kit included.
F	1687	OZ	(1) 100W (M)	8	8.75	47	---	67	---	---	Ⓛ (23-30W CFL) Additional chain 2996 OZ, additional stem 2999 (12") OZ. Sloped ceiling kit included.
G	1671	OZ	(3) 100W (M)	19	16.75	55	45°(12:12)	68	---	---	Ⓛ (18-25W CFL) Additional stem 2999 (12") OZ.

Measurements shown in inches. U.S. Design Patent No. D705,907: G. U.S. & Canada Patent Pending: B, C, D, E, F.

HENDRIK™

BRUSHED NICKEL FINISH WITH
SATIN ETCHED CASED OPAL GLASS



A | 1873 NI
Chandelier



B | 1675 NI
Chandelier



C | 1884 NI
Grand Chandelier

MATCHING BATH

See matching
bath fixtures
on page 440.



HENDRIK™

	ITEM #	FINISH	INCAND. BULB	W	H	OVRL. H	EXTRA WIRE	CHAIN/ STEM	NOTES
A	1873	NI	(18) 60W (M)	50.25	41.5	116	108	72	ⓘ (18-25W CFL) Additional chain 4909 NI.
B	1675	NI	(15) 75W (M)	42.25	36	110	68	72	ⓘ (18-25W CFL) Additional chain 4909 NI.
C	1884	NI	(24) 60W (M)	55	47.5	122	114	72	ⓘ (18-25W CFL) Additional chain 4909 NI.

Measurements shown in inches. U.S. & Canada Patent Pending.

DIRECTIONAL RAIL LIGHTS

ASSORTED FINISHES & GLASS



A | 7772 CH
Hendrik™



A | 7772 NI
Hendrik™



A | 7772 OZ
Hendrik™



B | 42164 AP
Bellamy™



B | 42164 OZ
Bellamy™

DIRECTIONAL RAIL LIGHTS

	ITEM #	FINISH	INCAND. BULB	W	H	L	EXT.	HCWO	NOTES
A	7772	CH, NI, OZ	(4) 50W (GU10)	5	8.25	30	6.25	2.5	Ⓧ May be ceiling or wall mounted, Halogen light source.
B	42164	AP, OZ	(4) 50W (GU10)	5.5	8.75	34.25	7.5	2.75	Ⓧ May be ceiling or wall mounted, Halogen light source. OZ: Umber Etched Glass.

Measurements shown in inches. U.S. & Canada Patent Pending: A.