



Invigoration™ Series
Steam Generators and Controls

THE BOLD LOOK
OF **KOHLER®**





The Benefits of Steam

Steam is sought after because of the many benefits it brings to the body and the mind.

Healthy Skin

Steam generates heat which helps you sweat, naturally drawing out dirt and toxins to clean your pores.

Relaxed Muscles

The heat from the steam can increase blood flow which may help muscles to relax and may soothe minor aches and pains.

Breathe Easy

Breathing in the warm mist of a steam shower may help open up nasal passages and allow you to breathe easier.

Stress Relief

There are few things more relaxing than being enveloped in the warm, soothing mist of a steam shower. It's the perfect way to start your day or unwind from the daily grind.

KOHLER® Steam

Bring home the benefits of steam with the Invigoration™ Series from Kohler.

Fast-Response® Technology

Invigoration Series steam generators produce steam within one minute of pushing the power button.

Constant Steam

This series is designed to produce steam at a consistent rate, which greatly minimizes temperature fluctuations.

Power Clean™ Feature

At the touch of a button, water flushes sediment out of the generator through the steam head. No manual flushing required.

Intuitive Operation

The interface is easy to read and use with clear function indicators for controlling operation, time and temperature.

Eco-Friendly

The Invigoration Series uses approximately one gallon of water per 20-minute session, which is significantly less water than a traditional shower experience.

Auto Shutoff

To ensure safety, the system automatically shuts down after 20 minutes if not reactivated by the user.

Durable Construction

The generator case is constructed of insulated stainless steel, which maintains the temperature while ensuring the case is safe to the touch.


Peace of Mind

Kohler offers a Three-Year Limited Warranty on steam generators and a Five-Year Limited Warranty on controls.




Customize Your Experience

From basic to extravagant, from manual to digital, the Invigoration™ Series can turn every showering experience into a personal spa-like retreat. The series can also pair with the KOHLER® DTV+™ digital showering system. A digital shower gives you greater customization of your experience, and you can control every aspect with the touch of a button.



The Basic Steam Shower System
Control Kit + Steam Generator



The Digital Shower System
DTV+ Interface + Adapter Kit + Steam Generator



Add Multi-Sensory Components

Design your own spa-like experience by adding music with a KOHLER® Amplifier and SoundTile® speakers. Include chromatherapy with a WaterTile® Ambient Rain® shower panel. And this steam series also lets you add aromatherapy to the experience.



Invigoration™ Series Steam Generators and Controls

Invigoration Series Steam Generators

Determine the correct size for your steam generator by calculating the shower's cubic footage.

(width x height x depth = cubic feet)



Steam calculator also available online at KOHLER.com/SteamCalculator.


Recommended ceiling height is 8' or less. For each foot above 8', you must upgrade to the next steam generator size. Do not exceed the maximum volume rating noted.

An Invigoration Series steam generator control kit or DTV+™ adapter kit is required for use with all Invigoration Series steam generators. See chart below.

Separate 240 V circuit is required for KOHLER® steam generators. A dedicated circuit is required.* No GFCI should be hooked to this circuit.

	Maximum Volume Rating	Steam Generator	Power Rating	Electrical Requirements	Required Control Kit	Optional Drain Pan
Single	84 cu ft	K-5525-NA	5 kW	240 V, 50/60 Hz, 40 A	K-5557 or K-5548-K1	K-5559-NA
	112 cu ft	K-5526-NA	7 kW	240 V, 50/60 Hz, 50 A	K-5557 or K-5548-K1	K-5559-NA
	240 cu ft	K-5529-NA	9 kW	240 V, 50/60 Hz, 60 A	K-5557 or K-5548-K1	K-5559-NA
	317 cu ft	K-5531-NA	11 kW	240 V, 50/60 Hz, 60 A	K-5557 or K-5548-K1	K-5559-NA
	447 cu ft	K-5533-NA	13 kW	240 V, 50/60 Hz, 80 A	K-5557 or K-5548-K1	K-5562-NA
	500 cu ft	K-5535-NA	15 kW	240 V, 50/60 Hz, 90 A	K-5557 or K-5548-K1	K-5562-NA
Tandem	550 cu ft	K-5539-NA*	18 kW	240 V, 50/60 Hz, 60 A	K-5558 or K-5549-K1	K-5559-NA
	634 cu ft	K-5543-NA*	22 kW	240 V, 50/60 Hz, 60 A	K-5558 or K-5549-K1	K-5559-NA
	894 cu ft	K-5546-NA*	26 kW	240 V, 50/60 Hz, 80 A	K-5558 or K-5549-K1	K-5562-NA
	1000 cu ft	K-5547-NA*	30 kW	240 V, 50/60 Hz, 90 A	K-5558 or K-5549-K1	K-5562-NA

*Tandem steam generators require two dedicated circuits and use two drain pans.



Invigoration Series Steam Generator Control Kits


For use with Invigoration Series steam generators.

DTV+ Adapter Kits

For use with Invigoration Series steam generators paired with KOHLER DTV+ digital showering system.



Finishes:



THE BOLD LOOK
OF **KOHLER**®

KOHLER.com/Steam

Form 15-1929-1115
© 2015 Kohler, Co.
Kohler, Wisconsin 53044
Printed in U.S.A.
1-800-4-KOHLER
(1-800-456-4537)