

STRIVE_{TM}

Features


- 16-gauge stainless steel
- Under-mount
- Single bowl
- Squared bowl(s)
- Includes installation hardware
- Includes SilentShield_® sound-absorption technology
- Includes sink bridge utility shelf with dish cloth bar and bottom bowl rack
- 32" (813 mm) x 18-1/4" (464 mm)

Codes/Standards Applicable

Specified model meets or exceeds the following:

ASME A112.19.3/CSA B45.4

UNDER-MOUNT KITCHEN SINK K-5285



Colors/Finishes

• NA: None applicable

Accessories

- · CP: Polished Chrome
- ST: Stainless Steel
- NA: None applicable
- Other: Refer to Price Book for additional colors/finishes

Specified Model

Model	Description		Colors/F	inishes
K-5285	Under-mount kitchen sink	□ NA		
Included Ac	cessories			
K-6429	Sink bridge utility shelf with dish cloth bar	□ ST		
K-6644	Bottom bowl rack	□ ST		
Optional Ac	cessories			
K-6667	Wood cutting board – allow 3/4" (19 mm) clearance beyond the back of the bowl	□ NA		
	Duostrainer _® sink strainer		□ CP	□ Other

Product Specification

The under-mount kitchen sink shall be made of 16 gauge stainless steel. Sink shall be 32" (813 mm) in length and 18-1/4" (464 mm) in width. Sink shall feature single squared bowl and SilentShield sound-absorption technology. Sink shall include installation hardware, sink bridge utility shelf with dish cloth bar, and bottom bowl rack. Sink shall be Kohler Model K-5285-NA.

STRIVE_{TM}

Technical Information


Fixture*:					
Bowl area	30-1/4" (768 mm) x 16-1/2" (419 mm)				
Water depth	9" (229 mm)				
Drain hole	Ø 3-11/16" (94 mm)				
*Approximate measurements for comparison only.					

Included components:			
Hardware kit (3 required)	91915		
Cut-out template	1207216-7		

Installation Notes

Install this product according to the installation guide.

Allow a minimum of $3^{\prime\prime}$ (76 mm) clearance around the sink rim for clip attachment.



Product Diagram

