

KPF-2620

Single Handle Pull Down Kitchen Faucet

Faucet Dimensions (without deck plate)

Overall Height: 15 1/4"

Overall Width: 4 1/4"

Spout Height: 7 5/8"

Spout Reach: 8 3/4"

*Deck Plate Dimensions

Overall Dimensions: 10 1/4" x 2 3/8" x 1/2"

Features

- Pull Down Faucet
- Metal Body
- ABS Sprayer
- Lead Free Brass Waterway
- 360° Swivel Spout
- Flow Rate: 1.75 gpm (6.6L/min) @ 60 psi
- Dual Function Sprayhead - Spray/Stream
- Easy Clean Silicone Nozzles
- Quick Weight
- 35mm Ceramic Cartridge
- 29 1/4" Flexible Nylon Waterlines
- Dome Shaped Screen Washer
- Swivel Sprayer Connector
- 12 7/8" Hose Length
- Quick Connect Sprayer
- Connections 3/8" Compression
- Max Countertop Thickness (without deck plate) 1 1/2"
- Max Countertop Thickness (with deck plate) 1"
- TPI of aerator in the Sprayer - M16.5*1

Accessories Included

- *Deck Plate
- Weight
- Hex Wrench

Available Finishes

- Brushed Brass
- Chrome
- Spot Free all-Brite™ Stainless Steel

CODES/STANDARDS:

Product Certification

cUPC (ASME A112.18.1/CSA B125.1)

NSF/ANSI Standard 61 and 372 certified by IAPMO

AB1953, MASS, CEC, DOE

NOTE: Some Kitchen Faucets that do not have a pull out or pull down sprayer may be connected to a portable dishwasher. Pull out and pull down faucets should never be connected to portable dishwashers because potential pressure fluctuations during washing cycles cause hose ruptures or leaks.


Warranty

Kraus Limited Lifetime Warranty

see website for details www.kraususa.com

Kraus USA Customer Service

1.800.775.0703 | customerservice@kraususa.com



KPF-2600

Single Handle Bar/Prep Kitchen Faucet

Faucet Dimensions

Overall Height: 12 1/4"
 Spout Height: 7 3/8"
 Spout Reach: 5 1/2"

Features

- Metal Body
- Zinc Handle
- Brass Waterway
- 360° Swivel Spout
- Flow Rate: 1.5 gpm (5.7L/min) @ 60 psi
- Stream Function
- Secure Quick Docking
- 35mm Ceramic Cartridge
- 1 hole installation
- 27 1/2" Waterlines
- Connections 3/8"
- TPI of aerator in the Spout - Quantity 1.06, 55/64-27UNS

Accessories Included

- Hex Wrench

Available Finishes

- Chrome
- Stainless Steel
- Spot Free all-Brite™ Stainless Steel

CODES/STANDARDS:


Product Certification

cUPC (ASME A112.18.1/CSA B125.1)
 NSF/ANSI Standard 61 and 372 certified by IAPMO
 CEC, DOE, ADA

NOTE: Some Kitchen Faucets that do not have a pull out or pull down sprayer may be connected to a portable dishwasher. Pull out and pull down faucets should never be connected to portable dishwashers because potential pressure fluctuations during washing cycles cause hose ruptures or leaks.

Warranty

Kraus Limited Lifetime Warranty
 see website for details www.kraususa.com



KSD-41

Soap Dispenser

Features

- Solid Brass Construction
- Self-Priming Pump
- Refillable from Above
- Holds up to 12 oz. of Liquid
- Max. Deck Thickness: 1 3/8"
- Pump Height: 3 1/4"
- Spout Reach: 3 1/2"

Material

- Brass Pump
- Plastic Bottle

Available Finishes

- Chrome
- Stainless Steel
- Matte Black
- Brushed Brass
- Brushed Gold



Kraus One Year Limited Warranty:

See website for details www.kraususa.com

