

SAN CLEMENTE RECTANGULAR TRIM HALIFAX** LEVER & 258 LOW PROFILE DEADBOLT

Introducing the contemporary San Clemente Rectangular Trim - Available with the Halifax lever and the 258 Low Profile Deadbolt. These new products bring sophistication and a modern design with clean lines in a bold rectangular trim. The Halifax lever with the San Clemente rectangular trim features a new chassis with superior feel and anti-lever sag. Pair with any contemporary mechanical or electronic deadbolt. The San Clemente rectangle deadbolt features our advanced SmartKey Security™ technology and highest residential security/durability/finish. Pair our rectangular deadbolt with our Halifax rectangular lever or San Clemente handle.



Kwikset

Mix & Match

Pair any contemporary mechanical or electronic deadbolt with the San Clemente handle or $\mathsf{Halifax}^\mathsf{TM}$ Rectangle trim.




SAN CLEMENTE LOW PROFILE RECTANGLE DEADBOLT

Signature Series

Specifications

Function	258 RCT SMT Keyed Entry Single Cylinder		
Standard Door Prep	Cross Bore 2 ½". Edge Bore 1". Latch Face 1½" x 2 ¾". 1 ¾" - 1 ¾" Standard. Thick door service part available for up to 2 ½".		
Door Thickness			
Cylinder	SmartKey Security™		
Faceplate	1" × 2 ¹/4"		
Strike	1 ¹ /8" × 2 ³ / ₄ "		
Bolt	1" Throw		
ANSI/BHMA	Grade AAA Certified: Finish/Durability/Security		
ADA	258 functions are in compliance with the American National Standards Institute (ANSI A117.1)		
UL	Optional 20 Minute UL fire rating available, except inactive functions.		
Warranty	Lifetime Mechanical and Lifetime Finish		

Dimensions



Design	Α	В	С	D	E
San Clemente RCT SMT	3 9/16"	2 3/4"	9/16 "	1/2"	1 15/32"

- ANSI/BHMA Grade AAA Certified
- Easy to Install
- Sleek Low Profile Deadbolt Design
- New, Bold, Rectangular Trim
- Contemporary Design with Clean Lines

Finishes









Matte Black 514



Polished Chrome 26



How to re-key in seconds



1. Insert current key and rotate it 90° clockwise.



2. Fully insert SmartKey tool. Remove tool and remove current key.



2. Fully insert new key and rotate 180°. Rotate back to starting position and remove key. Your lock is now re-keyed!





You must have the working key to rekey the lock







HALIFAX™ RECTANGLE LEVER

Signature Series

Specifications

Door Prep	Cross Bore 2 ½". Edge Bore 1". Latch Face 1" x 2 ½".		
Backset	Adjustable 2 ³/8" or 2 ³/4"		
Door Thickness	1 ³ / ₈ " - 1 ³ / ₄ " Doors standard Thick door service part available for up to 2 ¹ / ₈ "		
Cylinder	SmartKey Security [™]		
Faceplates	1" x 2 1/4" Specify round corner, square corner or drive-in		
Strikes	2 ½" Full lip round		

Bolt	¹/₂" Throw		
ANSI/BHMA	Grade AAA Certified: Finish/Durability/Security Optional 20 Minute UL fire rating available, except inactive functions.		
UL			
Door Handing	Reversible for right or left hand doors		
ADA	720 & 730 functions are in compliance with the American national Standards Institute (ANSI A117.1)		
Warranty	Lifetime Mechanical and Lifetime Finish		

Functions



Passage/Hall/Closet: Both levers always

- 720 HFL RCT



Privacy/Bed/Bath: Both levers locked or unlocked by push-button inside. Outside lever unlocked by emergency key. - 730 HFL RCT



Keyed Entry Lever: Both sides locked or unlocked by key outside or turn-button inside.


- 740 HFL RCT



Half Dummy Trim, Surface Mounted:

For doors where only a pull is required. No operation.

- 788 HFL RCT



Interior Pack: Inside lever of handleset. 800 Handlesets:

- 973 HFL RCT: Dummy 818 Handlesets:
- 971 HFL RCT: Single-Cylinder







Finishes




MICROBAN[®]

Polished

Chrome 26

Dimensions



Design	Α	В	B (Keyed)	С	D	E
Halifax™ RCT	4 1/8"	2 1/2"	2 9/16"	7/16 "	4 1/4"	2 25/32"

- ANSI/BHMA Grade AAA Certified
- Easy to Install
- Best-in-class Lever Chassis
- Significantly Reduced Lever Sag
- Greater Feel
- New, Bold, Rectangular Trim







Halifax™ Rectangle Passage Lever in Matte Black

