



Filters Applied:

Performance Bulbs: Show only best dimming bulbs

Bulbs Availability: Show only currently available bulbs verified by Lutron

LED Type: All LED Types

Style: All Styles

Base: All Bases

Wattage Equivalent: All Wattage Equivalents

Color Temperature: All Color Temperatures

Brand: All Brands

This list is based on information provided on November 22, 2022. Lutron is continuously testing bulbs and updating compatibility information. For the latest compatibility information, please visit the Lutron LED Compatibility tool by clicking [here](#)

130 LEDs for Casèta Original Plug-In Dimmer (PD-3PCL/ P-BDG-PKG2P)



GE-A15

Model # 34628
40W Equivalent/ 4.00W
(2700K)



GE-A15

Model # 38157
40W Equivalent/ 4.00W
(2700K)



GE-A15

Model # 42226
60W Equivalent/ 5.50W
(2700K)



GE-A15

Model # 42227
40W Equivalent/ 4.00W
(2700K)



GE-A15



GE-A15

Model # 93121641
60W Equivalent/ 6.00W
(5000K)



GE-A15

Model # 93121642
40W Equivalent/ 5.00W
(5000K)



GE-A15



EcoSmart-A15

Model # FG-04206
100W Equivalent/ 8.00W
(3000K)



EcoSmart-A15

Model # FG-04208
100W Equivalent/ 8.00W
(5000K)



Sylvania-A19



Philips-A19

Model # 574772
60W Equivalent/ 8.00W
(3000K)



Philips-A19

Model # 574780
60W Equivalent/ 8.00W
(5000K)



Philips-A19



GE-A19

Model # 93121845
75W Equivalent/ 10.50W
(5000K)



GE-A19

Model # 93121900
75W Equivalent/ 10.50W
(2700K)



GE-A19



Sylvania-B10

Model # 41320
40W Equivalent/ 4.00W
(5000K)



Sylvania-B10

Model # 41322
60W Equivalent/ 5.50W
(5000K)



GE-B10



GE-B11

Model # 42282
40W Equivalent/ 4.00W
(2700K)



GE-B11

Model # 42286
40W Equivalent/ 4.00W
(5000K)



GE-B11



GE-B11

Model # 93118493
40W Equivalent/ 4.00W
(2700K)



GE-B11

Model # 93118495
40W Equivalent/ 4.00W
(5000K)



GE-B11



GE-B12

Model # 93118486
60W Equivalent/ 5.50W
(5000K)



EcoSmart-B13

Model # FG-04220
100W Equivalent/ 6.50W
(2700K)



EcoSmart-B13



GE-CA11

Model # 42232
40W Equivalent/ 4.00W
(2700K)



GE-CA11

Model # 42243
40W Equivalent/ 4.00W
(2700K)



GE-CA11



GE-CA11

Model # 93122338
40W Equivalent/ 4.00W
(5000K)



GE-CA11

Model # 93122341
40W Equivalent/ 4.00W
(5000K)



GE-CA11



GE-CA12

Model # 93118567
60W Equivalent/ 5.50W
(2700K)



GE-CA12

Model # 93118570
60W Equivalent/ 5.50W
(2700K)



GE-CA12



GE-G16.5

Model # 41562
40W Equivalent/ 4.50W
(2700K)



GE-G16.5

Model # 41766
60W Equivalent/ 5.50W
(2700K)



GE-G16.5



GE-G16.5

Model # 93118595
40W Equivalent/ 4.50W
(5000K)



GE-G16.5

Model # 93118616
40W Equivalent/ 4.50W
(2700K)



GE-G16.5



GE-G25

Model # 93118623
40W Equivalent/ 4.50W
(2700K)



GE-G25

Model # 93118624
40W Equivalent/ 4.50W
(2700K)



GE-G25



GE-ST19

Model # 93129228
60W Equivalent/ 5.50W
(2700K)



GE-ST19

Model # 93130220
60W Equivalent/ 5.50W
(2700K)



Warranty on your Lutron 100 W C.L dimmer or 150 W C.L dimmer or 250 W C.L dimmer will be void if used with bulbs that are not on this Lutron compatible bulb list.

Please note: Bulb variations in lamp design and construction affect performance. Bulb manufacturers can modify their bulbs at any time, without notice to Lutron. This prevents Lutron from ensuring ongoing compatibility. For up-to-date specifications, performance, and/or any related recall information about the bulb, please visit the bulb manufacturer's website.

This document provides information from manufacturers who are not Lutron agents or affiliates. The listing of a manufacturer or the existence of any external link to another website does not suggest that Lutron is endorsing the linked company, its products and/or its services. Purchasers should ask appropriate questions and request references before buying any products and/or entering a contract with any party. The information contained in this document is intended for illustrative and comparative purposes only, and is subject to change at any time. Lutron does not warrant that (a) the list of manufacturers is all-inclusive; (b) the information is complete, up-to-date, accurate and/or error-free; (c) the products and Lutron controls listed will always be compatible; and (d) that the information provided will be a viable or appropriate solution for your project needs. You are entirely responsible for and assume all risk for the use of the information.