

Lighting Your Life Since 1970

Glass/Shade

UPC Code

Material

Shades Included

Crystals Included

Diffuser Included

Conversion Kit

Damp

No

No

No

No

N/A

	Product Specifications - 2688MRSN					
ı	Job Name:	Job Type:				
ĺ	Quantity:	Comments				

Product Category

Incandescent Watts

Fluorescent Watts

N/A

N/A



Finish

Safety Rating

Energy Star

CA Title 24

CA Title 20

Dark Sky

ADA

2688MRSN Malaga 3-Light Bath Vanity

FIIIISII		Glass/Silaue		Froduct Category	
Satin Nickel		Marble		Bath Vanity	
Lamping		Measurements		Shipping	
Number of Bulbs	3	Width	19.50"	Carton Weight	4.62 lbs
Light Type	Incandescent	Height	6.00"	Carton Width	8"
Bulb Type	MB	Length	N/A	Carton Height	9"
Max Bulb Wattage	100	Extension	8"	Carton Length	19"
Max Fixture Wattage	300	Back Plate Width	4.13"	Carton Cubic Feet	0.68
Rated Life	±2,500 Hours	Back Plate Height	6.13"	Master Pack	1
Rated Lumens	±3,450	HCO	N/A	Master Pack Weight	N/A
Color Temp	±2,700 K	Min Overall Height	N/A	Master Pack Width	N/A
Bulb(s)	Not Included	Max Overall Height	N/A	Master Pack Height	N/A
Light Úp/Down	Both	Hanging Weight	4.62 lbs	Master Pack Length	N/A
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	N/A
CRI	N/A	Slope	N/A	UPS Shippable	Yes
Photo Cell Included	N/A	Chain Length	N/A	•	
Ballast/Driver/Transformer	No	Wire Length	N/A		
Dimmable	Standard	Canopy Width	N/A		
		Canopy Height	N/A		
		Canopy Length	N/A		
Certification		Other		Equivalents	

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

783209268814

N/A

N/A

N/A

N/A

Iron

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.