

# Lighting Your Life Since 1970

Product Specifications - 55784WGBO			
Job Name:	Job Type:		
Quantity:	Comments		



### 55784WGBO

Oakville LED 1-Light Outdoor Wall Lantern

**Finish** Black Oxide

Lamping

_am	pıng	7	
Num	ber	of	Bι

=amping	
Number of Bulbs	1
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	7
Max Fixture Wattage	
Rated Life	
Rated Lumens	±455
Color Temp	
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

# Glass/Shade

Water Glass

#### Measurements

Width	8.00"
Height	14.25"
Length	N/A
Extension	10"
Back Plate Width	4.75"
Back Plate Height	8.50"
НСО	7.00"
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	6.60 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

## **Product Category**

Outdoor Wall Mount

### Shippina

Jilippilig	
Carton Weight	8.50 lbs
Carton Width	13"
Carton Height	24"
Carton Length	14"
Carton Cubic Feet	2.29
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

### Cortification

Certification		Other	
Safety Rating	Wet	UPC Code	783209120181
Energy Star	No	Shades Included	N/A
CA Title 24	Yes	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	N/A

### **Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.