

# Lighting Your Life Since 1970

Product Specifications - 9011SWSN		
Job Name:	Job Type:	
Quantity:	Comments	



## 9011SWSN

**Conical 1-Light Bath Vanity** 

**Finish** Satin Nickel

La	m	ρı	пg	1	
NI		h		-4	

Number of Bulbs	1
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	100
Rated Life	±2,500 Hours
Rated Lumens	±1,150
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

### Glass/Shade Satin White

weasur	en	<i>iei</i>	ιιS
147 141			

wiatn	4.25
Height	6.50"
Length	N/A
Extension	6"
Back Plate Width	4.72"
Back Plate Height	4.33"
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	1.63 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A

### **Product Category** Bath Vanity

Shipping	
Carton Weight	1.63 lbs
Carton Width	8'
Carton Height	8'
Carton Length	11'
Carton Cubic Feet	0.35
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

### Certification

Safety Rating	Damp
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No
Dark Sky	N/A

**Canopy Length** 

Other	
UPC Code	783209901117
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	N/A

### **Equivalents**

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.