

Lighting Your Life Since 1970

	Product Specifications - 21158WHUB				
ſ	Job Name:	Job Type:			
L					
Ī	Quantity:	Comments			
l					



21158WHUB

Mondrian 6-Light Entry Foyer Pendant

Iron

Finish Umber Bronze

Lamping

Dark Sky

Glass/Shad	de

Product Category

Entry Foyer Pendant

Lamping	
Number of Bulbs	6
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	360
Rated Life	±2,500 Hours
Rated Lumens	±3,450
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Measurements	
Width	21.00"
Height	44.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	17.28 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	72"
Wire Length	180"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Chinning	
Shipping Carton Weight	17.28 lbs
•	
Carton Width	21"
Carton Height	40"
Carton Length	24"
Carton Cubic Feet	11.15
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Oversize

Certification		Other		Equivalent
Safety Rating	Dry	UPC Code	783209083806	Incandesce
Energy Star	No	Shades Included	N/A	Fluorescen
CA Title 24	No	Crystals Included	N/A	
CA Title 20	No	Diffuser Included	Yes	
ADA	No	Conversion Kit	N/A	

N/A Material

Incandescent Watts N/A
Fluorescent Watts N/A

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.