

## Lighting Your Life Since 1970

Product Specifications - 53700AL		
Job Name:	Job Type:	
Quantity:	Comments	



53700AL

N/A

**Equivalents** 

Channel 24V 35K 6"

**Finish** Brushed Aluminum Glass/Shade

**Canopy Length** 

**Product Category** 

LED Channel

Lamping	
Number of Bulbs	10
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	0.185
Max Fixture Wattage	1.85
Rated Life	±30,000 Hours
Rated Lumens	±111
Color Temp	±3,500 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	120
CRI	70-75

Measurements	
Width	0.90"
Height	0.58"
Length	6.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	0.08 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A

Shipping	
Carton Weight	0.08 lbs
Carton Width	2'
Carton Height	1'
Carton Length	7'
Carton Cubic Feet	0.01
Master Pack	100
Master Pack Weight	13.50 lbs
Master Pack Width	11.10'
Master Pack Height	11.90'
Master Pack Length	14.20'
Master Cubic Feet	1.09
UPS Shippable	Yes

_	-4:5:	4:
	rtifica	
-	, ciiiou	COLL

**Dimmable** 

**Photo Cell Included** 

Ballast/Driver/Transformer

Certification		Other	
Safety Rating	Damp	UPC Code	783209082250
Energy Star	No	Shades Included	N/A
CA Title 24	Yes	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Aluminum

N/A

No

Magnetic Low-Voltage

Incandescent Watts	10.09
Fluorescent Watts	2.22

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.