

Lighting Your Life Since 1970

Product Specifications - 40035CDSE				
Job Name:	Job Type:			
Quantity:	Comments			



40035CDSE

Santa Barbara VX 3-Light Outdoor Wall Lantern

Finish Sienna

Lamping

Number of Bulbs

Light Type	Incandescent
Bulb Type	CA
Max Bulb Wattage	60
Max Fixture Wattage	180
Rated Life	±1,500 Hours
Rated Lumens	±2,016
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard Dimmer

Glass/Shade Seedy

Measurements

Width Height Length

Canopy Length

Other

N/A Extension 14" Back Plate Width 7.0" **Back Plate Height** 17.0" HCO 4.0" Min Overall Height N/A Max Overall Height N/A **Hanging Weight** .7 lbs Height Adjustable N/A Slope N/A **Chain Length** N/A Wire Length N/A **Canopy Width** N/A Canopy Height N/A

Product Category

Outdoor Wall Mount

Shipping

11.0"

20.0"

N/A

Ompping	
Carton Weight	11.7 lbs
Carton Width	16'
Carton Height	15'
Carton Length	32'
Carton Cubic Feet	4.57
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes
• •	

Certification

Certification		Other	
Safety Rating	Wet	UPC Code	783209063501
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Vivex

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.