

Lighting Your Life Since 1970

Product Specifications - 10121ICSN			
Job Name: Job Type:			
Quantity:	Comments		



10121ICSN

Basix 3-Light Invert Bowl Pendant

N/A

N/A

N/A

FinishGlass/ShadeProduct CategorySatin NickelIceInvert Bowl Pendant

Lamnina	

Lamping	
Number of Bulbs	3
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	300
Rated Life	±2,500 Hours
Rated Lumens	±3,450
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Measurements	
Width	17.0"
Height	22.5"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	8.1 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	36"

	Shipping	
17.0"	Carton Weight	8.1 lbs
22.5"	Carton Width	18"
N/A	Carton Height	12"
N/A	Carton Length	18"
N/A	Carton Cubic Feet	2.20
N/A	Master Pack	1
N/A	Master Pack Weight	N/A
N/A	Master Pack Width	N/A
N/A	Master Pack Height	N/A
.1 lbs	Master Pack Length	N/A
N/A	Master Cubic Feet	N/A
N/A	UPS Shippable	Yes
36"		
180"		

N/A N/A

Certification	Other	Equivalents
---------------	-------	-------------

Wire Length

Canopy Width

Canopy Height

Canopy Length

00.1041.0		0 (110)		=94:14:01:10
Safety Rating	Dry	UPC Code	783209025806	Incandescent Watts
Energy Star	No	Shades Included	N/A	Fluorescent Watts
CA Title 24	No	Crystals Included	N/A	
CA Title 20	No	Diffuser Included	N/A	
ADA	No	Conversion Kit	N/A	
Dark Sky	N/A	Material	Iron	

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.