

## Lighting Your Life Since 1970

Product Specifications - 11170EVOI			
Job Name:		Job Type:	
Qu	antity:	Comments	



## 11170EVOI **Brighton 2-Light Flush Mount**

**Finish** Oil Rubbed Bronze

Lamping

Number of Bulbs	2
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	75
Max Fixture Wattage	150
Rated Life	±2,500 Hours
Rated Lumens	±1,600
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Glass/Shade
Embossed Vanilla

Measurements	
Width	13.0"
Height	7.0"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	5.1 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

## **Product Category**

Flush Mount

Shi	n	ni	n	$\alpha$	
9111	μ	μι	ш	ч	

Shipping	
Carton Weight	5.1 lbs
Carton Width	15"
Carton Height	9"
Carton Length	15"
Carton Cubic Feet	1.13
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification	Other		Equivalents
UL Standard	Dry UPC Code	783209009462	Incandescer

UL Standard	Dry	UPC Code	783209009462	In
Energy Star	No	Shades Included	N/A	FI
CA Title 24	No	Crystals Included	N/A	
CA Title 20	No	Diffuser Included	N/A	
ADA	No	Conversion Kit	N/A	
Dark Sky	N/A	Material	Iron	

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.