

Lighting Your Life Since 1970

Product Specifications - 122180I			
Job Name:	Job Type:		
Quantity:	Comments		



12218OI

Manor 2-Light Wall Sconce

13.0"

N/A

Finish Oil Rubbed Bronze

Lamping

Number of Buids	
Light Type	
Bulb Type	
Max Bulb Wattage	

60 Max Fixture Wattage 120 **Rated Life** ±1,500 Hours Rated Lumens ±1,344 **Color Temp** ±2,700 K Bulb(s) Not Included Light Up/Down Up Beam Spread N/A N/A **Photo Cell Included** N/A

Ballast/Driver/Transformer No Dimmable Standard Dimmer

las		

2

CA

Incandescent

Measuremen	ıts
Width	

· · · · · · · · · · · · · · · · · · ·	
Height	14.5"
Length	N/A
Extension	10"
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	3.3 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A

Product Category

Wall Sconce

Shipping	
Carton Weight	3.3 lbs
Carton Width	13'
Carton Height	10'
Carton Length	16'
Carton Cubic Feet	1.18
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

N/A N/A

Certification Other **Equivalents**

Canopy Length

				- 4
Safety Rating	Dry	UPC Code	783209027190	Incandescent Watts
Energy Star	No	Shades Included	Optional	Fluorescent Watts
CA Title 24	No	Crystals Included	N/A	
CA Title 20	No	Diffuser Included	N/A	
ADA	No	Conversion Kit	N/A	
Dark Sky	N/A	Material	Iron	

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.