

### Lighting Your Life Since 1970

Product Specifications - 13607SWBT		
Job Name:	Job Type:	
Quantity:	Comments	



#### 13607SWBT

**Ashford 12-Light Chandelier** 

**Finish** 

Burnish Texture

Lamping

**Dimmable** 

Number of Bulbs	12
Light Type	Xenon
Bulb Type	G9 Frost
Max Bulb Wattage	50
Max Fixture Wattage	600
Rated Life	±2,000 Hours
Rated Lumens	±9,000
Color Temp	±2,900 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No

Glass/Shad	е
Satin White	

Measurements

**Canopy Height** 

**Canopy Length** 

Width	45.0"
Height	40.0"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	30.4 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	72"
Wire Length	180"
Canopy Width	N/A

## **Product Category**

Multi-Tier Chandelier

Shipping	
Carton Weight	30.4 lbs
Carton Width	18'
Carton Height	42'
Carton Length	44'
Carton Cubic Feet	19.02
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Oversize

# Certification

Certification		Other	
Safety Rating	Dry <b>L</b>	JPC Code	783209087323
Energy Star	No S	Shades Included	N/A
CA Title 24	No C	Crystals Included	N/A
CA Title 20	No D	Diffuser Included	N/A
ADA	No C	Conversion Kit	N/A
Dark Sky	N/A N	<b>Vlaterial</b>	N/A

Standard

	va	

N/A

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.