

Lighting Your Life Since 1970

Product Specifications - 75032BWOI			
Job Name:	Job Type:		
Quantity:	Comments		



75032BWOI

Metro 2-Light Pendant

Finish Oil Rubbed Bronze

Lamping

Glass/Shade

Product Category Island Pendant

Normalia and Double a	0
Number of Bulbs	2
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	
Rated Life	±2,500 Hours
Rated Lumens	±2,300
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A

Measurements	
Width	6.5"
Height	11.0"
Length	31.0"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	6.2 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

	Shipping	
"	Carton Weight	6.2 lbs
"	Carton Width	7"
"	Carton Height	30"
١	Carton Length	9"
١	Carton Cubic Feet	1.19
١	Master Pack	1
١	Master Pack Weight	N/A
١	Master Pack Width	N/A
١	Master Pack Height	N/A
3	Master Pack Length	N/A
١	Master Cubic Feet	N/A
١	UPS Shippable	Yes

_	-4:5:	4:
	rtifica	
-	<i>i</i> ciiiou	COLL

Dimmable

Ballast/Driver/Transformer

Certification		Other	
Safety Rating	Dry	UPC Code	783209017832
Energy Star	No	Shades Included	Optional
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Iron

No

N/A

Equivalents	
Incandescent Watts	
Fluorescent Watts	

N/A

N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.