

Lighting Your Life Since 1970

Product Specifications - 88252ABZ		
Job Name:	Job Type:	
Quantity:	Comments	



88252ABZ

Optic 2-Light LED Pocket Sconce

Glass/Shade **Finish Product Category** Architectural Bronze Outdoor Wall Mount Clear

Lamping
Number of
Light Tyr

Number of Bulbs	2
Light Type	LED
Bulb Type	Nichia® GX5.3 MR16
Max Bulb Wattage	1.3+3.7
Max Fixture Wattage	5
Rated Life	±30,000 Hours
Rated Lumens	±320
Color Temp	±3,500 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	No

Measurements	
Width	6.5"
Height	14.0"
Length	N/A
Extension	4"
Back Plate Width	5.5"
Back Plate Height	8.8"
нсо	6.0"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	4.2 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

	Shipping	
5"	Carton Weight	4.2 lbs
)"	Carton Width	9"
Α	Carton Height	7"
۲"	Carton Length	20"
5"	Carton Cubic Feet	0.75
3"	Master Pack	1
)"	Master Pack Weight	N/A
Α	Master Pack Width	N/A
Α	Master Pack Height	N/A
s	Master Pack Length	N/A
Α	Master Cubic Feet	N/A
Α	UPS Shippable	Yes
Α	• •	

Certification

Certification		Other	
Safety Rating	Wet	UPC Code	783209087910
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	Yes	Conversion Kit	N/A
Dark Sky	Yes	Material	Aluminum

Incandescent Watts	29.09
Fluorescent Watts	6.4

Equivalents

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.