



 Millennium

R Series Collection

RLM Shades + Accessories



R Series Collection

The R Series is excellent for residential, commercial and industrial spaces. However, it is also the ideal lighting for restaurants, farmhouses and equestrian spaces, as it casts the perfect illumination.



RLMs

When looking to create the perfect ambiance for residential and commercial spaces alike, few lines compare to the R Series Collection. Finishes in a wide range of metallics that enhance these classic designs and elevate any interior space.

As an industry Leader in RLM Lighting (also known as 'Neo Industrial', 'Warehouse' or 'Sign' Lighting) we offer an exceptional selection and value in this genre.



COFFEE SHOP

COFFEE

	ESPRESSO	5.00
	MOKACCHINO	6.00
5.00	AMERICANO	
5.00	AVVALLINO	

MENU

	CAPPUCCINO	5.00
	CAFE	5.50
	LATTE	6.00
	COCCA	6.50
	MOKKA	7.00

TAKE AWAY - TAKE AWAY - TAKE AWAY

		
---	---	---





CORD HUNG SHADES

LED Deep Bowl Cord Hung

LED Warehouse Cord Hung

Deep Bowl Cord Hung

Fabric Cord Hung

Railroad Cord Hung

Warehouse Cord Hung

All mounting hardware is included.





LEDRWHC14
 14" W x 9.25" H
 LED Module
 144" Wire
 UL Listed Damp Locations
Finishes
 LEDRWHC14 ABR
 LEDRWHC14 PGA
 LEDRWHC14 SB



LEDRWHC17
 17" W x 9.25" H
 LED Module
 144" Wire
 UL Listed Damp Locations
Finishes
 LEDRWHC17 ABR
 LEDRWHC17 PGA
 LEDRWHC17 SB

14" & 17"
 LED Cord Hung
 Warehouse Shades

LED Light Engine

- 11W LED
- 90 CRI
- 800 Lumens
- 3000k
- 50,000 Hour Lifespan
- Constructed in Aluminum
- 5 Year Warranty
- Replaceable LED Module (sku# LEDMODULE)

Shade Finish Guide



LEDRDBC 10
 10" W x 11" H
 LED Module
 144" Wire
 UL Listed Damp Locations
Finish
 LEDRDBC10 SB



LEDRDBC 12
 12" W x 11.5" H
 LED Module
 144" Wire
 UL Listed Damp Locations
Finish
 LEDRDBC12 SB

10" & 12"
 LED Cord Hung
 Deep Bowl Shades

LED Light Engine

- 11W LED
- 90 CRI
- 800 Lumens
- 3000k
- 50,000 Hour Lifespan
- Constructed in Aluminum
- 5 Year Warranty
- Replaceable LED Module (sku# LEDMODULE)

Shade Finish Guide



14" & 17"
Fabric Cord Hung
Warehouse Shades

RWHC14
14" W x 8.25" H
1 Medium 200W
144" Wire
UL Listed Damp Locations
Finishes
RWHC14 NC
RWHC14 PN



RWHC17
17" W x 9.25" H
1 Medium 200W
144" Wire
UL Listed Damp Locations
Finish
RWHC17 NC



Shade Finish Guide



14" & 17"
Cord Hung
Warehouse Shades

RWHC14
14" W x 8.25" H
1 Medium 200W
144" Wire
UL Listed Damp Locations
Finishes
RWHC14 ABR
RWHC14 GA
RWHC14 NB
RWHC14 SB
RWHC14 SG
RWHC14 SR
RWHC14 WH



RWHC17
17" W x 9.25" H
1 Medium 200W
144" Wire
UL Listed Damp Locations
Finishes
RWHC17 ABR
RWHC17 GA
RWHC17 NB
RWHC17 SB
RWHC17 SG
RWHC17 SR
RWHC17 WH



Shade Finish Guide





RRRC14
 14" W x 9.25" H
 1 Medium 100W
 144" Wire
 UL Listed Damp Locations
 Removable glass guard and
 inside etched glass included
Finishes
 RRRC14 ABR
 RRRC14 GA
 RRRC14 SB



RRRC18
 18" W x 10" H
 1 Medium 100W
 144" Wire
 UL Listed Damp Locations
 Removable glass guard and
 inside etched glass included
Finishes
 RRRC14 ABR
 RRRC14 GA
 RRRC14 SB

14" & 18"
 Cord Hung
 Railroad Shades

Shade Finish Guide



RDBC10
 10" W x 11" H
 1 Medium 200W
 144" Wire
 UL Listed Damp Locations
Finishes
 RDBC10 ABR
 RDBC10 GA
 RDBC10 GY
 RDBC10 NB
 RDBC10 SB
 RDBC10 SG
 RDBC10 SR
 RDBC10 WH



RDBC12
 12" W x 11.25" H
 1 Medium 200W
 144" Wire
 UL Listed Damp Locations
Finishes
 RDBC12 ABR
 RDBC12 GA
 RDBC12 GY
 RDBC12 NB
 RDBC12 SB
 RDBC12 SG
 RDBC12 SR
 RDBC12 WH

10" & 12"
 Cord Hung
 Deep Bowl Shades

Shade Finish Guide





R SERIES SHADES

Angle Shade

Deep Bowl Shade

LED Angle Shade

LED Warehouse Shade

Modified Warehouse Shade

Railroad Shade

Warehouse Shade

Wall Mount & Ceiling Mount hanging options are available.



LEDRWHS14
 14" W x 8.25" H
 LED Module
 100" Wire
 UL Listed Damp Locations
Finishes
 LEDRWHS14 ABR
 LEDRWHS14 PGA
 LEDRWHS14 SB



LEDRWHS17
 17" W x 9.25" H
 LED Module
 100" Wire
 UL Listed Damp Locations
Finishes
 RWHS17 ABR
 RWHS17 PGA
 RWHS17 SB

14" & 17" LED Warehouse Shades

LED Light Engine

- 11W LED
- 90 CRI
- 800 Lumens
- 3000k
- 50,000 Hour Lifespan
- Constructed in Aluminum
- 5 Year Warranty
- Replaceable LED Module (sku# LEDMODULE)

Shade Finish Guide



LEDRAS10
 10" W x 11" H
 LED Module
 100" Wire
 UL Listed Damp Locations
Finish
 LEDRAS10 SB



LEDRAS12
 12" W x 12.5" H
 LED Module
 100" Wire
 UL Listed Damp Locations
Finish
 LEDRAS12 SB

10" & 12" LED Angle Shades

LED Light Engine

- 11W LED
- 90 CRI
- 800 Lumens
- 3000k
- 50,000 Hour Lifespan
- Constructed in Aluminum
- 5 Year Warranty
- Replaceable LED Module (sku# LEDMODULE)

Shade Finish Guide



14" & 17"

Warehouse Shades

RWHS14

14" W x 8.25" H
1 Medium 200W
100" Wire
UL Listed Wet Locations

Finishes

- RWHS14 ABR
- RWHS14 GA
- RWHS14 GY
- RWHS14 NB
- RWHS14 NC
- RWHS14 SB
- RWHS14 SG
- RWHS14 SR
- RWHS14 WH



RWHS17

17" W x 9.25" H
1 Medium 200W
100" Wire
UL Listed Wet Locations

Finishes

- RWHS17 ABR
- RWHS17 GA
- RWHS17 GY
- RWHS17 NB
- RWHS17 NC
- RWHS17 SB
- RWHS17 SG
- RWHS17 SR
- RWHS17 WH



Shade Finish Guide



14" & 17"

Aluminum Modified Warehouse Shades

RMWHS14

14" W x 8.25" H
1 Medium 200W
100" Wire
UL Listed Wet Locations

Finish

- RMWHS14 SB



RMWHS17

17" W x 9.25" H
1 Medium 200W
100" Wire
UL Listed Wet Locations

Finish

- RMWHS17 SB



Shade Finish Guide





10" & 12" Angle Shades

RAS10

10" W x 11" H

1 Medium 200W

100" Wire

UL Listed Wet Locations

Finishes

RAS10 ABR

RAS10 GA

RAS10 NC

RAS10 SB

RAS10 SG

RAS10 SR

RAS10 WH



RAS12

12" W x 12.5" H

1 Medium 200W

100" Wire

UL Listed Wet Locations

Finishes

RAS12 ABR

RAS12 GA

RAS12 NC

RAS12 SB

RAS12 SR

RAS12 WH



Shade Finish Guide



ABR
Architectural
Bronze



GA
Galvanized



NC
Natural
Copper



SB
Satin Black



SR
Satin Red



WH
White





RDBS10
 10" W x 11" H
 1 Medium 200W
 100" Wire
 UL Listed Wet Locations
Finishes
 RDBS10 ABR
 RDBS10 SB



RDBS12
 12" W x 11.5" H
 1 Medium 200W
 100" Wire
 UL Listed Wet Locations
Finishes
 RDBS12 ABR
 RDBS12 SB

10" & 12"
 Deep Bowl Shades

Shade Finish Guide



RRRS14
 14" W x 9.5" H
 1 Medium 100W
 100" Wire
 UL Listed Wet Locations
 Removable glass guard and
 inside etched glass included
Finishes
 RRRS14 ABR
 RRRS14 CP
 RRRS14 GA
 RRRS14 SB



RRRS18
 18" W x 10" H
 1 Medium 100W
 100" Wire
 UL Listed Wet Locations
 Removable glass guard and
 inside etched glass included
Finishes
 RRRS18 ABR
 RRRS18 CP
 RRRS18 GA
 RRRS18 SB

14" & 18"
 Railroad Shades

Shade Finish Guide




ACCESSORIES


GOOSE NECKS

Millennium RLM Shades are easily customizable using our goose necks to fit any application. Goose necks are available in a large selection of sizes and colors to be used with our:


- Angle Shades
- Deep Bowl Shades
- Modified Warehouse Shades
- Warehouse Shades
- Railroad Shades




RGN10




RGN22




RGN30



RGN12




RGN23




RGN41



RGN13



RGN24




RGN15

GOOSE NECK FINISHES:



HOW TO ASSEMBLE WITH GOOSE NECK



ACCESSORIES

CANOPY KITS



STEM FINISHES:



RSCK (25° Angle)




RSCKSS (45° Angle)



CANOPY FINISHES:



HOW TO ASSEMBLE WITH CANOPY



ACCESSORIES

1 & 2 LIGHT POST ADAPTERS




Post adapters are designed to fit standard 3" posts and pier mount bases.
Post and/or pier mount bases are not available from Millennium Lighting.

1 LIGHT POST ADAPTERS



RPAS

W: 18" x H: 26"
Fits standard 3" posts and pier mount bases.



1 LIGHT POST ADAPTER FINISHES:




2 LIGHT POST ADAPTERS



RPAD

W: 33" x H: 26"
Fits standard 3" posts and pier mount bases.



2 LIGHT POST ADAPTER FINISHES:




STEEP SLOPE CANOPY KITS (45° MAX)

Required for stem hung ceiling applications where slope angle is greater than 25°.



RSCKSS-SB
W: 5.75" x H: 2"



ACCESSORIES

SPECIAL APPLICATION ACCESSORIES

Steep Slope Canopy Finish Guide





WALL MOUNT SWIVELS

Use of RC connectors or RSW Swivels in outdoor applications may require pipe sealant or plumber's putty. Please refer to local codes.



RSW
W: 2" x H: 3.5"



Swivel Finish Guide




STEM CONNECTORS

Required to couple stems for lengths exceeding 36".

Use of RC connectors or RSW Swivels in outdoor applications may require pipe sealant or plumber's putty. Please refer to local codes.



RC
ID: 1" x W: 1.25" x L: 1.5"
Accepts 0.75" stem.



Steep Slope Canopy Finish Guide




LED MODULE WITH ADAPTER

24W LED module w/adapter can be used for both RWHS14 and RWHS17
Not for use with RDBS10/12 and RMWHS14/17.



RLED24W
W: 9" x H: 1.75"
1920 Lumens
3000K
CRI 90
Dimmable



RLED24W

WALL BRACKETS AND PENDANTS

2932

W: 10" x H: 16.39"
Canopy: W: 5.125" x D: 1"
Finish: Powder Coated Black
Glass: Clear
Chain: 60" Wire: 144"
1-Med. 60W
Finishes
Galvanized
Powder Coated Black



Finish Guide



2911

7" W x 11" H Ext: 11"
Clear Glass
1 Medium 100W
UL Listed Wet Locations
Finishes
Galvanized
Powder Coated Black



2921

9" W x 14" H Ext: 11"
Clear Glass
1 Medium 100W
UL Listed Wet Locations
Finishes
Galvanized
Powder Coated Black



2931

10" W x 15.75" H Ext: 11"
Clear Glass
1 Medium 100W
UL Listed Wet Locations
Finishes
Galvanized
Powder Coated Black



2952

W: 10.68" x H: 8.69"
Canopy: W: 5.125" x D: 1"
Finish: Powder Coated Black
Chain: 60" Wire: 144"
1-Med. 60W
Finishes
Galvanized
Powder Coated Black
Powder Coated Bronze



2901

11" W x 13" H Ext: 13"
1 Medium 100W
UL Listed Wet Locations
Finishes
Galvanized
Powder Coated Black
Powder Coated Bronze



2951

11" W x 10" H Ext: 13"
1 Medium 100W
UL Listed Wet Locations
Finishes
Galvanized
Powder Coated Black
Powder Coated Bronze



Finish Guide



WALL BRACKETS



5393 NC
 8.5" W x 11.5" H Ext: 11"
 1 Medium 100W
 UL Listed Wet Locations
Finish
 Natural Copper




5390
 8.5" W x 11.5" H Ext: 11"
 1 Medium 100W
 UL Listed Wet Locations
Finishes
 Architectural Bronze
 Galvanized
 Satin Black



5441
 10" W x 11" H Ext: 12.5"
 1 Medium 100W
 UL Listed Wet Locations
Finishes
 Architectural Bronze
 Satin Black



2941
 8" W x 11" H Ext: 10"
 1 Medium 100W
 UL Listed Wet Locations
Finishes
 Powder Coated Black
 Powder Coated Bronze



RWHWB8
 8" W x 11.75" H Ext: 11"
 1 Medium 100W
 UL Listed Wet Locations
Finishes
 Architectural Bronze
 Galvanized
 Natural Copper
 Satin Black
 Satin Green
 Satin Red
 White



Wall Bracket Finish Guide





 Millennium

Millennium Lighting | 105 Declaration Drive | McDonough, GA 30253 | www.millenniumlighting.com

E: sales@millenniumlighting.com | P: 678.432.6190 | T: 844.330.0160 | F: 678.432.6196

Millennium Lighting reserves the right to make any price and/or product changes.

Timeless Lighting For Any Space