
Designer Collection Tubs



IMPORTANT ORDERING & INSTALLATION INFORMATION

- Before ordering or installing, please consider future access to equipment.
- · Add proper bedding compound to fully level and support bottom of tub.
- When equipped with an air bath package, pre-leveled foam base or frame system, overall tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor.
- · Radiance placed on airbath floor will affect placement of air jets.
- System components may extend beyond the perimeter of deck.
- · Please measure tub on-site before building tub decking.
- · Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
- · Suction and control locations may vary.

| ELECTRICAL COMPO | | | | |
|---|---|-------------|--|--|
| Hydrotherapy Package | Components Included | GFCI / 110V | | |
| Standard Whirlpool | 2-bhp pump | 1-15 amp | | |
| Stream Bath | ½-bhp, ozone | 1-20 amp | | |
| Microbubbles | Microbubbles pump | 1-15 amp | | |
| Ultra Whirlpool | 2-bhp pump x 2, inline heater, ozone | 2-20 amp | | |
| Air Massage | heated blower 1-15 amp | | | |
| ir Massage Elite heated blower, chromatherapy 1-15 | | 1-15 amp | | |
| Air Massage w/ Stream Bath | ½-bhp pump, heated blower, ozone | 1-20 amp | | |
| Air Massage Elite w/ Stream Bath | 1/2-bhp pump, heated blower, chromatherapy, ozone | 1-20 amp | | |
| Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information. CSA Certified C/US; ANSI Z124.1 and ANSI 112.19.7 | | | | |

ELECTRICAL COMPONENTS & SPECIFICATIONS

| Hydrotherapy Package | Components Included | GFCI / 110V |
|-----------------------------------|--|-------------|
| Microbubbles with Air | Microbubbles pump, heated blower | 1-20 amp |
| Microbubbles with Air Elite | Microbubbles pump, heated blower, chromatherapy | 2-15 amp |
| Air with Whirlpool | 2-bhp pump, heated blower | 2-15 amp |
| Air with Ultra Whirlpool | 2-bhp pump x 2, inline heater, heated blower, ozone | 2-20 amp |
| Air Elite with Whirlpool | 2-bhp pump, heated blower, chromatherapy | 2-15 amp |
| Air Elite with Ultra Whirlpool | 2-bhp pump x 2, inline heater, heated blower, chromatherapy, ozone | 2-20 amp |

See the Installation & Operation Manual for more details MTI's Customer Service Monday-Friday 8am-6pm EST 800-783-8827 or service@mtibaths.com

Before discarding tub crate, check for accessories that may be packaged inside.
 All product measurements are ±1/2".
 Specifications and configurations are subject to change without notice.
 Measurements herein supersede all others published prior to publication date below.



Aromatherapy is eliminated for undermount applications

• Air Baths, Pre-Leveled Foam Base or Frame Systems

increase overall height by 2-3".

Madelyn 1 MODEL 79 71.625" x 41.75" x 21.375"

| Hydrotherapy | Deelvage Contents | Acrylic CXL [™] | | DoloMatte™ | |
|--------------------------------------|--|--------------------------|----------|--------------|----------|
| Packages | Package Contents | Part # | MSRP | Part # | MSRP |
| Soaker Soak | Soaking bath - no jets | S79-DI | \$3,425 | S79DM-DI | \$4,025 |
| | | S79-UM | | S79DM-UM | |
| Stream Bath 6 sic | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone | SM79-DI | \$5,970 | SM79DM-DI | \$6,570 |
| | | SM79-UM | | SM79DM-UM | |
| Microbubbles 1 m | 1 microbubbles infusion port and pump | M79-DI | \$6,745 | M79DM-DI | \$7,345 |
| | | M79-UM | | M79DM-UM | |
| | 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base | AST79-DI | \$7,075 | AST79DM-DI | \$7,675 |
| Air Massage | | AST79-UM | | AST79DM-UM | |
| | 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED | AE79-DI | #0.07F | AE79DM-DI | \$9,575 |
| Air Massage Elite | lighting, Spa Mode, pre-leveled foam base | AE79-UM | \$8,975 | AE79DM-UM | |
| Stream Bath with | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated | ASTSM79-DI | \$9,120 | ASTSM79DM-DI | \$9,720 |
| Air Massage | air blower, Aromatherapy, pre-leveled foam base | ASTSM79-UM | | ASTSM79DM-UM | |
| Stream Bath with | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 30 air jets, heated | AESM79-DI | \$11,220 | AESM79DM-DI | \$11,820 |
| Air Massage Elite | air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AESM79-UM | | AESM79DM-UM | |
| Microbubbles with | 1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base | ASTM79-DI | \$9,795 | ASTM79DM-DI | \$10,395 |
| Air Massage | | ASTM79-UM | | ASTM79DM-UM | |
| Air Massago Elito | 1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AEM79-DI | \$11,595 | AEM79DM-DI | \$12,195 |
| | | AEM79-UM | | AEM79DM-UM | |
| | | P79-DI | \$5,790 | P79DM-DI | \$6,390 |
| Standard Whirlpool 6 point-massage j | 6 point-massage jets, 2-bhp pump | P79-UM | | P79DM-UM | |
| | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp | P79U-DI | \$7,785 | P79UDM-DI | \$8,385 |
| | pumps, inline heater, Ozone | P79U-UM | | P79UDM-UM | |
| | 6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower, | AW79-DI | \$9,440 | AW79DM-DI | \$10,040 |
| | Aromatherapy, pre-leveled foam base | AW79-UM | | AW79DM-UM | |
| All Massage with pt | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base | AU79-DI | \$11,435 | AU79DM-DI | \$12,035 |
| | | AU79-UM | | AU79DM-UM | |
| Air Massage Elite with | 6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AEAP79-DI | | AEAP79DM-DI | \$11,940 |
| | | AEAP79-UM | \$11,340 | AEAP79DM-UM | |
| Air Massage Elite with | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base | AEAP79U-DI | \$12,435 | AEAP79UDM-DI | \$13,035 |
| | | | | | |
| | | AEAP79U-UM | | AEAP79UDM-UM | |

RECOMMENDED SENSORY THERAPIES

Chromatherapy

(LE) **\$800** underwater lighting *2 LED lights included*

Audiotherapy

(STEREOBT) **\$1,390** 2 transducers with bluetooth and amplifier (BTREMOTE) **\$600** bluetooth remote (STEREOH202) **\$1,575** 4 transducers amplifier not included

Thermaltherapy

(RAD100) **\$1,595** Radiance® 2 heated zones included (HTISOAK) **\$825**



For more information on options and accessories go to Acrylic Tub Options at mtibaths.com

Madelyn 1 MODEL 79

| Options Must be ordered at time of purchase. | Hydrotherapy Equipment & Cleaning Systems | | | |
|---|--|--|--|--|
| Standard Colors White (CWH) Biscuit (CBS) Please call for availability of special colors. | Must be ordered at time of purchase. Inline Heater maintains water temperature For Whirlpools or Stream Bath (HTI) \$570 Uses existing pump | | | |
| Quick Ship reduces lead time (QSPRI) \$430 Please call for availability | Cannot be combined with Microbubbles. | | | |
| Inline Heater maintains water temperature For Soaker or Air Baths (HTISOAK) \$825 Includes a recirculating pump Cannot be combined with Microbubbles. | Whirlpool Cleaning Systems Fill-Flush (FFSO) \$590 Simple Touch (FFE) \$1,020 Must specify stub-out location on order. See page 1 for location options. | | | |
| Virtual Spout high-flow integrated tub filler (FPMJ) \$450 Must specify stub-out location on order. See page 1 for location options. | Whirlpool Jets Pump upgrade may be advisable for optimal performance when adding jets. Point-Massage Jet Extra Point-Massage Jet (EJ) \$315 | | | |
| Grab Bars from \$330 Selections vary. Personalization available. | | | | |
| Textured, Slip-Resistant Bottom (TXTBTM) \$105 Compliant with ASTM C 1028-07 friction coefficient. | Micro-Jet from \$360 Jet styles and packages vary. Personalization available. Pump Upgrade - 3-bhp (PUMP3) \$315 | | | |
| Accessories | Jet Trim Kits | | | |
| Pillows from \$180 | For Standard Whirlpool | | | |
| Teak Bath Mat (TKMAT3018) \$815 Custom sizes also available. Contact MTI for details and pricing. | Chrome (TRC) \$270 , Brushed Nickel (TRBN) \$725 For Ultra Whirlpool Chrome (TRCU) \$370 , Brushed Nickel (TRBNU) \$960 | | | |
| Teak Tub Tray | Other finishes available. | | | |
| Slatted (TK-TRAY1) \$500 Solid (TK-TRAY2) \$570 | Ozonator (OZONE) \$515 | | | |
| Teak Seat (TK-REMSEAT) \$660 For use with armrests only. | Cannot be added to soakers or airbaths without combination hydrotherapy package or HTISOAK. | | | |

Installation Options Must be ordered at time of purchase

Pre-Leveled Foam Base (PLFOAM) **\$295** All airbaths include a pre-leveled foam base. Pre-Leveled Frame and Foam Base (PLF) **\$740**

Tile Flange

Factory-Installed on 3 sides - rigid ABS (TFK3) **\$200** Field Install Kit - includes rigid ABS & adhesive (TFKNI) **\$185** IMPORTANT: Must specify flange location(s) on order of Factory-Installed Flange. Not available with optional Low-Profile Rim.

Drains & Overflow Kits

Cable Driven

Drain Finishes – PVC Drain Kit White/Biscuit (WOCDW) \$440 Chrome (WOCD) \$410 Brushed Nickel (WOCDBN) \$490 Polished Nickel (WOCDPN) \$540 Oil-Rubbed Bronze⁺ (WOCDOR) \$550 Polished Brass (WOCDBR) \$690 Special Finishes* (WOCDSF) \$1,135 MTI does not offer a brass body cable drain kit. Toe Tap Round Overflow – PVC Drain Kit Chrome (WOTTC) \$380 Brushed Nickel (WOTTBN) \$385 Polished Nickel (WOTTPN) \$385 Special Finishes* (WOTTSF) \$1,145 Round Overflow – Solid Brass Drain Chrome (WOTTSBC) \$810 Brushed Nickel (WOTTSBPN) \$810 Polished Nickel (WOTTSBPN) \$810

Slim-Line Overflow with Toe Tap Drain Must be ordered at time of purchase.

- Low profile overflow is factory installed
- Overflow measures 4.5" x 1"
- Provides a deeper soak
- · Not available for commercial applications

Slim-Line Overflow with Toe Tap Drain PVC Drain Chrome (SLOTC) **\$500** Brushed Nickel (SLOTBN) **\$530** Polished Nickel (SLOTPN) **\$555** White (SLOTW) **\$430**

Toe Tap Rectangular Overflow must be ordered at time of purchase

Toe Tap Rectangular Overflow – PVC Drain Kit Chrome (WOTRC) **\$470** Brushed Nickel (WOTRBN) **\$430** White (WOTRW) **\$525**

Lift & Turn

Drain Finishes – PVC Drain Kit Chrome (WOC) **\$185** White (WOW) **\$245** Brushed Nickel (WOBN) **\$305**

Slim-Line Overflow with Toe Tap Drain Solid Brass Drain Chrome (SLOTSBC) **\$930** Brushed Nickel (SLOTSBBN) **\$935** Polished Nickel (SLOTSBPN) **\$935** White (SLOTSBW) **\$965**

⁺ MTI has selected an oil-rubbed bronze finish that is compatible with Delta and many other manufacturers. To ensure best match, order as a Special Finish and submit a sample. CSA # MTDS-79 * Allow 2-4 weeks lead time for Special Finishes. Send sample for best match.



CSA # MTDS-79DM