
Designer Collection Tubs



Before ordering or installing, please consider future access to equipment.

- · Add proper bedding compound to fully level and support bottom of tub.
- System components may extend beyond the perimeter of deck.
- · Please measure tub on-site before building tub decking.
 - · Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
 - · Suction and control locations may vary.
- tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor. · Radiance placed on airbath floor will affect placement of air jets. **ELECTRICAL COMPONENTS & SPECIFICATIONS** Hydrotherapy Package **Components Included** GFCI / 110V

• When equipped with an air bath package, pre-leveled foam base or frame system, overall

Hydrotherapy Package	Components Included	GFCI / 110V	
Microbubbles with Air	Microbubbles pump, heated blower	1-20 amp	
Microbubbles with Air Elite	Microbubbles pump, heated blower, chromatherapy	2-15 amp	
Air with Whirlpool	2-bhp pump, heated blower	2-15 amp	
Air with Ultra Whirlpool	2-bhp pump x 2, inline heater, heated blower, ozone	2-20 amp	
Air Elite with Whirlpool	2-bhp pump, heated blower, chromatherapy	2-15 amp	
Air Elite with Ultra Whirlpool	2-bhp pump x 2, inline heater, heated blower, chromatherapy, ozone	2-20 amp	

See the Installation & Operation Manual for more details MTI's Customer Service Monday-Friday 8am-6pm EST 800-783-8827 or service@mtibaths.com

Before discarding tub crate, check for accessories that may be packaged inside.
 All product measurements are ±1/2".
 Specifications and configurations are subject to change without notice.
 Measurements herein supersede all others published prior to publication date below.

Standard Whirlpool 2-bhp pump 1-15 amp Stream Bath 1-20 amp ½-bhp, ozone Microbubbles Microbubbles pump 1-15 amp Ultra Whirlpool 2-bhp pump x 2, inline heater, ozone 2-20 amp Air Massage heated blower 1-15 amp Air Massage Elite heated blower, chromatherapy 1-15 amp Air Massage w/ Stream Bath 1/2-bhp pump, heated blower, ozone 1-20 amp 1/2-bhp pump, heated blower, chromatherapy, ozone Air Massage Elite w/ Stream Bath 1-20 amp Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information CSA Certified C/US; ANSI Z124.1 and ANSI 112.19.7

CSA # MTDS-83 CSA # MTDS-83DM

Rev 01202022

Aromatherapy is eliminated for undermount applications

Air Baths, Pre-Leveled Foam Base or Frame Systems

increase overall height by 2-3".

Metro 1 MODEL 83 71.75" x 41.875" x 20"

Hydrotherapy	Paskana Contenta	Acrylic CXL [™]		DoloMatte™	
Packages	Package Contents	Part #	MSRP	Part #	MSRP
Soaker	Soaking bath - no jets	S83-DI	\$2,920	S83DM-DI	\$3,520
		S83-UM		S83DM-UM	
Stream Bath	6 side vents, 2 end vents, 1/2 bhp pump, Ozone	SM83-DI	\$5,465	SM83DM-DI	\$6,065
		SM83-UM		SM83DM-UM	
Microbubbles	1 microbubbles infusion port and pump	M83-DI	\$6,240	M83DM-DI	\$6,840
		M83-UM		M83DM-UM	
Air Maagaga	20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	AST83-DI	\$6,570	AST83DM-DI	\$7,170
Air Massage		AST83-UM		AST83DM-UM	
Air Massage Elite	30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AE83-DI	\$8,470	AE83DM-DI	\$9,070
		AE83-UM		AE83DM-UM	
Stream Bath with Air Massage	6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	ASTSM83-DI	\$8,615	ASTSM83DM-DI	\$9,215
		ASTSM83-UM		ASTSM83DM-UM	
Stream Bath with	6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AESM83-DI	\$10,715	AESM83DM-DI	\$11,315
Air Massage Elite		AESM83-UM		AESM83DM-UM	
Microbubbles with Air Massage	1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	ASTM83-DI	\$9,290	ASTM83DM-DI	\$9,890
		ASTM83-UM		ASTM83DM-UM	
Microbubbles with Air Massage Elite	1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEM83-DI	\$11,090	AEM83DM-DI	\$11,690
		AEM83-UM		AEM83DM-UM	
Standard Whirlpool	6 point-massage jets, 2-bhp pump	P83-DI	\$5,285	P83DM-DI	\$5,885
		P83-UM		P83DM-UM	
Ultra Whirlpool	6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, Ozone	P83U-DI	\$7,280	P83UDM-DI	\$7,880
		P83U-UM		P83UDM-UM	
Air Massage with Standard Whirlpool	6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	AW83-DI	\$8,935	AW83DM-DI	\$9,535
		AW83-UM		AW83DM-UM	
Air Massage with Ultra Whirlpool	6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base	AU83-DI	\$10,930	AU83DM-DI	\$11,530
		AU83-UM		AU83DM-UM	
Air Massage Elite with Standard Whirlpool	6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP83-DI	\$10,835	AEAP83DM-DI	\$11,435
		AEAP83-UM		AEAP83DM-UM	
A	6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP83U-DI	\$11,930	AEAP83UDM-DI	\$12,530
Air Massage Elite with Ultra Whirlpool		AEAP83U-UM		AEAP83UDM-UM	

RECOMMENDED SENSORY THERAPIES

Audiotherapy

(LE) **\$800** underwater lighting *2 LED lights included*

udiotherapy

(STEREOBT) **\$1,390** 2 transducers with bluetooth and amplifier (BTREMOTE) **\$600** bluetooth remote (STEREOH202) **\$1,575** 4 transducers *amplifier not included*

Thermaltherapy

(RAD100) **\$1,595** Radiance[®] 2 heated zones included Zones may be specified on Metro tub deck. (HTISOAK) **\$825**



Chromatherapy

For more information on options and accessories go to Acrylic Tub Options at mtibaths.com

Metro 1 MODEL 83

	MODEL C			
Options <i>Must be ordered at time of purchase.</i>	Hydrotherapy Equipment & Cleaning Systems			
Standard Colors White (CWH) Biscuit (CBS) Please call for availability of special colors. Quick Ship reduces lead time (QSPRI) \$430	Must be ordered at time of purchase. Inline Heater maintains water temperature For Whirlpools or Stream Bath (HTI) \$570 Uses existing pump			
Please call for availability	Cannot be combined with Microbubbles.			
Inline Heater maintains water temperature For Soaker or Air Baths (HTISOAK) \$825 Includes a recirculating pump Cannot be combined with Microbubbles.	Whirlpool Cleaning Systems Fill-Flush (FFSO) \$590 Simple Touch (FFE) \$1,020 Must specify stub-out location on order. See page 1 for location options.			
Virtual Spout high-flow integrated tub filler (FPMJ) \$450 Must specify stub-out location on order. See page 1 for location options.	Whirlpool Jets Pump upgrade may be advisable for optimal performance when adding jets.			
Grab Bars from \$330 Selections vary. Personalization available.	Point-Massage Jet Extra Point-Massage Jet (EJ) \$315 Micro-Jet from \$360			
Textured, Slip-Resistant Bottom (TXTBTM) \$105 Compliant with ASTM C 1028-07 friction coefficient.	Jet styles and packages vary. Personalization available. Pump Upgrade - 3-bhp (PUMP3) \$315			
Accessories Pillows from \$180	Jet Trim Kits For Standard Whirlpool Chrome (TRC) \$270, Brushed Nickel (TRBN) \$725 For Ultra Whirlpool Chrome (TRCU) \$370, Brushed Nickel (TRBNU) \$960 Other finishes available. Ozonator (OZONE) \$515 Cannot be added to soakers or airbaths without combination hydrotherapy package or HTISOA			
Teak Bath Mat (TKMAT3018) \$815				
Custom sizes also available. Contact MTI for details and pricing.				
Slatted (TK-TRAY1) \$500 Solid (TK-TRAY2) \$570				
Installation Options Must be ordered at time of purchase.				
Pre-Leveled Foam Base (PLFOAM) \$295	Tile Flange			
All airbaths include a pre-leveled foam base.	Factory-Installed on 3 sides - rigid ABS (TFK3) \$200			
Pre-Leveled Frame and Foam Base (PLF) \$740 Pre-Leveled Frame and Foam Base with Skirting (Acrylic CXL [™] tubs only)	Field Install Kit - includes rigid ABS & adhesive (TFKNI) \$185 IMPORTANT: Must specify flange location(s) on order of Factory-Installed Flange.			
For pricing and details go to mtibaths.com	Not available with optional Low-Profile Rim. Contemporary Tub Surround includes pre-leveled foam base For details go to mtibaths.com			
Drains & Overflow Kits	Toe Tap Rectangular Overflow must be ordered at time of purchas			

Cable Driven Toe Tap Drain Finishes – PVC Drain Kit Round Overflow – PVC Drain Kit White/Biscuit (WOCDW) \$440 Chrome (WOTTC) \$380 Chrome (WOCD) \$410 Brushed Nickel (WOTTBN) \$385 Brushed Nickel (WOCDBN) \$490 Polished Nickel (WOTTPN) \$385 Polished Nickel (WOCDPN) \$540 Special Finishes* (WOTTSF) \$1,145 Oil-Rubbed Bronze⁺ (WOCDOR) \$550 Round Overflow – Solid Brass Drain Polished Brass (WOCDBR) \$690 Chrome (WOTTSBC) \$810 Special Finishes* (WOCDSF) \$1,135 Brushed Nickel (WOTTSBBN) \$810 Polished Nickel (WOTTSBPN) \$810 MTI does not offer a brass body cable drain kit.

Slim-Line Overflow with Toe Tap Drain Must be ordered at time of purchase.

- Low profile overflow is factory installed
- Overflow measures 4.5" x 1"
- Provides a deeper soak
- Not available for commercial applications
- Slim-Line Overflow with Toe Tap Drain PVC Drain Chrome (SLOTC) \$500 Brushed Nickel (SLOTBN) \$530 Polished Nickel (SLOTPN) \$555 White (SLOTW) \$430

Toe Tap Rectangular Overflow - PVC Drain Kit Chrome (WOTRC) \$470 Brushed Nickel (WOTRBN) \$430 White (WOTRW) \$525 Lift & Turn Drain Finishes – PVC Drain Kit Chrome (WOC) \$185 White (WOW) \$245

Brushed Nickel (WOBN) \$305

Slim-Line Overflow with Toe Tap Drain Solid Brass Drain Chrome (SLOTSBC) \$930 Brushed Nickel (SLOTSBBN) \$935

Polished Nickel (SLOTSBPN) \$935 White (SLOTSBW) \$965

⁺ MTI has selected an oil-rubbed bronze finish that is compatible with Delta and many other manufacturers. To ensure best match, order as a Special Finish and submit a sample.

Allow 2-4 weeks lead time for Special Finishes. Send sample for best match

