


# **Designer Collection** Tubs

# Andrea<sup>®</sup> 2







178

Air baths and tubs with a pre-leveled foam base or frame system add 2-3" to overall tub height.

#### **IMPORTANT ORDERING & INSTALLATION INFORMATION**

56'

- Before ordering or installing, please consider future access to equipment.
- · Add proper bedding compound to fully level and support bottom of tub.
- When equipped with an air bath package, pre-leveled foam base or frame system, overall tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor.

131/2

- · Radiance placed on airbath floor will affect placement of air jets.
- System components may extend beyond the perimeter of deck.
- · Please measure tub on-site before building tub decking.
- · Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.

115°

· Suction and control locations may vary.

71/4

	LLECTRICA		
Hydrotherapy Package	Components Included	GFCI / 110V	
Standard Whirlpool	2-bhp pump	1-15 amp	
Stream Bath	½-bhp, ozone	1-20 amp	
Microbubbles	Microbubbles pump	1-15 amp	
Ultra Whirlpool	2-bhp pump, inline heater, ozone	2-15 amp	
Air Massage	heated blower	1-15 amp	
Air Massage Elite	heated blower, chromatherapy	1-15 amp	
Air Massage w/ Stream Bath	1/2-bhp pump, heated blower, ozone	1-20 amp	
Air Massage Elite w/ Stream Bath	1/2-bhp pump, heated blower, chromatherapy, ozone	1-20 amp	
Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information CSA Certified C/US; ANSI Z124.1 and ANSI 112.19.7			

# **ELECTRICAL COMPONENTS & SPECIFICATIONS**

Hydrotherapy Package	Components Included	GFCI / 110V
Microbubbles with Air	Microbubbles pump, heated blower	1-20 amp
Microbubbles with Air Elite	Microbubbles pump, heated blower, chromatherapy	2-15 amp
Air with Whirlpool	2-bhp pump, heated blower	2-15 amp
Air with Ultra Whirlpool	2-bhp pump, inline heater, heated blower, ozone	2-20 amp
Air Elite with Whirlpool	2-bhp pump, heated blower, chromatherapy	2-15 amp
Air Elite with Ultra Whirlpool	2-bhp pump, inline heater, heated blower, chromatherapy, ozone	2-20 amp

See the Installation & Operation Manual for more details. MTI's Customer Service Monday-Friday 8am-6pm EST 800-783-8827 or service@mtibaths.com

Before discarding tub crate, check for accessories that may be packaged inside.
All product measurements are ±1/2".
Specifications and configurations are subject to change without notice.
Measurements herein supersede all others published prior to publication date below.

Aromatherapy is eliminated for undermount applications

• Air Baths, Pre-Leveled Foam Base or Frame Systems

increase overall height by 2-3".

Andrea® 2 MODEL 92 71.625" x 31.75" x 16.75"

Hydrotherapy Deckare Contents	Acrylic CXL <sup>™</sup>		DoloMatte™	
Packages Package Contents	Part #	MSRP	Part #	MSRP
	S92-DI	\$2,840	S92DM-DI	\$3,440
Soaker Soaking bath - no jets	S92-UM		S92DM-UM	
Character Bath	SM92-DI	<b>*</b> = 005	SM92DM-DI	\$5,985
Stream Bath 6 side vents, 2 end vents, 1/2 bhp pump, Ozone	SM92-UM	\$5,385	SM92DM-UM	
Microbubbles 1 microbubbles infusion port and pump	M92-DI	\$6,160	M92DM-DI	\$6,760
	M92-UM	<b>\$0,100</b>	M92DM-UM	<b>\$0,700</b>
Air Massage 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	AST92-DI	\$6,490	AST92DM-DI	\$7,090
	AST92-UM	<b>Ψ</b> 0, <b>45</b> 0	AST92DM-UM	
Air Massage Elite	AE92-DI	\$8,390	AE92DM-DI	\$8,990
lighting, Spa Mode, pre-leveled foam base	AE92-UM	<i><b>40,000</b></i>	AE92DM-UM	
Stream Bath with 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated	ASTSM92-DI	\$8,535	ASTSM92DM-DI	\$9,135
Air Massage air blower, Aromatherapy, pre-leveled foam base	ASTSM92-UM	<i><b>40,000</b></i>	ASTSM92DM-UM	
Stream Bath with air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode,	AESM92-DI	\$10,635	AESM92DM-DI	\$11,235
Air Massage Elite pre-leveled foam base	AESM92-UM		AESM92DM-UM	
Microbubbles with 1 microbubbles infusion port and pump, 20 air jets, heated air	ASTM92-DI	\$9,210	ASTM92DM-DI	\$9,810
Air Massage blower, Aromatherapy, pre-leveled foam base	ASTM92-UM		ASTM92DM-UM	
Microbubbles with Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled	AEM92-DI	\$11,010	AEM92DM-DI	\$11,610
Air Massage Elite foam base	AEM92-UM		AEM92DM-UM	
Standard Whirlpool 6 point-massage jets, 2-bhp pump	P92-DI	\$5,205	P92DM-DI	\$5,805
	P92-UM		P92DM-UM	
Ultra Whirlpool 8 point-massage jets, 2-bhp pump, inline heater, Ozone	P92U-DI	\$7,200	P92UDM-DI	\$7,800
	P92U-UM		P92UDM-UM	Ψ1,000
Air Massage with 6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower,	AW92-DI	\$8,855	AW92DM-DI	\$9,455
Standard Whirlpool Aromatherapy, pre-leveled foam base	AW92-UM		AW92DM-UM	
Air Massage with 8 point-massage jets, 2-bhp pump, inline heater, 20 air jets, heated	AU92-DI	\$10,850	AU92DM-DI	\$11.450
Ultra Whirlpool air blower, Aromatherapy, Ozone, pre-leveled foam base	AU92-UM		AU92DM-UM	φ11, <del>1</del> 50
Air Massage Elite with Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled	AEAP92-DI	\$10,755	AEAP92DM-DI	\$11,355
Standard Whirlpool Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP92-UM	φIU,/55	AEAP92DM-UM	
Air Massage Elite with 8 point-massage jets, 2-bhp pump, inline heater, 30 air jets, heated	AEAP92U-DI	\$11,850	AEAP92UDM-DI	\$12,450
air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa				

RECOMMENDED SENSORY THERAPIES

#### Chromatherapy

(LE) **\$800** underwater lighting *2 LED lights included* 

### Audiotherapy

(STEREOBT) **\$1,390** 2 transducers with bluetooth and amplifier (BTREMOTE) **\$600** bluetooth remote (STEREOH202) **\$1,575** 4 transducers amplifier not included

## Thermaltherapy

(RAD100) **\$1,595** Radiance® 2 heated zones included (HTISOAK) **\$825** 



## For more information on options and accessories go to Acrylic Tub Options at mtibaths.com

# Andrea<sup>®</sup> 2

			MODEL	
<b>Options</b> <i>Must be ordered at time of purchas</i>	se.		py Equipment & Cleaning Systems	
Standard Colors White (CWH)		Must be ordere	ed at time of purchase.	
Biscuit (CBS)		Inline Heater maintains water temperature		
Please call for availability of special colors.		For Whirlpools or Stream Bath (HTI) <b>\$570</b>		
Quick Ship reduces lead time (QSPRI) \$430		Uses existin		
Please call for availability		Cannot be combine	d with Microbubbles.	
Inline Heater maintains water temperature		Whirlpool Cleaning Systems		
For Soaker or Air Baths (HTISOAK) <b>\$825</b>		Fill-Flush (FF		
Includes a recirculating pump Cannot be combined with Microbubbles.		Simple Touch (FFE) <b>\$1,020</b>		
			ut location on order. See page 1 for location options.	
Virtual Spout high-flow integrated tub filler (F Must specify stub-out location on order. See page 1 for location		Whirlpool Jets Pump upgrade may be advisable for optimal performance		
		when adding jet		
Grab Bars from \$330		Point-Mass	- ·	
Selections vary. Personalization available.			pint-Massage Jet (EJ) <b>\$315</b>	
<pre>Fextured, Slip-Resistant Bottom (TXTBTM) \$</pre>		Micro-Jet from \$360 Jet styles and packages vary. Personalization available. – Pump Upgrade - 3-bhp (PUMP3) \$315		
Compliant with ASTM C 1028-07 friction coeffic	cient.			
.ow-Profile Rim - reduces rim height to 1" (LP	R) <b>\$265</b>	Jet Trim Kits		
ntegral Armrests - 1 pair (INTARM) \$140 end	drain tub models	– Jet Trim Kits For Standard Whirlpool Chrome (TRC) <b>\$270</b> , Brushed Nickel (TRBN) <b>\$725</b>		
ntegral Armrests - 2 pair (INTARM2) \$295 ce	enter drain tub models			
A		For Ultra Whi		
Accessories			RCU) <b>\$370</b> , Brushed Nickel (TRBNU) <b>\$960</b>	
Pillows from \$180		Other finishes availe		
Feak Bath Mat (TKMAT3018) \$815		Ozonator (OZ	ONE) <b>\$515</b>	
Custom sizes also available. Contact MTI for details and prici	ng.	Cannot be added to	o soakers or airbaths without combination hydrotherapy package or HTISOA	
Teak Tub Tray Slatted (TK-TRAY1) <b>\$500</b> Solid (TK-TRAY	2) <b>\$570</b>			
Teak Seat (TK-REMSEAT) \$660				
For use with armrests only.				
nstallation Options Must be ordered a	it time of purchase			
Pre-Leveled Foam Base (PLFOAM) \$295		Tile Flange		
All airbaths include a pre-leveled foam base.		•	Iled on 3 sides - rigid ABS (TFK3) \$200	
Pre-Leveled Frame and Foam Base (PLF) \$74	ю	•	it - includes rigid ABS & adhesive (TFKNI) <b>\$185</b>	
Pre-Leveled Frame and Foam Base with Skirt	ing (Acrylic CXL <sup>™</sup> tubs only)		specify flange location(s) on order of Factory-Installed Flange.	
For pricing and details go to mtibaths.com		Not available with o	ptional Low-Profile Rim.	
Drains & Overflow Kits		Toe Tap I	Rectangular Overflow must be ordered at time of purch	
Cable Driven	Тое Тар		Тое Тар	
Drain Finishes – PVC Drain Kit	Round Overflow – PV	'C Drain Kit	Rectangular Overflow – PVC Drain Kit	
White/Biscuit (WOCDW) <b>\$440</b>	Chrome (WOTTC) <b>\$380</b>		Chrome (WOTRC) <b>\$470</b>	
Chrome (WOCD) \$410	Brushed Nickel (WOTTBN) <b>\$385</b>		Brushed Nickel (WOTRBN) \$430	
Brushed Nickel (WOCDBN) <b>\$490</b>	Polished Nickel (WOTTPN) <b>\$385</b>		White (WOTRW) <b>\$525</b>	
Polished Nickel (WOCDPN) <b>\$540</b>	Special Finishes* (WOTTSF) <b>\$1,145</b>		Lift & Turn	
Oil-Rubbed Bronze <sup>+</sup> (WOCDOR) <b>\$550</b>	Round Overflow – Solid Brass Drain		Drain Finishes – PVC Drain Kit	
Polished Brass (WOCDBR) <b>\$690</b>	Chrome (WOTTSBC) <b>\$810</b> Brushed Nickel (WOTTSBBN) <b>\$810</b>		Chrome (WOC) \$185	
Special Finishes* (WOCDSF) <b>\$1,135</b>			White (WOW) <b>\$245</b>	
MTI does not offer a brass body cable drain kit.	Polished Nickel (WO	TTSBPN) <b>\$810</b>	Brushed Nickel (WOBN) \$305	
Slim-Line Overflow with Toe Tap Drain Must be	e ordered at time of purchase.			
Low profile overflow is factory installed	Slim-Line Overflow with To	e Tap Drain	Slim-Line Overflow with Toe Tap Drain	
Overflow measures 4 5" x 1"	PVC Drain		Solid Brass Drain	

- Overflow n
- · Provides a
- Not availab

Polished Nickel (SLOTPN) \$555 White (SLOTW) \$430

ven	тое тар	Тое тар
<b>nishes</b> – PVC Drain Kit	Round Overflow – PVC Drain Kit	Rectangular Overflow – PVC Drain Kit
Biscuit (WOCDW) <b>\$440</b>	Chrome (WOTTC) <b>\$380</b>	Chrome (WOTRC) <b>\$470</b>
e (WOCD) <b>\$410</b>	Brushed Nickel (WOTTBN) \$385	Brushed Nickel (WOTRBN) \$430
ed Nickel (WOCDBN) <b>\$490</b>	Polished Nickel (WOTTPN) <b>\$385</b>	White (WOTRW) <b>\$525</b>
ed Nickel (WOCDPN) <b>\$540</b>	Special Finishes* (WOTTSF) <b>\$1,145</b>	Lift & Turn
obed Bronze <sup>+</sup> (WOCDOR) <b>\$550</b>	Round Overflow – Solid Brass Drain	Drain Finishes – PVC Drain Kit
ed Brass (WOCDBR) <b>\$690</b>	Chrome (WOTTSBC) <b>\$810</b>	Chrome (WOC) <b>\$185</b>
l Finishes* (WOCDSF) <b>\$1,135</b>	Brushed Nickel (WOTTSBBN) <b>\$810</b>	White (WOW) <b>\$245</b>
ot offer a brass body cable drain kit.	Polished Nickel (WOTTSBPN) <b>\$810</b>	Brushed Nickel (WOBN) \$305
Overflow with Toe Tap Drain Must	be ordered at time of purchase.	
ile overflow is factory installed	Slim-Line Overflow with Toe Tap Drain	Slim-Line Overflow with Toe Tap Drain
measures 4.5" x 1"	PVC Drain	Solid Brass Drain
a deeper soak	Chrome (SLOTC) <b>\$500</b>	Chrome (SLOTSBC) <b>\$930</b>
able for commercial applications	Brushed Nickel (SLOTBN) <b>\$530</b>	Brushed Nickel (SLOTSBBN) <b>\$935</b>

Polished Nickel (SLOTSBPN) \$935 White (SLOTSBW) \$965

<sup>†</sup> MTI has selected an oil-rubbed bronze finish that is compatible with Delta and many other manufacturers. To ensure best match, order as a Special Finish and submit a sample.

