NuTone... life. style. home.



NuTone® is America's leading brand of residential built-in convenience products including door chimes, central vacuum systems, intercom systems, home theater speakers, medicine cabinets, ironing centers and ventilation fans.

Broan® is America's leading brand of residential ventilation products including range hoods, ventilation fans, heater/fan/light combination units, Indoor Air Quality (IAQ) Fresh Air Systems, built-in heaters, whole-house fans, attic ventilators, paddle fans and trash compactors.

Broan and NuTone are proud to be ENERGY STAR® partners.



www.NuTone.com

NuTone Inc., 4820 Red Bank Road, Cincinnati, OH 45227 • 888-336-3948
In Canada call 888-882-7626







Many people vacuum to clean a carpet, never giving much thought to their actions. But what if with the same effort, or even less, you could improve the overall health and quality of your living environment?

The NuTone® Central Vacuum System is more like a living environment cleaning system – improving the air quality, reducing the noise disturbance, minimizing the physical effort, all while providing superior cleaning power for your floors and living space.

There are many advantages to a Central Vacuum System. Ease of use is only one of them. A central vacuum is a simple and effective way to remove dust and other allergens from your home.

More Cleaning Power

Up to five times more powerful than upright and canister systems, NuTone® central vacuum systems pull more dirt and dust out of the house.

Better Dust Filtration

Dirt and dust is captured inside the Power Unit – away from living areas.

Built-in Convenience

The lightweight hose is all you have to carry up stairs or from room to room. No heavy canister or upright vacuum to lug around.

Quiet Performance

With the power unit mounted in the basement, garage or utility area, the noise is away from your living area. Optional power units or mufflers allow you to reduce noise levels even more.

Good Investment

Increase the resale value of your home without investing much more than the cost of a portable vacuum.



A cleaner, smarter, healthier living environment!

In today's society, people spend about 90% of their time indoors. Improvements in construction materials and techniques, developed to prevent energy-loss and control heating and cooling costs, have resulted in more air-tight homes. With all of this comes an increasing concern for the quality of the indoor air environment and the concept of Indoor Air Quality (IAQ).



How does Central Vacuum fit into Indoor Air Quality?

Over 50 million Americans suffer from allergies or asthma, and the number is on the rise. Common household dust is one of the major causes, along with millions of microorganisms, including mold and dust mites, which live in carpeting and other furnishings.

With their powerful motors, built-in central vacuum systems pull dust, dirt and allergens from the living environment more effectively than portable vacuums, trapping them within the filtration system of the power unit – away from the living environment. The central vacuum system can also be used more effectively to "power dust" furniture and living space by removing the dust from the living areas rather than just moving it around.

NuTone® offers products for a multi-level approach to IAQ, with Ventilation Products for clean, fresh air, and Central Vacuum Systems to remove dirt and dust from surfaces within the home.

Achieve consistent Indoor Air Quality with Broan HEPA Systems

A Broan Whole-House Air Filtration and Home Ventilation System is the most comprehensive indoor air quality product in the market. It's the perfect partner to a NuTone® Central Vacuum System. One Broan Fresh Air system takes the place of numerous individual room air purifiers by installing directly on your current furnace for quiet, efficient performance.

The Broan Fresh Air system has a HEPA filter which captures particles as small as 0.3 microns – that's five times smaller than a human hair. When fresh air from outdoors is filtered through the HEPA filter, you get a cleaner, healthier, humidity-controlled living environment.

For more information, visit us at www.broan.com



For use with GSFH1K

For use with GSVH

Let us help you with the basics.

1	What is your home size? Include all areas and floors to be serviced by your central vacuum system.	
T	Home Size sq. ft.	
2	Based on your home size, choose your power unit from the three series shown on pages 5-8. Power Unit	
	Tower offit	
3	Determine the number of wall inlets you will need. As a quick reference for estimating, we recommend using the relationship of 600 sq. ft. for each inlet. Based on the home square footage used above, divide that value by 600. Always round up for estimating purposes. For example, using a 2,800 sq. ft. home: Home Size of $2800 \div 600 = 4.6$, round up to 5 inlets.	
	Your Home Size \div 600 = \longrightarrow , round up to \longrightarrow Inlets	
	Type of Wall Inlet Selected	
	Choice considerations:	
	Based on your interior decor, select the color and style wall inlet most suited for you needs as shown on pages 21-24.	ır
	If you selected a VX550 or VX1000 Series Power unit, we recommend you include VX™ Series Inlets in your system.	
	If you selected a VX™ Series Tool Kit or hose we recommend you select your wall inlet from the choice of inlets shown on page 21.	
4	We strongly recommend including at least one VacPan™ or VacuSweep® for use in kitchens, pantries, laundry rooms or other locations, which have hard surface flooring. See page 26 to select the VacPan™ right for you.	
	VacPan™ or VacuSweep® Qty	
	THE PARTY OF THE P	
制度	For determining the amount of tubing and fittings needed:	
	Typical installations require about 16 ft of tubing for each Wall Inlet and VacPan TM used. To estimate the amount of tubing required multiply the # of Inlets and VacPans TM X 16 = X 16.	
	Based on the number of Wall Inlets in your system, select the series kit needed for your style Wall Inlet as shown on pages 21-24.	
Cor	igratulations You have quickly and easily selected	
Con	all the basics for your Central Vacuum System.	!

Redefining the Central Vac System

Convenient... One look proves it. But the sleek, wall-hugging designs of our new models are just the beginning. Behind its revolutionary appearance is a vacuum that's quieter than old technology vacs, more powerful and convenient too. No guessing game! We've added a status light on the hose handle and Power Unit to indicate when the VX™ unit's bag or pail is full and requires emptying. And, no additional wiring is needed.

Powerful... Brawn wasn't sacrificed for beauty. Our new motor designs deep clean far better than conventional vacuums. And with better filtration, you won't spread the dust around, either. Exhausted to the exterior of your home, the microscopic dust particles that simply scatter with conventional vacuums are ported outside. Your home is cleaner and indoor air quality is improved as well.

Finally, don't discard your old attachments. Your current accessories can be used with our new VX™ Power Units. Or, keep it as a spare kit close at hand in your workshop, hobby room or garage when you require those quick clean ups!



Simplified bag removal and filter changing.

Just open the front-facing door panel and withdraw the full bag. Our easy-to-use bag change mechanism closes the opening immediately upon removal, so what goes in, stays in. Filters for bagless cyclonic models remove the same way. Tap the clean side of the filter and dirt stuck to it will fall into the debris pail – not onto the floor.



HEPA® filtration. Teflon® technology.

Our high performance bags and filters feature HEPA® rated media and Teflon® anti-stick technology. Dust and bacteria are trapped better than ever before.







	VX475	VX475C	VX550	VX550C	VX1000	VX10000
Motor Performance Power (Alr Watts)	475	475	550	550	1040	1040
For homes up to 3,000 square feet		•				
6,000 square feet			•	•		
12,000 square feet					•	•
Water Lift (Inches H ₂ O)	90	90	130	130	130	130
Air Flow (Cubic Feet per Minute)	114	114	135	135	230	230
Current Rating (Amps)	15	15	15	15	15	15
Voltage	120	120	120	120	240	240
Recommended Circuit (Amps)	20	20	20	20	20	20
Bag required for debris recovery	•		•		•	
Cyclonic bagless debris recovery		•		•		•
On/Off Indicator	•	•	•	•	•	•
Easy access door for convenient & cleaner dirt removal	•	•	•	•	•	•
Easy access door for maintenance of cyclonic filter		•		•		•
Easy-to-use bag change mechanism allows for simple & fast bag changing	•		•		•	
Easy-to-use bag change mechanism closes bag reducing loose dust & dirt			•		•	
Filter Bag Capacity (Gallons)	6		8		8	
"Bag Full" indicator with progressive fill indication			•		•	
Debris Pail Capacity (Gallons)		4		7		7
"Pail Full" indicator with progressive fill indication				•		•
HEPA® media with Teflon® anti-stick and Microban® antimicrobial protection bag technology *			•	•	•	•
Unique oval shape for efficient cyclonic filtration		•		•		
Built in sound suppression system	•	•	•	•	•	
8' '						

Dimensions: 475 Model 36 x 16.5 x 11.5, 550 and 1000 Models 39 x 17.5 x 11.5

* Teflon® bags coming Fall 2005









Expand on the deluxe or standard tool sets with a NuTone® Tool Kit which packages all the accessories necessary to comprise the complete cleaning package.

CK145 Ultra Deluxe Garage & Car Care Kit

Includes three versatile attachments that are perfect for those tough to get at areas. The perfect starter set for at the shop or garage or a second set to help around the house. It includes:

- 50 ft. extra long bright orange crush-proof hose
- Round dusting brush with tough extra long bristles
- Upholstery tool
- Slide on upholstery brush with tough nylon bristles
- "Gulper" extra wide crevice tool
- Curved wand with cuff and full swivel
- 18" molded straight wands
- 14" extra wide floor tool with long lasting natural bristles
- Hose hanger
- See-thru mesh caddy bag for easy tool storage and retrieval

CK140 Deluxe Garage & Car Care Kit

This kit was designed for all those challenging demands found in the garage, utility areas and car. The unique bright orange hose helps reduce the chance of accidents. All tools are non-corrosive, molded in black and are designed to deliver optimal cleaning performance. The kit includes:

- 30 ft. bright orange crush-proof hose
- Round dusting brush with tough extra long nylon bristles
- Upholstery tool
- "Gulper" extra wide crevice tool
- Hose hanger
- See-thru mesh caddy bag for easy tool storage and retrieval



VXCH355 or CK355 Deluxe Electric Kits

All the attachments you need to keep your living space dust free. With selections for carpeting, hard floors, draperies and furniture, these deluxe kits feature the convenience of maximum power without the need for an electrical plug. Works with electrified inlets Cl358, Cl390 and Cl395. (See page 22). Please specify NuTone VX™ Kit (VXCH355) with status indicating hose or Standard Kit (CK355) to be used with currently installed NuTone vac systems. The kit includes:

CK230 Deluxe Tool Set plus

- Electrified direct connect crushproof hose: VXCH615* or CH615
- CT600 power nozzle
- CA130 hose sock
- CT120 cord management wand

VXCH350 or CK350 Deluxe Electric Kits

Features all the time-saving attachments of the CK355 without the need for electrified inlets. With a six foot electric cord, it easily plugs into an outlet for maximum power. Please specify NuTone VX™ Kit (VXCH350) with status indicating hose or Standard Kit (CK350) to be used with currently installed NuTone vac systems. The kit includes:

CK230 Deluxe Tool Set plus

- Electrified crushproof hose: VXCH515* or CH515
- CT600 power nozzle
- CA130 hose sock
- CT120 cord management wand

VXCH250* or CK250 Air Turbine Kits

These kits offer cleaning power with non-motorized accessories. All these attachments work with the central vacuum's airflow. Please specify NuTone VX™ Kit (VXCH250) with status indicating hose or Standard Kit (CK250) to be used with currently installed NuTone vac systems. The kit includes:

CK120 Standard Tool Set plus

- Crushproof hose: VXCH235* or CH235
- CT350B turbine brush
- CA130 hose sock

CK150 Standard Tool Kit

The CK150 is ideal for homes with all hard surface floors. It also makes a perfect second set or starter kit. It includes:

CK120 Standard Tool Set plus

- CH235 low-voltage crushproof hose
- CA130 hose sock



| 1

| 12

^{*}For use with VX™ Power Units only; VX1000, VX550 or VX475 series.





Turbine Brushes



CT650

Never guess again if your carpets are clean. With the built-in dirt sensor, the CT650 lets you know when your work is done.

- Agitator has two rows of tufted nylon brushes, configured in a chevron pattern for optimal cleaning
- Dual edge cleaning with protective bumper
- Overload reset button
- UL approved
- Green label approved



The CT650 includes an LED display which indicates when the power brush is picking up dirt and turns green when dirt is gone.

CT600

This rugged 14" power brush provides greater cleaning coverage without any extra work. Features:

- Agitator with two rows of tufted nylon brushes and a replaceable beater bar
- Dual brushed edge-cleaning with protective bumper
- Overload reset button
- UL approved
- Green label approved

CT350B

Lightweight yet powerful, NuTone's® CT350B turbine is up to 74% lighter than other floor turbines and removes up to 38% more embedded soil than other turbine brushes. This design features a suction shoe that allows 45 degree pivot while in use and a full 360 degree swivel neck. Features:

- Cog belt drive agitator brush
- Chevron pattern, nylon tufted agitator bristles
- Vacuum release valve opens and closes
- Rubber wheels

CT330B

This hand-held turbine brush is the perfect stair tool or for tight places like car interiors. Its comfortable size is easy to handle. Features a durable ABS plastic housing.



BRUSH S	ELECTION CHART							
Model No.	Description	Color	Wands	Height Adjustment	Width	Headlamp	Belt Style	Edge-Cleaning
CT650	Deluxe Dirt-Sensing Power Brush	Black	(2) Easy Release Chrome-Steel	4-position	14"	Yes	Cogged	Dual
CT600	Deluxe Electric Power Brush	Soft Gray	(2) Easy Release Chrome-Steel	4-position	14"	Yes	Cogged	Dual
CT350B	Turbine Brush	Black	No	No	11"	No	Cogged	Dual
CT330B	Turbine Brush	Black	No	No	6-3/8"	No	Cogged	Dual

All Power Brushes are UL Listed and are designed for use with NuTone hoses, models CH515, CH520, CH615, CH620.



CA101G

Tool Caddy. This tool caddy snaps onto NuTone® wands. Keep three tools at your fingertips while you're cleaning. Soft gray.

CT102G

Dusting Brush. Soft natural bristles provide gentle cleaning for delicate surfaces. Fits onto all NuTone® wands. Soft gray.

CT106G

Upholstery Tool. Provides deep cleaning, with or without the slide on natural bristle brush. Fits onto all NuTone® wands. Soft gray.

CT109B

Pet Brush. Nylon brush provides gentle grooming. Removable bristles make for easy cleaning. Fits onto all NuTone® wands. Black.

CT111G

Crevice Tool. Gives you added reach to clean hard-to-reach areas. Clipped end provides continuous air flow. Fits onto all NuTone® wands. Soft gray.

CT120

Chrome plated wand features a convenient cord management clip.

CT120: Use with CH515 or CH615 hose.

CT130

Handy cord management clip attached to wand keeps electric cord out of your way.

CT130: Use with CH520 or CH620 hose.

CT132

Chrome Button Lock Wands. Set of two chrome plated steel wands feature secure button-lock fit.

CK135

Ratcheting Wand. One-piece ratcheting wand extends from 22" to 39" at one-inch intervals. Positive ratchet mechanism locks into place. Durable chrome plated steel with button locks.



CT140G

Standard Floor/Rug Tool. Pedal quickly adjusts as you move from hard surfaces to carpets. Features dual rear wheels. Wide 10-5/8" of edge to edge cleaning. Soft gray.

CT143B

Universal Dusting Brush. Elongated universal dusting brush will change the way you dust. Features gentle, soft nylon bristles. Black.

CT150B

Deluxe Floor/Rug Tool. Moves from hard surface to carpet without adjustment. Front and rear wheels maintain air flow. Offers extra wide 11" of edge to edge cleaning. Black.

CT156B

Hard Surface Floor Tool. This 11-3/4" wide brush is ideal for hard flooring surfaces. Two rows of natural bristles pick up dust. Dual rubber wheels provide balance and even air flow. Swivel neck makes it easy to reach all surface areas.

CT157B

Extra Wide Hard Surface Floor Tool. This 14" wide brush cleans hard flooring surfaces. Two rows of natural bristles pick up dust. Dual rubber wheels provide balance and even air flow. Swivel neck makes it easy to reach all surface areas.

391/CF3918 & VX3916/VX3918

Two ply electrostatically charged filter media captures particles down to .10 micron at 85% efficiency. Set of three bags. Suggested replacement about twice a year.

Available in two sizes:

Model 391:

Six gallon bag – for use with CV350, CV352, CV353, CV450,

CV653 and CV750

Model CF3918: Eight gallon bag – for CV850, suitable for CV450 and CV750

Two ply electro statically charged media captures

particles down to .10 microns at 85% efficiency. Model VX3916: Six gallon bag – for VX475

Teflon lined HEPA filter media offers the ultimate in filtration efficiency and superior air flow with minimum clogging.

Model VX3918: Eight gallon bag – for VX550 and VX1000



STANDARD

CH620

This deluxe Direct-Connect hose plugs directly into high and low-voltage current. Ergonomic handle provides the ultimate in comfort and control. Features easy to adjust vacuum air release, 3-position on-off switch and vinyl over wire, reinforced with polyester cord for durability. Available in warm gray.

- Recommended for use with NuTone® Cl358, Cl390 and Cl395 series electrified inlets
- Use with NuTone® CT600 or CT650 Power Nozzles
- UL approved

CH520

This deluxe Current-Carrying hose includes a 6 ft. line cord. Features ergonomic handle for the ultimate in control and comfort and fingertip control of entire system – vacuum and optional power brush. Easy to adjust vacuum air release, 3-position on-off switch and vinyl over wire, reinforced with polyester cord for durability. Available in warm gray.

- For use with NuTone® CT600 or CT650 Power Nozzles
- Includes patent pending Universal hose end which fits all NuTone® and most other standard inlets
- UL approved

LIGHTWEIGHT, CRUSHPROOF

VXCH615* or CH615

These lightweight, Current-Carrying Direct-Connect hoses spring back to retain original shape. Feature a 3-position on-off switch. VX™ hose includes a status indicator light on handle. Available in frost white.

- Recommended for use with NuTone® Cl358, Cl390 and Cl395 series electrified inlets
- For use with NuTone® CT600 or CT650 Power Nozzles
- UL approved

VXCH515* or CH515

These lightweight, Current-Carrying corded hoses spring back to retain original shape. Features a 3-position on-off switch and 6 ft. line cord. VX[™] hose includes a status indicator light on handle. Available in frost white.

- For use with NuTone® CT600 or CT650 Power Nozzles
- Includes patent pending Universal hose end which fits all NuTone® and most other standard inlets
- UL approved
- * For use with VX[™] Power Units only; VX1000, VX550 or VX475 series.

Low Voltage Hoses



Utility Hoses



372

A beige standard hose with vinyl reinforced construction. Rotary control on handle regulates vacuum.

CH235

This light gray, crushproof hose springs back to retain original shape. Includes on-off switch. Includes patent pending Universal hose end which fits all NuTone® and most other standard inlets.

CH230

A warm gray standard hose features on-off switch and vinyl reinforced construction. Rotary control regulates vacuum. For longer reach, select the CH230L for 42 ft. length. Includes patent pending Universal hose end which fits all NuTone® and most other standard inlets.

CH310

A warm gray, UL listed standard hose featuring vinyl reinforced construction. Rotary control regulates vacuum. Comes with 6 ft. line cord.

CH115

This beige crushproof hose springs back to retain original shape.



Model No.	Description	Hose Length	Inside Diameter	Vacuum Switch	Switch	Color
72	Low Voltage Hose	32'	1-1/4"	No	No	Beige
CH115	Utility Hose	30'	1-1/4"	No	No	Beige
CH230	Low Voltage Hose	30'	1-3/8"	No	Yes	Warm Gray
CH230L	Low Voltage Hose	42'	1-3/8"	No	Yes	Warm Gray
CH235	Crushproof Low Voltage Hose	30'	1-3/8"	No	Yes	Light Gray
CH310	Current-Carrying Hose	30'	1-1/4"	No	No	Warm Gray
CH515	Current-Carrying Crushproof Hose	30'	1-1/4"	Yes	Yes	Frost White
CH520	Deluxe Current-Carrying	30'	1-3/8"	Yes	Yes	Warm Gray
CH615	Direct-Connect Crushproof Hose	30'	1-1/4"	Yes	Yes	Frost White
CH620	Deluxe Direct Connect Hose	30'	1-3/8"	Yes	Yes	Warm Gray
/XCH515	Current-Carrying Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Frost White
VXCH615	Direct-Connect Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Frost White

| 19 |

Hose Accessories



599CS

This polarized 35-ft extension cord connects electric power brush to outlet when not using the Current-Carrying hose. Includes strapping to attach extension cord along length of hose.

CA130

A hose sock can help prevent scratching corners of walls and marking furniture as you move from room to room while vacuuming.





HOSE Access	sories				
Model No.	Description	Hose Length	Inside Diameter	Color	
CA130	Hose Sock	30' - 32'	1" & 1-3/8" dia. Hoses	Gray	
599CS	Polarized Extension Cord	35'		Beige	

| 20 |

Plug into Power and Convenience with NuTone® Inlets

Turn to the source for power and intelligence. NuTone's® line of central cleaning inlets include built-in low-voltage terminals where direct-connect hoses plug right into the inlet – alleviating the need for a power cord. The electrified inlets make it a simple one-step operation to plug in a current-carrying hose. The system turns on automatically when an unswitched hose is inserted or is ready for immediate activation with a switched hose.

NuTone's® status indicator hoses and inlets allow for the bag full or pail full technology from your power unit for even more convenience. When the light on the power unit changes, indicating a time to change the bag or empty the pail, the light on the hose and inlet also changes color. And no additional wiring is needed.

NuTone[®] inlets are the source of ease and convenience when working with a central vacuum system.



HOW TO CHOOSE:					INLET	ТҮРЕ				
			Cl390	Cl395	Cl358	Cl370	Cl335	360	330	Cl398
	po.	CH620	•	•		No. of			Street.	1
	Carrying	*CH520						•		2
	Current Carrying	CH615 or VXCH615	•	•	•					
TYPE		*CH515 or *VXCH515				•	•	•	•	
	96	372				0	0	0	0	0
윈	Low Voltage	CH235 or VXCH235				0	0	0	0	0
	으	CH230			<u> </u>	0	0	0	0	0
	Utility	*CH310				1	√	✓	✓	1
	.E	CH115				0	0	0	0	0

- * Include 6 ft. line cord Limited Function (suction only/non-powered)
- Full Function ✓ Limited Function (powered only/no switch)

Electrified Direct Connect Inlets



Electrified Inlets make it a simple one-step operation to plug in a Current-Carrying hose – no 120V extension cord to carry around. Compatible with NuTone® CH615 and CH620 hoses.

CI390 Standard and CI395 Status Indicating

The ElectraValve® Electrified Inlet operates on standard house wiring. It eliminates the need for the extension of electrical cords from the inlet to an electrical outlet. The molded power receptacle clips to mounting plate and the housing wire is run to the nearest outlet box.

- UL listed Assembly
- Standard

Cl390W – White Cl390V – Ivory

Wille Ci390V -

Status Indicating

Cl395W – White Cl395V – Ivory

CI395RK Rough-In Kit

The Electrified Inlet Rough-In Kit includes everything you need to install the Cl390 and Cl395 inlets. Includes mounting plate, snap-in power receptacle, 6' of 12-gauge cable assembly, plaster guard, 382S elbow and mounting screws for plaster guards.

CI358 Supervalves

The Supervalve electrified inlet operates on standard house wiring. Includes wall valve, rough-in plate with junction box and strain relief.

UL listed assembly

Cl358W – White Cl358IV – Ivory

| 21 |

NuTone's® Indicating Inlets bring Central Vacuum System "intelligence" right to where you need it most – at the inlet! A green LED light tells you that your system is powered and ready for use when you insert the hose. Recommended for use with NuTone VX™ Series Power Units.



CI370 Series

The LED indicator light on the inlet lets you know when the system is powered. It also reminds you when it's time to change the dirt receptacle bag in the power unit. No extra wiring is required. (Shown at left)

- Installs with CF361 or CF361F mounting bracket or 395, 396-1 or 396-3 rough-in kits
- Size: 3-3/4" w x 3" h x 5/8" d

Cl370AL – Appliance Almond

Cl370BG - Beige

Cl370IV - Leviton® Ivory

Cl370W - White

The light changes to amber (VX inlets, red) when it is time to replace the dirt receptacle bag in the Power Unit.

CI335 Series

This attractive vertical design offers a low profile to blend seamlessly into your décor. LED indicator light lets you know when the system is powered and when it's time to change the bag in the power unit. No extra wiring required. (Shown at right)

• Size: 3-1/2" w x 5-3/16" h x 1/2" d

Cl335IV – Ivory Cl335W – White

 Installs with a CF329 mounting plate or Cl3301RK or Cl3303RK rough-in kits



326N Existing Home Inlet Kit

The Existing Home Inlet Kit assists with installing a central vacuum system after the home construction is complete. Ideal for tight areas where it is difficult to connect straight tubing to wall inlets.

- Includes 330NIV inlet and 8" length of Superflex tubing
- CF329 Mounting Plate, inlet frame and tubing guard also included

Standard Inlets



360 Series

Automatic on/off inlets can be installed in walls or floors. The variety of colors allows you to blend the outlets to any décor.

- Size: 3-3/4" w x 3" h x 5/8" d
- Installs with CF361 or CF361F mounting bracket or 395, 396-1 or 396-3 rough-in kits

360AL – Appliance Almond

360BG - Beige

360W - White

360D – Brown

360IV – Leviton® Ivory

330 Series

Automatic on/off inlets have styrene snap-back protective cover.

- Size: 3" w x 5-3/16" h x 1/2" d
- Install with a CF329 mounting plate or Cl3301RK or Cl3303RK rough-in kits

330NIV - Ivory

330W – White 330B – Black

398 Series

Metal inlets coordinate with any décor.

Cl398AB – Antique Brass

Cl398C – Chrome Cl398B – Brass

 Install with a CF329 mounting plate or CI3301RK or CI3303RK rough-in kits





ROUGH-IN AND PRE-INSTALLATION PACKAGES

- Inlet rough-in kit for use with 360 and Cl370 series inlets: Includes (1) mounting bracket, (1) 90° flange Ells, (1) blank cover plate, a 24" pc 2" OD. PVC tubing and (1) 42" pc 18/2 wire taped to PVC tubing.
- Rough-in kit for 3-inlet installation for use with 360 and CI370 series inlets: Includes (3) mounting brackets, (3) 90° flange Ells, (1) 90° street Ell, (1) 45° street Ell, (1) 100′ 18/2 UL wire, (6) nail Plates, (1) solvent cement, (6) 90° sweep Ells, (2) tees, (3) 45° Ell and (6) stop couplings.
- Rough-in kit to expand 396-3 by 1 additional inlet for use with 360 and Cl370 series inlets: Includes (1) mounting bracket, (1) 90° flange Ells, (1) 90° street Ell, (1) 45° street Ell, (2) nail plates, (2) 90° sweep Ells, (1) 45° Ell, (1) 45° wye and (2) stop couplings.

Cl3303RK Rough-in kit for 3-inlet installation for use with 330 and Cl335 series inlets (See page 27 for details.)

Cl3301RK Rough-in kit for 1-inlet installation for use with 330 and Cl335 series inlets (See page 27 for details.)

Automatic Dustpans A "must" for the kitchen, pantry, laundry room, bathroom – anywhere you have a hard surface. NuTone® Automatic Dustpans allow you to easily dispose of crumbs, glass fragments, pet hair – all the hard to pick up debris. Just sweep it into the inlet and activate the vacuum feature with a light toe pressure. Cl365 Shown

CI365 VacPan™



Enjoy the convenience of this automatic Inlet installed in a cabinet toekick or baseboard. Simply sweep the dirt to the VacPan™ and activate the vacuum system with flip of toeswitch. It offers the ultimate convenience to sweep dirt away instantly. The perfect idea for any room with hard surface floors like kitchens, baths, laundry rooms and mud rooms.

- Rough-in dimensions: 6" w x 4" d x 1" h, not including tubing
- Available in three colors:
- Cl365W White
- Cl365V Ivory

Cl365B – Black

CI366 Trim Plates



This Quick Trim finish plate is designed for front-entry access. Can be shortened to 3-1/2" or 3" on site.

- Overall size: 10-9/15" w x 4" h
- Available in colors to match VacPan™:
- Cl366W White
- Cl366V Ivory
- Cl366B Black
- Use 382-XS Short ELL when installing where height is limited

CI367 VacuSweep®



The short profile design of VacuSweep® allows it to be installed in tight kick space areas or within a 2 x 4 stud wall. Wiring is connected in mere seconds to spring loaded wire connectors.

- Available in four colors:
 Cl367AL Almond Cl367IV Ivory
 Cl367B Black Cl367W White
- Use the Cl368 Trim Plate to finish off the front entry.
- Available in colors to match VacuSweep®:
- Cl368AL Almond
- Cl368IV Ivory
- Cl368B Black
- Cl368W White

-3808

NuTone's® semi-rigid white PVC tubing has exceptional tensile strength. Lightweight and easy to handle, it can be cut with an ordinary saw. Its self-extinguishing properties will not support combustion making it extremely safe for your home's walls. Installs vertically or horizontally and is not affected by weather – won't rust or deteriorate.

- Conforms to all UL requirements
- Manufactured in conformity with ASTMF2158
- 2" OD x 8'; eight pieces 64 feet

TUBING GUIDE					
Number of Inlets	3	4	5	6	7
PVC Tubing Required	48'	64'	80'	100'	120'

Fittings, tubing and installation kits to meet every installation need – all from one source... NuTone®. *Bulk packs available! Please check NuTone® price sheet or packaging information.*

INSTALLATION COMP	ONENTS				
Cl319 Face Plate Extension – for thick walls	()	Cl324 2" Hose Clamp	0	326N Existing Home Inlet Kit	
CF328 Plaster Guard – for use wit 329 Mounting Plate Existing Home Inlet Kit		CF329 Inlet Mounting Plat	te	Cl330 Exhaust Vent	
CF361 Mounting Bracket with plaster guard		CF361F Mounting Bracket v flanged spigot to as to any 382 series e	ssemble 👸 📈	CF362 90° Flanged EII –	standard
CF363 90° Flanged EII – special for 3" walls		CF364 Flanged Tee		CF365 Double-Flanged T	ee (D
CF366 Straight Flange		CF367 Flexible Tubing – 2'' I over steel wire, interv nylon cord, can be cu	voven with	CF368 90° Street Ell	670
CF369 45° Street EII		CF375 Utility Inlet – mounts flanged fitting; provid contacts. Mounting b	des low-voltage	376 100' Wire 18/2 376500 500' Wire 18/2	
376UL 100' Wire 18/2 376500UL 500' Wire 18/2		CF377 90° Sweep EII-long		378 Nail Plate	
379 Solvent Cement	PRRIBAN PYC Court come Court Come Court Co	CF380 Pipe Support with wire clip	\bigcap	CF382 90° Sweep EII	
CF382S 90° Sweep EII for use with Model 329 only for narrow walls		CF382XS Short 90° EII for in: VacPan™ where he is limited	stalling eight	CF383 90° Tee	
CF384 3-Way Ell		CF385 45° EII		CF386 30° EII	
CF387 45° Wye		CF388 Stop Coupling		CF389 End Cap	
392 Optional Muffler – reduces noise of currently installed power units		393 Metal Wall Cap – terminates exhaust discharge tube to c		394 Blank Cover Plate used in place of v speculative rough	vall inlet in 👊 e 🦼
397 Wall Inlet Frame		Cl398 Blank Cover Plate v Cl398IV (Ivory), Cl		399 Extension Sleeve for floor or thick wall installations	
METAL COMPONENTS	– Zinc-coated/plat		in fire-walls to comply v		
300MTL Metal Tubing – 2" OD x 8', can be cut to size	0	301MTL 90° EII – Metal		302MTL Slip Coupling	
CI3303RK Rough In -	for 3-inlet installation	n includes:	Cl3301RK Rough	In – for 1-inlet installa	tion includes:
3 – Mounting Brackets	6 – 90° Swe	ep Ells	1 – Mounting Brack		
3 – Plaster Guards	2 – 45° Ells	Muse	1 – Plaster Guard	2 – 90° Si	•
6 – Screws for Plaster Gua 3 – 90° Elbows	rd 3 – 90° Tee 6 – Stop Co	•	2 – Screws for Plast 1 – 90° Elbow	er Guard 1 – 45° El 1 – 90° Te	
1 – 90° Street Ell	1 – Solvent	· -	1 – 90° Street Ell	2 – Stop (•
1 – 45° Street Ell 6 – Nail Guards	1 - 1001 18/		1 – 45° Street Ell		
NuTone® PVC fittings are mai	outsetured in accord	James with ACTME2150			

NuTone® PVC fittings are manufactured in accordance with ASTMF2158.

