

OMNIA

MANUFACTURERS OF LOCKSETS AND
ARCHITECTURAL HARDWARE OF FINE QUALITY



L A T C H S E T S & L O C K S E T S

Latchsets and Locksets

Since 1964, OMNIA has supplied the industry with Architectural hardware that is uniquely and stylishly designed, yet exceptionally functional. Today, OMNIA continues to provide aesthetically pleasing and useful designs.

This catalog is a showcase of our exquisite collection of knob and lever latchsets, mortise and deadbolt locksets, and narrow backset locksets. It is fully enhanced with technical specifications, including diagrams that are exploded to show generous details.

We are proud of the attention given to every element, from quality to innovation, from service to marketing. A blending of traditions of excellence, coupled with a strong commitment to modern technologies, makes OMNIA the sound choice for any residential or commercial application. That is why for over five decades OMNIA has been opening and closing millions of doors all around the world.

TABLE OF CONTENTS

Section	Page
Finish Index	3
LATCHSETS SECTION	4-23
Latchsets Product Data	5-7
Modern Latchsets	8-11
Stainless Steel Latchsets	12-14
Traditions Latchsets	15-17
Ornate Latchsets	18
Classico Latchsets	19
Prodigy Latchsets	20
Privacy Bolts	21-22
Mortise Deadlock	22
Non-Standard Roses	23
Narrow Plate Latchsets	24-27
Narrow Plate Latchsets Product Data	25
Mortise & Deadbolt Locksets	28-38
Mortise & Deadbolt Locksets Product Data	29-31
Narrow Backset Locksets	39-41
Narrow Backset Locksets Product Data	40
Multipoint Trim	42-45
Multipoint Trim Product Data	43-44
Entrance Handlesets	46-49
Brass Entrance Handleset Product Data	47
Stainless Steel Entrance Handleset Product Data	49
Auxiliary Deadbolt Kits	50-53
Auxiliary Deadbolt Product Data	51



FINISHES

Code	Description	Code	Description
	US3 POLISHED BRASS, LACQUERED		US26D SATIN CHROME PLATED
	US3A POLISHED BRASS, UNLACQUERED		US32 POLISHED STAINLESS STEEL
	US4 SATIN BRASS, LACQUERED		US32D SATIN STAINLESS STEEL
	US4A SATIN BRASS, UNLACQUERED		SB SHADED BRONZE, LACQUERED
	US5A ANTIQUE BRONZE, UNLACQUERED		TB TUSCAN BRONZE, LACQUERED
	US10B OIL-RUBBED BRONZE, LACQUERED		BAS SIENA BRASS, LACQUERED
	US14 POLISHED NICKEL PLATED, LACQUERED		BPS VENETIAN NICKEL, LACQUERED
	US15 SATIN NICKEL PLATED, LACQUERED		D FLORENTINE BRASS, LACQUERED
	US26 POLISHED CHROME PLATED		ETR ETRUSCAN BRONZE, LACQUERED

OMNIA MODERN



OMNIA TRADITIONS



The CLASSICO Collection



OMNIA Stainless Steel



Prodigy



LATCHSETS WITH SOLID BRASS OR STAINLESS STEEL TRIM



OMNIA's latchsets in this program are packaged complete with knobs or levers, specified roses, tubular latch, a metal spring loaded sub-rose, spindle, and all mounting hardware. An installation template is included. Lever latchsets are supplied with extra heavy duty latches.

Functions are passage, privacy, pair dummy and single dummy. These latchsets are designed both for new installations and for replacement hardware on doors with standard bore up to 2 1/8". Backsets of 2 3/8" and 2 3/4" are available.

The designs range from traditional to contemporary to ornate in a selection of finishes to complement any design motif.

Knob and Lever Latchsets

- Will fit 2 1/8" bore.
- For residential and commercial use. *Consult with OMNIA for commercial applications.*
- 2 3/8" and 2 3/4" backsets available.
- Supplied for 2 3/8" backset and 1 3/8" door thickness unless otherwise specified.
- All lever latchsets are ADA approved.

Concealed Screw Roses:

Modern	2 5/8" dia. x 3/8" proj.
Traditional	2 5/8" dia. x 3/8" proj.
Square	2 5/8" sq. x 1/16" proj.
Beaded	2 5/8" dia. x 1/16" proj.
Roped	2 5/8" dia. x 1/2" proj.
Reed & Ribbon	2 5/8" dia. x 1/2" proj.
Ornate	2 5/8" dia. x 1/2" proj.

Roses have been specifically designed for use with the knobs and levers with which they are shown in this catalog. Each set consists of solid brass knobs or levers, concealed screw finished roses, metal thru-bolting rose cassette, latch, strike, dust box, faceplate, spindle, all necessary mounting screws, installation template and instructions.

About our Tubular Latch

- All dimensions are standard to fit existing bores for replacement installations.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass. No. 013 "T" strike supplied as a standard or No. 014 "Full Lip" strike as an option. Specify when ordering.
- Critical interior parts are made of solid brass.
- For over five decades OMNIA's latches have been opening and closing millions of doors all around the world.
- 28° rotation to retract latch.





All OMNIA lever latchsets meet ADA accessibility requirements.






The above part numbers should be used when ordering latch only.

DRAWINGS NOT TO SCALE



■ SPECIFY 2 3/8" OR 2 3/4" BACKSET. ■



Sub-Rose Cassette Features


Metal sub-roses feature self-aligning thru-bolts. Spring-assisted outside and inside. Three spring tensions are available: Knob Strength, Lever Strength and Heavy Duty Lever Strength.

#982/K Sub-Rose Cassette: Knob Strength Spring

#982 Sub-Rose Cassette: Lever Strength Spring

#982/HD Sub-Rose Cassette: Heavy Duty Lever Strength Spring

#982/PD Sub-Rose Cassette: Pair Dummy



Component parts Ea & Eb as shown below.

Latchset — Exploded To Show Detail

- A) Door Knob/Lever (2)
- B) Set Screw (2)
- C) Nylon Threaded Washer (2)
- D) Finished Rose (2)
- Ea) Metal Spring Assist Sub-Rose
- Eb) Metal Spring Assist Sub-Rose
- F) Spindle (Teardrop groove positioned towards set screw)
- G) Tubular Latch
- H) Privacy Locking Block Machine Screw
- I) Privacy Locking Block Locking Stopper
- J) Privacy Locking Block
- K) Tubular Latch Faceplate
- L) Tubular Latch Strike Plate
- M) Tubular Latch Dust Box
- N) Thru-Bolt Machine Screws With Locking Washer (2)
- O) Washer Installation Tool
- P) Emergency Release Key


Applies to:

OMNIA MODERN

OMNIA TRADITIONS

The CLASSICO Collection

For *Prodigy* & OMNIA Stainless Steel see applicable catalogs



Functions

Passage: Latch operates by lever (or knob) from either side of door. Uses 7mm solid spindle.

Privacy: Latch operates by lever from either side of door. Push button on interior rose engages privacy; emergency release hole is on exterior rose. Turning inside lever will release privacy and retract latchbolt. For bathroom or bedroom. Uses 7mm split spindle.

Pair Dummy: Trim on both sides of door. Lever with thru-bolted, concealed screw rose set.

Single Dummy: Lever trim on one side of the door only. Available for surface mounting or thru-bolting.


Dummy applications not recommended for commercial use.

Single or Pair Dummy Roses

Single Dummy Rose

**1. Surface Mounted
Concealed Screws**

No screws are exposed. Shipped unassembled.




Pair Dummy Rose Options

**1. Surface Mounted
Concealed Screws**

No screws are exposed. Shipped unassembled.

2. Dummy for 2 1/8" bore.



Applies to:

OMNIA MODERN

OMNIA TRADITIONS

The CLASSICO Collection

For *Prodigy* & OMNIA Stainless Steel
see applicable catalogs


36

US3, US26, US26D,
US10B, US14, US15




36S

US3, US26, US26D,
US10B, US14, US15



42

US3, US26, US26D,
US10B, US14, US15



171

U26, US26D, US10B,
US14, US15




171S

US26, US26D,
US10B, US14, US15




220

US26, US26D, US10B,
US15




225

US26, US26D, US10B,
US15




226

US26, US26D, US10B,
US15



Lever Profile


226S US26, US26D,
US10B, US15



Lever Profile




227 US26, US26D,
US10B, US15




227S US26, US26D,
US10B, US15




236 US26, US26D,
US10B, US15




237 US26, US26D, US10B,
US14, US15




237S US26, US26D, US10B,
US14, US15




281 US26, US26D, US10B,
US14, US15




282 US26, US26D,
US10B, US15




362 US26, US26D




364 US26, US26D, US10B, US14, US15



368 US3, US26, US26D, US10B, US14, US15




368S US3, US26, US26D, US10B, US14, US15




762 US3, US26, US26D, US10B, US14, US15




890 US3, US26, US26D, US10B, US14, US15



892 US3, US26, US26D, US10B, US14, US15



905 US26, US26D, US15




MODERN




914

US26, US26D,
US10B, US14, US15




914S

US26, US26D,
US10B, US14, US15




915

US26, US26D, US15




943

US26, US26D,
US10B, US14, US15




198/60

US26, US26D,
US10B, US14,
US15



415/60

US26, US26D




LATCHSETS


OmniaIndustries.com | 973.239.7272




10 US32D




11 US32, US32D




12 US32, US32D





12S US32D





15 US32D





18 US32D




19 US32D



23 US32D




25 US32, US32D




NOTE: All leversets available with 52mm rose as shown here. To accomplish privacy function, use separate #6000, #6001 or #6001S bolt.


25S US32D




28 US32, US32D





29 US32D



32 US32D




33 US32D




43

US32D




45

US32D



47


US32D



Reference our *Stainless Steel Catalog* for product information

55


US3, US3A, US26, SB,
US5A, US10B, US14,
US15



Shown with "00" rose

99


US3, US3A, US26, US5A,
US10B, US14, US15



Shown with "00" rose

101


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "00" rose

192


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "00" rose

193


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "00" rose

570


US3, US3A, US26,
US5A, US10B, US14,
US15, SB



Shown with "00" rose

706


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "00" rose

752


US3, US3A, US26,
US5A, US10B, US14,
US15, SB, US15A



Shown with "00" rose

904


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "RT" rose

918


US3, US3A, US26,
US5A, US10B,
US14, US15



Shown with "00" rose

944


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "45" rose

946


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "55" rose

201


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "00" rose

430


US3, US3A, US26,
US5A, US10B, US14,
US15, SB



Shown with "00" rose

432


US3, US3A, US26,
US26D, US5A, US10B,
US14, US15, SB



Shown with "00" rose

441


US3, US3A, US26,
US5A, US10B,
US14, US15, SB



Shown with "00" rose

442


US3, US3A, US26, SB,
US5A, US10B, US14,
US15, US26D



Shown with "00" rose

443


US3, US3A, US26, US5A,
US10B, US14, US15



Shown with "00" rose

472


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "00" rose

473


US3, US3A, US26,
US5A, US10B, US14,
US15



Shown with "45" rose

970


US3, US3A, US26,
US5A, US10B, US14,
US15




Shown with "55" rose

Reference our *Traditions Catalog* for product information


229 US3, SB, US15




231 US3, SB




233 US3, SB



235 US3, SB




251 US3, SB, US14*, US15*




*US14 and US15 not available with ornate rose shown. Traditional rose will be substituted.


252 US3, SB




59 US3, SB




232 US3, SB, US15




260 US3, SB, US14, US15




294 US3, SB




251FL BAS, BPS, D, ETR




305RE BAS, BPS, D, ETR




309RE BAS, BPS, D, ETR



331FL BAS, BPS, D, ETR




332RE BAS, BPS, D, ETR




340RE BAS, BPS, D, ETR



425FL BAS, BPS, D, ETR



O59FL BAS, BPS, D, ETR




260FL BAS, BPS, D, ETR




Reference our *Classico Catalog* for product information


785TD US3, US26, US10B,
US14, US15, TB




895RT US3, US26, US10B,
US14, US15, TB




912MD US3, US26,
US26D, US10B,
US14, US15, TB




925MD US3, US26, US26D,
US10B, US14, US15,
TB




930SQ US3, US26, US26D,
US10B, US14, US15, TB




434TD US3, US3A, US26,
US10B, US14, US15, TB




458TD US3, US3A, US26, US10B,
US14, US15, TB




565TD US3, US3A, US26, US10B,
US14, US15, TB



935MD US3, US4A, US26,
US26D, US10B, US14,
US15, TB



955AR US3, US3A, US26,
US10B, US14, US15, TB



STAINLESS STEEL PRIVACY BOLTS



6000 Projection: 1½"
Rose: 2" dia. US32D

6000 Privacy Bolt Set
6000/238: 2¾" backset
6000/234: 2¾" backset

6001 Projection: 1½"
Rose: 2" dia. US32D

6001 Privacy Bolt Set
6001/238: 2¾" backset
6001/234: 2¾" backset

6001S Projection: 1½"
Rose: 2" square US32D

6001S Privacy Bolt Set
6001S/238: 2¾" backset
6001S/234: 2¾" backset

LATCHSETS

BRASS PRIVACY BOLTS

103 Projection: 1¾"
Rose: 2" dia. US3, US3A, US5A, US10B, US14, US15, US26, US26D, SB,

103 Privacy Bolt Set
103/238: 2¾" backset
103/234: 2¾" backset

065 Projection: 1⅞"
Rose: 2⅜" x 1⅜"

US3, US3A, US5A, US10B, US14, US15, US26, SB

065 Privacy Bolt Set
065/238: 2¾" backset
065/234: 2¾" backset

068 Projection: 1"
Rose: 1¾" dia. US3, US10B, US15, SB

068 Privacy Bolt Set
068/238: 2¾" backset
068/234: 2¾" backset

102 Projection: 1⅞"
Rose: 1¾" dia. US3, US10B, US14, US15, US26, US26D

102 Privacy Bolt Set
102/238: 2¾" backset
102/234: 2¾" backset

OmniaIndustries.com | 973.239.7272

102S

Projection: 1 1/8"
Rose: 1 7/16" x 1 7/16"



US26, US26D,
US10B, US14,
US15

102S Privacy Bolt Set
102S/238: 2 3/8" backset
102S/234: 2 3/4" backset

103

Projection: 1 3/8"
Rose: 1 3/4" dia.



US3, US3A,
US5A, US10B,
US14, US15,
US26, US26D,
SB

103 Privacy Bolt Set
103/238: 2 3/8" backset
103/234: 2 3/4" backset

104

Projection: 1 1/8"
Rose: 1 3/4" dia.



US3, US15, SB

104 Privacy Bolt Set
104/238: 2 3/8" backset
104/234: 2 3/4" backset

104CL

Projection: 1 1/8"
Rose: 2" dia.



BAS, BPS,
D, ETR

104CL Privacy Bolt Set
104CL/238: 2 3/8" backset
104CL/234: 2 3/4" backset

105

Projection: 1 1/8"
Rose: 1 3/4" dia.



US3, SB

105 Privacy Bolt Set
105/238: 2 3/8" backset
105/234: 2 3/4" backset

9163

Projection: 1"
Rose: 1 1/16" x 1 1/8"




US3, US3A,
US5A, US10B,
US14, US15,
US26

9163 Privacy Bolt Set
9163/238: 2 3/8" backset
9163/234: 2 3/4" backset

MORTISE DEADLOCK

041

US3, US26, US26D, US10B,
US15, US15, US32D



Backset: Available with 2 3/4" backset only.

Doors: 1 3/4" thick with 4 1/2" minimum stile as standard. For doors over 1 3/4" thick, please specify door thickness.

Case: Heavy wrought steel with zinc dichromate finish for corrosion resistance. 4" w x 3" h

Front: Adjustable armored steel front, with 1 1/8" w x 4 5/8" h solid brass or stainless steel faceplate for all lock bodies.

Deadbolt: 1" proj. x 5/8" thick x 1 1/16" h full throw stainless steel.

Springs: High carbon steel.

Strike: Solid brass or stainless steel strike plate. 1 1/8" w x 3 1/2" h

Cylinder: Solid brass from bar stock. Made in USA. Schlage "C" keyway supplied as standard, with two OMNIA nickel silver keys. When applicable, cylinder collars are supplied with compression spring. Available on special orders with a variety of other keyways & key combinations.

Keying: Specify Keyed Alike (KA) when needed. Master/Grand/Construction keying available at additional cost.

NON-PRE-BORE ROSES

592/45 1 $\frac{3}{4}$ " dia.
 $\frac{3}{8}$ " projection



US3, US3A,
 US5A, US10B,
 US14, US15,
 US26, SB

592/55 2 $\frac{3}{16}$ " dia.
 $\frac{5}{16}$ " projection



US3, US3A,
 US5A, US10B,
 US14, US15,
 US26, SB

592B/45 1 $\frac{3}{4}$ " dia.
 $\frac{3}{8}$ " projection



US3, US3A,
 US5A, US10B,
 US14, US15,
 US26, SB

592B/55 2 $\frac{3}{16}$ " dia.
 $\frac{5}{16}$ " projection



US3, US3A,
 US5A, US10B,
 US14, US15,
 US26, SB

597 1 $\frac{3}{4}$ " dia.
 $\frac{3}{8}$ " projection



US3, US26,
 US26D, US15,
 SB

836 2" h x 1 $\frac{5}{8}$ " w
 $\frac{1}{4}$ " projection



US3, US3A,
 US5A, US10B,
 US14, US15,
 US26

Surface Mounted Roses: Rose designs include traditional, beaded, modern or rectangular. These roses are intended for use on doors that do not have existing 2 $\frac{1}{8}$ " holes.

THRU-BOLTED ROSES FOR MORTISE OR TUBULAR

M54/54 2 $\frac{1}{4}$ " dia.
 $\frac{5}{16}$ " projection



US3, US14,
 US15, US26,
 US26D, SB



NARROW PLATE LATCHSETS WITH SOLID BRASS TRIM



OMNIA's line of tubular latchsets continues with its collection of narrow plate designs. Each set employs a solid brass knob or lever, partnered with an elegant, slender plate.

Functions are: passage, privacy, pair dummy and single dummy. The privacy set uses a privacy mortise bolt constructed of a metal case and featuring a solid brass bolt.

Narrow plate latchsets include two knobs or levers, thru-bolt assembly backplates, tubular latch, spindle and all mounting hardware. An installation template is included. Lever latchsets are supplied with extra heavy duty latches.

Narrow Plate Latchsets

- Features our tubular latch used worldwide.
- For residential and commercial use. *Consult with OMNIA for commercial applications.*
- 2³/₈" and 2³/₄" backsets available.
- Supplied for 2³/₈" backset and 1³/₈" door thickness unless otherwise specified.
- All levers are ADA approved.

Functions

Passage: Latch operates by knob or lever from either side.

Privacy: Latch operates by knob or lever from either side. Locks by privacy bolt with turnpiece on inside; emergency release hole on outside plate. For bathroom or bedroom.

Pair Dummy: Trim only. Available for surface mounting or with thru-bolt assembly. *Dummy lever application not recommended for commercial use.*

Single Dummy: Trim, one side only. Surface mounted. *Dummy lever application not recommended for commercial use.*

Solid Brass Backplates


13000 Series	9 ³ / ₈ " x 1 ⁷ / ₁₆ " x 1/4" proj.
16000 Series	9 ³ / ₈ " x 1 ³ / ₈ " x 1/4" proj.
17000 Series	8 ¹ / ₄ " x 1 ⁵ / ₁₆ " x 7/32" proj.
18000 Series	9 ¹ / ₄ " x 1 ⁷ / ₁₆ " x 7/32" proj.
19000 Series	9 ⁷ / ₁₆ " x 1 ¹ / ₂ " x 1/4" proj.
21000 Series	10 ⁹ / ₁₆ " x 1 ³ / ₄ " x 1/4" proj.
22000 Series	11 ⁷ / ₁₆ " x 1 ³ / ₄ " x 1/4" proj.

Finishes

- US3
- US26
- US26D
- SB


Available in 2³/₈" and 2³/₄" backsets.

Faceplate: 2¹/₄" x 1"
Strike: 2³/₄" x 1¹/₈"
Bolt: 1/2" throw




Available in 2³/₈" and 2³/₄" backsets.

Faceplate: 2¹/₄" x 1"
Strike: 2³/₄" x 1¹/₈"
Bolt: 9/16" throw



All OMNIA lever latchsets meet ADA accessibility requirements.



DRAWING NOT TO SCALE



13055
US3, US26



13752
US3, US26



13904
US3, US26



16895
US3, US26, SB



17036
US3, US26, US26D



17368
US3, US26, US26D



18042

US3, US26, US26D



18362

US26



19432

US3, US26, SB



21252

US3, SB



22251

US3, SB

NARROW PLATE LATCHSETS



Mortise with
2 1/2" Backset



Mortise with
2 3/4" Backset



Deadbolt with
2 3/8" or 2 3/4" Backset



Made in U.S.A.

MORTISE AND DEADBOLT LOCKSETS WITH SOLID BRASS OR STAINLESS STEEL TRIM



OMNIA's locksets with solid brass or stainless steel trim are the locks of choice when optimum security and stunning design are the objective. An extensive range of knob and lever styles in traditional, ornate and contemporary motifs are available with either mortise or tubular deadbolt lock options.

Built to withstand heavy use, our commercial grade, **UL listed**, fire rated, mortise locks combine precision engineering for security and durability with attractive designs. Available with two backset options (2 1/2" and 2 3/4"), all of our mortise locks are designed for use with heavyweight knobs or levers, with special springing provided on lever sets. A special rose assembly is bolted through the locks, and backplates feature a unique inside-to-outside mounting. Outside roses or backplates are always screwless.

OMNIA's line of deadbolt locksets provide the ease of installation, while maintaining the stylish look of a mortise lockset. Unique to all OMNIA deadbolt locksets is the sleek, distinctive, flush-mount cylinder design which not only enhances their appearance, but provides excellent protection against tampering with the cylinder mechanism.

To truly set off an entry in the grand style, while providing unmatched security, only OMNIA mortise or deadbolt locksets will do.

Mortise & Deadbolt Solid Brass Backplates

- 1000 Series** — Traditional Roses —
2⁵/₈" diameter x ⁹/₁₆".
- 2000 Series** — Modern Roses —
2⁹/₁₆" diameter x ³/₈".
- 2000S Series** — Square Roses —
2⁹/₁₆" square x ⁷/₁₆".
- 3000 Series** — Traditional Backplates —
10⁹/₁₆" x 2³/₈" x ⁵/₁₆".
- 4000 Series** — Modern Backplates —
8¹/₄" x 2" x ¹/₄".
- 11000 Series** — Traditional Backplates —
10⁵/₈" x 2³/₈" x ⁵/₁₆".

- 12000 Series** — Modern Backplates —
10⁹/₁₆" x 2³/₈" x ⁵/₁₆".
- 24000 Series** — Roped Backplates —
10⁵/₈" x 2⁷/₁₆" x ³/₈".
- 25000 Series** — Beaded Backplates —
10⁵/₈" x 2³/₈" x ⁵/₁₆".
- 26000 Series** — Traditional Backplates —
10⁵/₁₆" x 2³/₄" x ⁵/₁₆".
- 53000 Series** — Ornate Backplates —
13⁷/₈" x 2⁷/₈" x ³/₈".
- 57000 Series** — Ornate Backplates —
14" x 3" x ³/₈".

Mortise Locksets

Available with two backset options—2¹/₂" or 2³/₄". Please specify when ordering.

Backset: Available with two backset options: 2¹/₂" or 2³/₄". Please specify backset on order.

For Doors: 1³/₄" thick as standard. For doors over 1³/₄" thick, please specify door thickness.

- 2¹/₂" b.s.: with 3⁷/₈" minimum stile
- 2³/₄" b.s.: with 4¹/₂" minimum stile

Case: Heavy wrought steel with zinc dichromate finish for corrosion resistance.

- 2¹/₂" b.s.: 3⁵/₈" x 6¹/₁₆" x ¹⁵/₁₆"
- 2³/₄" b.s.: 3¹⁵/₁₆" x 6¹/₁₆" x ¹⁵/₁₆"

Front: Adjustable armored steel front, with 8" x 1¹/₄" solid brass faceplate for all lock bodies. Finished to match trim.

Latchbolt: Two-piece anti-friction design made from solid brass. Both lock bodies with 1" x ⁵/₈" x ³/₄" full throw.

Deadbolt:

- 2¹/₂" b.s.: 1³/₁₆" x ⁹/₁₆" x 1" full throw solid brass with sawproof insert.
- 2³/₄" b.s.: 1¹/₈" x ¹/₂" x 1" full throw stainless steel.

Springs: High carbon steel.

Strike: Solid brass curved lip strike. 4⁷/₈" x 1¹/₄" x lip 1¹/₄" to center. Finished to match trim. Dust box supplied as standard. Extended lip strikes available.


Hand: When ordering specify right or left hand, and reverse bevel if applicable. Reversing instructions available.

Cylinder: Solid brass from bar stock. Made in USA. Schlage "C" keyway supplied as a standard, with two OMNIA nickel silver keys. When applicable, cylinder collars are supplied with compression spring. Available on special order with a variety of other keyways & key combinations.

Keying: Specify Keyed Alike (KA) when needed. Master / Grand / Construction keying available at additional cost.


Safety Standards: 2¹/₂" and 2³/₄" b.s.: UL Listed 3 Hour (R13846). Grade 1 certified to ANSI/BHMA A156.13.2005 standard - exceeding 5 million cycles at independent third party test facility.

Made In U.S.A.




2¹/₂" Backset Lock

Same strike supplied with both 2¹/₂" and 2³/₄" b.s. locks.



Extended lip strikes available.

DRAWINGS NOT TO SCALE










2³/₄" Backset Lock

Mortise Locksets

Available with two backset options—2½" or 2¾". Please specify when ordering.

All lever entry sets provide a lever outside and a lever inside with matching rose or backplate. If the outside trim is a lever with plate, the inside trim will match. If the outside trim is a lever with rose, the inside trim will be a lever with rose. The same is true for sets employing knobs. For additional trim options, see our Latchsets section.

<p>STANDARD ENTRY — A ANSI# F08</p> <p>Latchbolt operates by knob or lever from either side except when outside trim is locked by stopbutton; then opens by key outside, by knob or lever inside. Deadbolt activated by key outside and by turnpiece inside.</p> 	<p>DOUBLE CYLINDER ENTRY — AC</p> <p>Latchbolt operates by knob or lever from either side except when outside trim is locked by stopbutton; then opens by key outside, by knob or lever inside. Deadbolt activated only by key from either side.</p> 	<p>PANIC - PROOF ENTRY — F ANSI# F12</p> <p>Latchbolt operates by knob or lever from either side except when outside trim is locked by stop button. Deadbolt activated by key outside and turnpiece inside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.</p> 	
<p>STOREROOM — EW ANSI# F07</p> <p>Latchbolt operates by knob or lever inside and by key outside. The outside knob or lever is rigid. Auxiliary latchbolt deadlocks latchbolt.</p> 	<p>CLASSROOM — J ANSI# FO5</p> <p>Latchbolt operates by knob or lever either side except when outside knob or lever is locked or unlocked by key in the cylinder. Auxiliary latchbolt deadlocks latchbolt.</p> 	<p>PASSAGE — N ANSI# FO1</p> <p>Latchbolt operates by knob or lever either side.</p> 	<p>PRIVACY — L ANSI# FO2</p> <p>Latchbolt operates by knob or lever either side. Deadbolt by turnpiece inside and emergency key outside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.</p> 

Commercial Installations: Please specify when ordering locksets for commercial use. Dummy applications are not recommended for commercial use.



All OMNIA lever locksets meet ADA accessibility requirements.



Made In U.S.A.

Sectional Trim Mortise Locksets

When ordering mortise locksets with sectional trim, please note: Locks in the **1000 Series**, will be supplied with the rose as shown with that specific model knob or lever in the Latchset section of this catalog (traditional, beaded, ornate or roped). Locks in the **2000 Series**, will be supplied with the modern rose as shown with that specific knob or lever in the Latchset section of this catalog. Locks in the **2000S Series** will be supplied with the square rose as shown below.



1000 Series

Shown No. 1055



2000 Series

Shown No. 2560



2000S Series

Shown No. 2036S

Deadbolt Locksets

Standard — A

Latchbolt operates by knob or lever from either side. Deadbolt activated by key outside and turnpiece inside.

Double Cylinder — AC

Latchbolt operates by knob or lever from either side. Deadbolt activated only by key from either side.

Tubular Deadbolt with Mortise Cylinder


- Available with backset of $2\frac{3}{8}$ " or $2\frac{3}{4}$ ".
- Supplied for $2\frac{3}{8}$ " backset and $1\frac{3}{4}$ " door thickness unless otherwise specified.
- Fits narrow stiles of less than 4".
- For $2\frac{3}{8}$ " backset, stile width can be as narrow as $3\frac{3}{8}$ ".
- For $2\frac{3}{4}$ " backset, stile width can be as narrow as 4".
- Suitable for most pre-existing bores for cylindrical locks.
- Full 1" throw deadbolt.
- Supplied with Schlage "C" keyway as a standard. Available on special order with a variety of other keyways and key combinations.
- Deadbolt employs standard mortise cylinder for ease of re-keying and key changes.

Tubular Latch Specifications

- All dimensions are standard for most replacement installations.
- Tough, non-rusting materials used throughout. Face covers and strikes are solid brass.
- Critical interior parts are made of solid brass.
- For over five decades these latches have been opening and closing millions of doors all around the world.


Specify either $2\frac{3}{8}$ " or $2\frac{3}{4}$ " backset.

BACKPLATE




DRAWINGS NOT TO SCALE

HIGH SECURITY DEADBOLT



HEAVY DUTY TUBULAR LATCH



- Auxiliary deadbolt kits (with collar) are also available. See pages 52-55. ■

4036 Mortise With Plates
 2036 Mortise With Roses
 2036S Mortise With Square Roses



8¼" Overall

US3*, US26, US26D
 *Not available with Square Rose

4368 Mortise With Plates
 2368 Mortise With Roses
 2368S Mortise With Square Roses



8¼" Overall

US3*, US26, US26D
 *Not available with Square Rose

4762 Mortise With Plates
 2762 Mortise With Roses



8¼" Overall

US3, US26, US26D,
 US10B, US14, US15

12036 Mortise With Plates
 2036 Mortise With Roses
 2036S Mortise With Square Roses
 D12036 Deadbolt With Plates



10⅞" Overall

US3, US26, US26D,
 US10B, US15



12042 Mortise With Plates
 2042 Mortise With Roses
 D12042 Deadbolt With Plates
 10⁹/₁₆" Overall
 US3, US26, US26D,
 US10B, US15



12198 Mortise With Plates
 2198 Mortise With Roses
 D12198 Deadbolt With Plates
 10⁹/₁₆" Overall
 Standard: 2³/₈" (60 mm) dia. knob.
 US3, US10B, US14,
 US15, US26, US26D

MORTISE AND DEADBOLT LOCKSETS



12362 Mortise With Plates
 2362 Mortise With Roses
 D12362 Deadbolt With Plates
 10⁹/₁₆" Overall
 US26, US26D



12368 Mortise With Plates
 2368 Mortise With Roses
 2368S Mortise With Square Roses
 D12368 Deadbolt With Plates
 10⁹/₁₆" Overall
 US3, US26, US26D,
 US10B, US15

OmniaIndustries.com | 973.239.7272



12415 Mortise With Plates
 2415 Mortise With Roses
 D12415 Deadbolt With Plates

10⁹/₁₆" Overall
 2³/₈" Dia. Knob

US26, US26D



12762 Mortise With Plates
 2762 Mortise With Roses
 D12762 Deadbolt With Plates

10⁹/₁₆" Overall

US3, US26, US26D,
 US10B, US14, US15



12012 Mortise With Plates
 2012 Mortise With Roses
 D12012 Deadbolt With Plates

10⁹/₁₆" Overall

US32D



12023 Mortise With Plates
 2023 Mortise With Roses
 D12023 Deadbolt With Plates

10⁹/₁₆" Overall

US32D



12043 Mortise With Plates
 2043 Mortise With Roses
 D12043 Deadbolt With Plates
 10⁹/₁₆" Overall
 US32D



3432 Mortise With Plates
 1432 Mortise With Roses
 D3432 Deadbolt With Plates
 10⁹/₁₆" Overall
 US3, US26, US26D, SB



3752 Mortise With Plates
 1752 Mortise With Roses
 D3752 Deadbolt With Plates
 10⁹/₁₆" Overall
 US3, US26, SB



11055 Mortise With Plates
 1055 Mortise With Roses
 D11055 Deadbolt With Plates
 10⁵/₈" Overall
 US3, US26, SB

MORTISE AND DEADBOLT LOCKSETS



11432 Mortise With Plates
 1432 Mortise With Roses
 D11432 Deadbolt With Plates
 10⁵/₈" Overall
 US3, US26, US26D, SB



11442 Mortise With Plates
 1442 Mortise With Roses
 D11442 Deadbolt With Plates
 10⁵/₈" Overall
 US3, US26, US26D, SB, US10B, US15



11752 Mortise With Plates
 1752 Mortise With Roses
 D11752 Deadbolt With Plates
 10⁵/₈" Overall
 US3, US4, US26, SB, US10B, US15



11895 Mortise With Plates
 1895 Mortise With Roses
 D11895 Deadbolt With Plates
 10⁵/₈" Overall
 US3, US26, SB, US10B, US15



11904 Mortise With Plates
 1904 Mortise With Roses
 D11904 Deadbolt With Plates

10⁵/₈" Overall

US3, US26, US15



24441 Mortise With Plates
 1441 Mortise With Roses
 D24441 Deadbolt With Plates

10⁵/₈" Overall

US3, US3A, US5A,
 US10B, US14, US15,
 US26, SB



24570 Mortise With Plates
 1570 Mortise With Roses
 D24570 Deadbolt With Plates

10⁵/₈" Overall

US3, US3A, US5A,
 US10B, US14, US15,
 US26, SB




25430 Mortise With Plates
 1430 Mortise With Roses
 D25430 Deadbolt With Plates

10⁵/₈" Overall

US3, US26, SB

MORTISE AND DEADBOLT LOCKSETS

OmniaIndustries.com | 973.239.7272



26895 Mortise With Plates
 1895 Mortise With Roses
 D26895 Deadbolt With Plates
 10⁵/₁₆" Overall
 US3, US26, SB, US15



26434 Mortise With Plates
 1434 Mortise With Roses
 D26434 Deadbolt With Plates
 10⁵/₁₆" Overall
 US3, US26, SB, US15



53059 Mortise With Plates
 13⁷/₈" Overall
 BAS, BPS, D, ETR



57251 Mortise With Plates
 14" Overall
 BAS, BPS, D, ETR




NARROW BACKSET LOCKSETS WITH SOLID BRASS TRIM




OMNIA's narrow backset mortise locksets are ideal for use wherever a slim, elegant look is desired. In addition to enhancing any setting where they are employed, these slender designs provide superlative security with a standard mortise cylinder lock. This lock can also be used with OMNIA's standard thru-bolts roses. A perfect blending of classic style in a range of finishes, combined with American made reliability.

1 1/2" and 2" Narrow Backset Mortise Locks

Available with two backset options -- 1 1/2" or 2". Other backset options available. Please specify when ordering. Available for levers only. Specify right hand or left hand. Not reversible.



Extended lip strikes are available.



DRAWINGS NOT TO SCALE

Solid Brass Backplates

60000 Series	1 1/16" x 1 3/4" x 1/4" proj.
63000 Series	10 1/8" x 1 3/4" x 3/8" proj.
64000 Series	8 1/4" x 2" x 1/4" proj.
65000 Series	9 1/2" x 1 9/16" x 3/8" proj.

Made in U.S.A.

Backset: Available with two backset options 1 1/2" and 2". Please specify backset on order.

Case: Heavy gauge plated steel.
 ■ 1 1/2" b.s.: 6 1/16" x 2 9/16" x 3/4"
 ■ 2" b.s.: 6 1/16" x 2 13/16" x 3/4"
 Accommodates thru-bolted roses.

Front: Adjustable armored steel front, with 8" x 1 1/4" solid brass faceplate for both bodies. Finished to match trim.

Latchbolt: Solid brass with 1/2" x 1" x 1/2" throw.

Deadbolt: Solid brass with 1/2" x 3/4" x 1" throw.


Strike: Solid brass curved lip strike. 4 7/8" x 1 1/4" x lip 1 1/4" to center. Finished to match trim. Dust box supplied as standard. Extended lip strikes are available.

Cylinder: Solid brass from bar stock. Made in USA. Schlage "C" keyway supplied as a standard, with two OMNIA brass keys. When applicable, cylinder collars are supplied with compression spring. Available on special order in a variety of other keyways and key combinations.

Keying: Specify Keyed Alike (KA) when needed. Master / Grand / Construction Keying available at additional cost.


ENTRY — B Shipped Standard

Latchbolt by lever either side. Deadbolt by key outside and turnpiece inside. No locking rocker switch; hubs always operable.




SINGLE CYLINDER — A

Latchbolt by lever either side except when outside lever is locked by the rocker switch in the front; then by key outside, lever inside. Deadbolt by key outside and turnpiece inside.




PRIVACY — L

Latchbolt by lever either side. Deadbolt by turnpiece inside and emergency key outside.




ENTRY DOUBLE CYLINDER — BAC

Latchbolt by lever either side. Deadbolt by key either side. No locking rocker switch; hubs always operable.




DOUBLE CYLINDER — AC


Latchbolt by lever either side except when the outside lever is locked by the rocker switch in the front; then by key outside, lever inside. Deadbolt by key either side.



PASSAGE — N

Latchbolt by lever either side.





60231

US3, SB

11⁷/₁₆" Overall



60251

US3, SB

11⁷/₁₆" Overall



63904

US3, US26, US15

10¹/₈" Overall



64036

US3, US26, US26D

8¹/₄" Overall



65752

US3, US26, SB, US15

9¹/₂" Overall



65895

US3, US26, SB, US15

9¹/₂" Overall

All shown trim can also be used with 2¹/₂" and 2³/₄" backset mortise locks.



MULTIPOINT SOLID BRASS AND STAINLESS STEEL TRIM

OMNIA's multipoint trim offers a high-end alternative to the basic trim that comes standard on swinging patio doors. Manufactured using the highest quality brass and stainless steel, the design options complement any aesthetic, be it traditional, modern or ornate. All of OMNIA's multipoint trim is available in multiple lock configurations: American Cylinder Above (ACA), American Cylinder Below (ACB) and European Cylinder Below (ECB). This line allows for the opportunity to match OMNIA trim on a wider array of interior and exterior doors throughout residential projects.

AMERICAN CYLINDER ABOVE (ACA)*

Solid Brass Designs




71000ACA 72000ACA

Stainless Steel



73000ACA



*Position of cylinder is 3⁵/₈" (92 mm) center-to-center from lever hole.

† 73000 plate is 9¹/₂"

AMERICAN CYLINDER BELOW (ACB)*

Solid Brass Designs




71000ACB 72000ACB

Stainless Steel



73000ACB



*Position of cylinder is 3⁵/₈" (92 mm) center-to-center from lever hole.

† 73000 plate is 9¹/₂"

EUROPEAN CYLINDER BELOW (ECB)*

Solid Brass Designs




71000ECB 72000ECB

Stainless Steel



73000ECB



*Position of cylinder is 3⁵/₈" (92 mm) center-to-center from lever hole.

† 73000 plate is 9¹/₂"

TURNPIECE & CYLINDER COMPONENTS

AMERICAN CYLINDER ABOVE (ACA) & AMERICAN CYLINDER BELOW (ACB)



No. 103
Ships standard with 71000 plate for American Cylinder.



No. 102
Ships standard with 72000 plate for American Cylinder.



No. 6000
Ships standard with 73000 plate for American Cylinder.



No. 1599
American Cylinder



American Cylinder Collar

MPCH/RA (Rect.)
MPCH/OA (Oval)

EUROPEAN CYLINDER BELOW (ECB)



No. 805/41
European Cylinder
Turnpiece only for patio function



No. 805/82
European Cylinder
Turnpiece cylinder by key for entrance



European Cylinder Collar

MPCH/RP (Rect.)
MPCH/OP (Oval)


FUNCTIONS

ACA or ACB

Entry Function – ACA or ACB with American Cylinder

Set includes:


- 2 – Backplates
- 1 – Cylinder Collar mounted 3⁵/₈" (92 mm) c.c. above or below the lever handles
- 2 – Levers with spindles
- 1 – American Cylinder with a lazy tailpiece
- 1 – Turnpiece
- 2 – Thru-bolt screws



Active levers both sides. Key outside, by turnpiece inside.

Patio Function (PAT) – ACA or ACB

- 2 – Backplates
- 2 – Levers with spindles
- 1 – Turnpiece
- 2 – Thru-bolt screws




Active levers both sides. Turnpiece inside.

ECB

Entry Function – ECB with a European (Profile) Cylinder

Set includes:


- 2 – Backplates
- 2 – Cylinder Collars mounted 3⁵/₈" (92 mm) c.c. below the lever handles
- 2 – Levers with spindles
- 1 – European Profile Cylinder with key outside, turnpiece inside
- 2 – Thru-bolt screws



Active levers both sides. Key outside, by turnpiece inside.

Patio Function (PAT) – ECB

- 2 – Backplates
- 2 – Levers with spindles
- 1 – Turnpiece Cylinder
- 2 – Thru-bolt screws




Active levers both sides. Turnpiece inside.

PAIR DUMMY ACA, ACB or ECB

Pair Dummy Active (PDA) – ACA, ACB or ECB

- 2 – Backplates
- 2 – Levers with spindles
- 2 – Thru-bolt screws


Active lever inside, by inactive lever outside.



Pair Dummy (PD) – ACA, ACB or ECB

- 2 – Backplates
- 2 – Levers with spindles
- 2 – Thru-bolt screws

Inactive levers both sides.



* Drawing shows ACA only. Also available as ACB or ECB.

Thru-Bolting Mounting Screws are in a fixed location and cannot be modified. In some cases, new thru-bolting holes are required to be drilled at 8¹/₂" (216 mm) c.c. (9¹/₂" (242 mm) c.c. for 73000 plate). In most cases, our backplates will cover any existing thru-bolting holes. Our trim is intended to replace standard trim shipped by most door manufacturers.

BACKPLATE DIMENSIONS:

71000 SERIES

- 9⁵/₈" (244 mm) Long
- 1³/₄" (44 mm) Wide
- 1¹/₂" (12.5 mm) Projection
- 8¹/₂" (216 mm) c.c. Thru-Bolting

72000 SERIES

- 9¹³/₁₆" (250 mm) Long
- 2" (50 mm) Wide
- 1¹/₂" (12.5 mm) Projection
- 8¹/₂" (216 mm) c.c. Thru-Bolting

73000 SERIES

- 11" (280 mm) Long
- 1⁵/₈" (40 mm) Wide
- 7¹/₁₆" (10 mm) Projection
- 9¹/₂" (242 mm) c.c. Thru-Bolting



71055ECB

US3A, US3, US5A,
US10B, US14, US15, SB

9⁵/₈" Overall



71752ACB

US3A, US3, US5A,
US10B, US14, US15, SB

9⁵/₈" Overall



72036ACB

US26, US26D, US10B,
US15

9¹³/₁₆" Overall



72282ACB

US26, US26D, US10B,
US15

9¹³/₁₆" Overall



73011ACA

US32D

11" Overall



73033ACA

US32D

11" Overall

MULTIPOINT TRIM

All trim available as ACA, ACB, or ECB. Not all styles shown. Additional designs available.




Solid Brass
Mortise Handleset



Stainless Steel
Tubular Deadbolt Handleset

ENTRANCE HANDLESETS WITH SOLID BRASS OR STAINLESS STEEL TRIM

 MNIA Entrance Handlesets, an unparalleled collection crafted with uncompromising quality, make for a grand entrance. The mortise lock offers the best security features to be had, and is available in several locking functions, with 2 1/2" or 2 3/4" backsets. The tubular deadbolt handlesets are for use on doors with 5 1/2" center-to-center holes, at 2 3/8" backset and 2 3/4" backset.

Whether contemporary, traditional or ornate in style, each and every OMNIA Entrance Handleset is beautifully designed and constructed of the finest materials. At OMNIA, design and safety are not exclusive from each other.

Solid Brass Mortise Lock Handlesets

For Doors: with $3\frac{7}{8}$ " minimum stile for $2\frac{1}{2}$ " b.s. lock. $4\frac{7}{8}$ " minimum stile for $2\frac{3}{4}$ " b.s. lock. $1\frac{3}{4}$ " thick as a standard. For doors over $1\frac{3}{4}$ " thick, specify door thickness.

Case: $2\frac{1}{2}$ " b.s.: $3\frac{5}{8}$ " x $6\frac{1}{16}$ " x $1\frac{5}{16}$ ". $2\frac{3}{4}$ " b.s.: $3\frac{15}{16}$ " x $6\frac{1}{16}$ " x $1\frac{5}{16}$ ". Heavy wrought steel with zinc dichromate finish for corrosion resistance.

Backset: $2\frac{1}{2}$ " or $2\frac{3}{4}$ ". ($2\frac{1}{2}$ " b.s. shipped standard.)

Front: Armored steel front, adjustable for beveled conditions. With 8" x $1\frac{1}{4}$ " solid brass faceplate. Finished to match trim.

Latchbolt: 1" x $\frac{5}{8}$ " x $\frac{3}{4}$ " full throw. Solid brass with anti-friction design. US4 finish only.

Deadbolt: $1\frac{3}{16}$ " x $\frac{9}{16}$ " x 1" full throw. Solid brass, one-piece component with saw-proof insert. US4 finish only.


Springs: High carbon steel.

Strike: Solid brass curved lip strike. $4\frac{7}{8}$ " x $1\frac{1}{4}$ " x lip $1\frac{1}{4}$ " to center. Finished to match trim. Dust box shipped with set.


Hand: Fully reversible. When ordering specify right hand or left hand, and if reverse bevel is needed.

Cylinder: Solid brass from bar stock. Made in USA. Supplied with Schlage "C" keyway as a standard and two nickel silver keys. Ship standard Keyed Different (KD). Specify Keyed Alike (KA) when needed. Special keying available upon request.

Hubsizes: .290" (7mm or $\frac{3}{8}$ ") hub. Broached on the square position. Hub is on one side of the lock only.




Same strike supplied with both $2\frac{1}{2}$ " and $2\frac{3}{4}$ " b.s. locks.




LOCK OPTIONS:

Standard — A: Latchbolt operates by knob or lever inside, thumbpiece outside except when outside trim is locked by rocker switch; then opens by key outside, by knob or lever inside. Deadbolt activated by key outside and turnpiece inside.



Double Cylinder — AC: Latchbolt operates by knob or lever inside, thumbpiece outside except when outside trim is locked by rocker switch; then opens by key outside, by knob or lever inside. Deadbolt activated only by key from either side.



Panic Proof — F: Latchbolt operates by knob or lever inside, thumbpiece outside, except when outside trim is locked by rocker switch. Deadbolt activated by key outside and turnpiece inside. Turning of inside knob or lever will retract both deadbolt and latchbolt at the same time.

Other functions available on request.

Dummy applications not recommended for commercial use.

BACKPLATE DIMENSIONS:

AMAGANSETT

Exterior: 21 " x $2\frac{7}{8}$ " x $\frac{3}{8}$ "
Interior: $13\frac{7}{8}$ " x $2\frac{7}{8}$ " x $\frac{3}{8}$ "

GEORGICA

Exterior: $22\frac{1}{8}$ " x 3 " x $\frac{3}{8}$ "
Interior: 14 " x 3 " x $\frac{3}{8}$ "

ESTATE

Exterior: Cylinder Rose & Bottom Plate — $3\frac{1}{16}$ " x $1\frac{3}{4}$ " x $\frac{5}{16}$ "
Top Plate — $4\frac{9}{16}$ " x $2\frac{13}{16}$ " x $\frac{5}{16}$ "
Interior: $10\frac{5}{16}$ " x $2\frac{3}{4}$ " x $\frac{5}{16}$ "

TUDOR

Exterior (Top Plate) and Interior: $10\frac{5}{16}$ " x $2\frac{3}{8}$ " x $\frac{5}{16}$ "
Exterior: Bottom Plate — $3\frac{1}{16}$ " x $1\frac{3}{4}$ " x $\frac{5}{16}$ "

WALDORF

Exterior (Top Plate) and Interior: $10\frac{9}{16}$ " x $2\frac{3}{8}$ " x $\frac{5}{16}$ "
Exterior: Bottom Plate — $1\frac{3}{4}$ " Dia. x $\frac{1}{4}$ "

MANOR

Exterior (Top Plate) and Interior: $10\frac{5}{8}$ " x $2\frac{3}{8}$ " x $\frac{5}{16}$ "
Exterior: Bottom Plate — $2\frac{1}{16}$ " x $1\frac{5}{8}$ " x $\frac{1}{4}$ "

Conforms to requirements of ANSI / BHMA A156.13 Series 1000.



ESTATE

US3, SB



Interior Trim With 432 Knob



Interior Trim With 752 Lever

TUDOR

US3, SB



Interior Trim With 432 Knob



Interior Trim With 752 Lever

WALDORF

US3, US26, US26D



Interior Trim With 198 Knob



Interior Trim With 042 Lever

MANOR

US3, SB



Interior Trim With 432 Knob



Interior Trim With 752 Lever

AMAGANSETT

US3, US15, BAS, BPS, D, ETR, SB



Interior Trim With 232 Knob



Interior Trim With 251 Lever

GEORGICA

US3, US10B, US15, BAS, BPS, D, ETR, SB



Interior Trim With 294 Knob



Interior Trim With 233 Lever

Stainless Steel Metro and Urban Tubular Deadbolt Handlesets

Available with two backset options – 2³/₈" or 2³/₄" (2³/₈" backset shipped standard). Please specify when ordering.

Lockset Options: **A, F, PD, SDE, SDI** (see box below)


Metro Dimensions

5¹/₂" center to center
 Exterior (Top Plate) and Interior:
 10¹/₄" x 2⁹/₁₆" x 7¹/₁₆"
 Exterior (Bottom Rose): 2¹/₁₆" diameter

Overall:
 Exterior: Length 16⁷/₈" x 3⁵/₁₆" projection
 Interior: Length 10¹/₄" x 2⁷/₈" projection

Lock Options

- Single Cylinder – **A**
- Panic Proof Entry – **F**
- Pair Dummy – **PD**
- Single Dummy Exterior – **SDE**
- Single Dummy Interior – **SDI**



Urban Dimensions

5¹/₂" center to center
 Exterior (Top Plate) and Interior:
 10¹/₂" x 2¹/₂" x 7¹/₁₆"
 Exterior (Bottom Rose): 2" square


Overall:
 Exterior: Length 16³/₄" x 2³/₈" projection
 Interior: Length 10¹/₂" x 2⁵/₈" projection



METRO

US32D

Tubular Deadbolt Lockset
 5-1/2" Center to Center



URBAN

US32D

Tubular Deadbolt Lockset
 5-1/2" Center to Center





AUXILIARY DEADBOLT KITS WITH SOLID BRASS OR STAINLESS STEEL TRIM

OMNIA's line of auxiliary deadbolt kits has many features which ensure a product of high security and style. The designs range from traditional to contemporary to ornate in a selection of finishes to coordinate with other OMNIA hardware offerings. Both the 1" deadbolt throw with sawproof inserts and the armored strike reinforcement with 3" wood screws provide optimal security.

SPECIFICATIONS

- Available in 2³/₈" or 2³/₄" backsets. Please specify backset and door thickness at time of order.
- Suitable for most pre-existing bores for cylindrical locks.
- Supplied with Schlage "C" keyway as a standard. Available on special order with a variety of other keyways and key combinations.
- Deadbolt employs a rim cylinder for ease of re-keying and key changes.


LOCK FUNCTIONS

- A** — Activated by key outside and turnpiece inside.
- AC** — Activated by key only from either side.
(For stainless steel auxiliary deadbolts only.)


Supplied with:

- 2³/₄" x 1¹/₈" finished strike.
- 2³/₄" x 1¹/₈" x 3¹/₁₆" armored strike reinforcement.
- Two #10 x 3" wood screws to reach door frame studs, two #8 x 3¹/₄" combo wood/metal screws, two #8 x 3¹/₄" sheet metal screws, and dust box.


FACEPLATE



STRIKE




INSTALLATION OF REINFORCER AND STRIKE



AUXILIARY DEADBOLT — Exploded View *Shown as "A" Function*

- A — Rim Cylinder
- B — Standoffs
- C — Outside Collar
- D — Deadbolt Latch
- E — Inside Rim Cylinder Mounting Plate
- F — Rim Cylinder Hardened Thru-Bolt Screws
- G — Inside Turnpiece and Rose
- H — Inside Mounting Screws (2)
- I — #8 x 1" Sheet Metal Screws (2)
- J — Deadbolt Faceplate
- K — Deadbolt Stabilizer



DRAWINGS NOT TO SCALE

AUXILIARY DEADBOLT KITS

OmniaIndustries.com | 973.239.7272

BRASS AUXILIARY DEADBOLTS

COLDB US3A, US3, US5A, US26, SB, TB, US10B, US14, US15



TRADDB US3, US10B, US14, US15, US26, TB



RECTDB US3, US10B, US14, US15, US26, US26D, TB



ARCHDB US3, US10B, US14, US15, US26, TB



MODDB US3, US4A, US10B, US14, US15, US26, US26D



SQRDB US3, US4A, US10B, US14, US15, US26, US26D



FLORDB BAS, BPS, D, ETR



REEDDB BAS, BPS, D, ETR



STAINLESS STEEL AUXILIARY DEADBOLTS **OMNIA**

D9000 US32D



D9000S US32D



D9002 US32D






AUXILIARY DEADBOLT KITS

OmniaIndustries.com | 973.239.7272

In addition to the selection of latchsets and locksets shown in this catalog, OMNIA also offers beautifully crafted decorative cabinet hardware, trim hardware and hinges. For a comprehensive view of all of our lines, please visit our website at:

www.OmniaIndustries.com



OMNIA

INDUSTRIES, INC.

Box 330, Cedar Grove, NJ 07009 ■ www.OmniaIndustries.com ■ 973.239.7272 ■ Fax: 973.239.5960



© Copyright 2016, OMNIA Industries, Inc.



No. LLC0116