Job Name:

Job Type:

Quantity:

Life Illuminated | Since 1919

# **Product Number: 11118**



#### 11118 - IC Airtight 5" Housing

5 inch Line Voltage Remodel IC Airtight Housing

Trims: 11132AT, 11136AT, 11137AT, 11120AT, 11154AT, 11135AT, 11134AT, 11155AT, 11139AT, 11151AT, 11140AT

Airtight Construction: Meets airtight requirements for 2.0 CFM or less air leakage.

Safe- Thermally Protected/Listed for Damp Location: IC housing is approved for use in direct contact with insulation.

Easy Access Housing: Housing removable for easy access to junction box.

Sealed Trim: One piece sealed trims. No light leaks.

Snap-In Socket: Snap in socket locates lamp in optimum position.

Easy Installation: Provided with mounting clips for fast, easy installation.

Time-Saving Junction Box Design: Junction box saves installation time with snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in, 2-out #12 wire.

UPC #: 785652111266 Product Type: Recessed

Light

# Features:

Title 24

# **Dimensions:**

Diameter: 6 3/8" Switch Type: N/A

Length: 13 1/2" Mounting Proc.: Other

Height: 7 7/8"

#### Bulbs:

1 - Medium Par30S 75w max 120v - Not included

1 - Medium Par30L 75w max 120v - Not included

1 - Medium Par30S 50w max 120v - Not included 1 - Medium BR-30 65w max 120v - Not included

1 - Medium Par30S 75w max 120v - Not included

1 - Medium Par30S 75w max 120v - Not included

1 - Medium Par30L 35w max 120v - Not included

1 - Medium Par30L 35w max 120v - Not included

1 - Medium Par30L 35w max 120v - Not included

1 - Medium Par30L 35w max 120v - Not included

1 - Medium Par30L 75w max 120v - Not included

1 - Medium Par30S 50w max 120v - Not included

1 - Medium Par30L 75w max 120v - Not included

1 - Medium Par30S 50w max 120v - Not included

1 - Medium BR-30 65w max 120v - Not included

# **Material List:**

1 Housing - Steel - Raw Steel

# Saftey Listing:

cUL Listed for Damp Locations / IC UL Listed for Damp Locations / IC

# **Instruction Sheets**

English (HC-1347)

# Trim



# 11120AT-15 5" Open Trim

White Steel Trim Maximum Wattage: 75w Par30S



# 11132AT-14

# 5" Multiplier Trim

White Trim / Baffle Aluminum Baffle White Aluminum Trim Maximum Wattage: 75w Par30L 50w Par30S 65w BR-30



# 11132AT-172

# 5" Multiplier Trim

Antique Bronze - White Aluminum Baffle White Aluminum Trim Maximum Wattage: 75w Par30L 50w Par30S 65w BR-30



# 11132AT-22

# 5" Multiplier Trim

Polished Aluminum Aluminum Baffle White Aluminum Trim Maximum Wattage: 75w Par30L 50w Par30S 65w BR-30



# 11132AT-71

# 5" Multiplier Trim

Antique Bronze Aluminum Baffle Antique Bronze Aluminum Trim Maximum Wattage: 75w Par30L 50w Par30S 65w BR-30



#### 11132AT-849

# 5" Multiplier Trim

Satin Nickel Aluminum Baffle Satin Nickel Aluminum Trim Maximum Wattage: 75w Par30L 50w Par30S 65w BR-30



#### 11132AT-861

#### 5" Multiplier Trim

Satin Nickel - White Aluminum Baffle White Aluminum Trim Maximum Wattage: 75w Par30L 50w Par30S 65w BR-30



# 11134AT-15

#### 5" Shower Trim

Clear Glass Diffuser White Aluminum Reflector White Aluminum Trim Maximum Wattage: 35w Par30L Suitable For Shower Light



# 11135AT-15

# 5" Shower Trim

Smooth White Glass Diffuser White Aluminum Reflector White Aluminum Trim Maximum Wattage: 35w Par30L Suitable For Shower Light



# 11136AT-15

# 5" Eyeball Trim

White White Steel Trim Maximum Wattage: 75w Par30S



#### 11137AT-15

# 5" Regressed Eyeball Trim

White Steel Trim Maximum Wattage: 75w Par30S



# 11139AT-15

# 5" Wall Wash Trim

White Steel Housing White Steel Trim Maximum Wattage: 35w Par30L



#### 11151AT-14

### 5" Baffle Trim

White Trim / Baffle Aluminum Baffle White Trim / Baffle Aluminum Trim Maximum Wattage:



#### 11151AT-15

### 5" Baffle Trim

Black Aluminum Baffle White Aluminum Trim Maximum Wattage: 75w Par30L 50w Par30S



#### 11154AT-14

# 5" Open Shower Trim

White Trim / Baffle Aluminum Baffle White Aluminum Trim Maximum Wattage: 75w Par30L



#### 11155AT-15

# 5" Shower Trim

Clear Glass Glass White Aluminum Reflector White Aluminum Trim Maximum Wattage: 35w Par30L 50w Par30S 65w BR-30

00W DIV-00

Suitable For Shower Light

Cultable I of Chower Light

Shipping Information									
Package Type	Quantity	UPC	Length	Width	Height	Cube	Weight	UPS Ship	Label
Individual	1	785652111266	14	8	8	0.519	1.5	Yes	C IP-3
Master Pack	6	10785652111263	20	20	8.5	1.968	10.9	Yes	A M-1
NJ Pallet	228		48	40	74	82.222	414.2	No	
NV Pallet	228		48	40	74	82.222	414.2	No	