

HARDWOOD

CASTLEWOOD HICKORY

Engineered



7018 Romanesque

	US Units	Metric Units
Style Number	SW486	
Construction	Engineered	
Species	Hickory	
Nominal Overall Thickness	9/16"	14 mm
Nominal Width	7.48"	189.99 mm
Finish	UV Aluminum Oxide	
Gloss Level	10%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Micro Bevel	
Profile	Tongue And Groove	
Weight per Carton	63.3 lbs	28.71 kg
SQFT per Carton	31.09 sq ft	2.88 sq m
SQFT per Pallet	1243.6 sq ft	115.53 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	50 Years	
Commercial Warranty	5 Year Commercial	
All measurements are nominal.	Cartons may include random lengths.	

Features

The Castlewood collection has an abundance of the natural charm that makes hardwood floors so desirable. Creating its stunning character are stylish 7 1/2" widths, extremely handsome linear graining, and sawn face veneers that closely resemble solid hardwood. Castlewood's colors are visually rich - with the beautiful knots, mineral streaks, and natural splits seen in heirloom woods. Heightening its appeal is a very low-gloss finish, which calls to mind vintage European oil-rubbed floors.

Suggested Adhesive

Style Name	Style Number
35MC	HS105

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRH12
Flush Reducer



SORH2
*Overlap Reducer



SSH12
Flush Stairnose



SOSH2
*Overlap Stairnose



SCH12
Threshold / Carpet
Reducer



TMH78
T-Molding



QTR96
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.

CASTLEWOOD HICKORY

HARDWOOD

Colors



993 Coat Of Arms



7018 Romanesque