VILAMONTE FREESTANDING TUB FAUCET WITH HAND SHOWER

SKU: 948665 Code: SHVLFS2000G, SHFSR2000WS



ASME A112.18.1/CSA B125.1 CEC Listed WaterSense by IAPMO Massachusetts Accepted



FEATURES

Installation Type: Freestanding Features: Hand Shower Included Design: Modern Material: Metal Width: 12-1/2" Height: 43-1/2" Assembly Required: Yes Faucet Centers: Single-Hole Drain Included: No Handle Type: Lever Hand Shower Hose Length: 58" Hand Shower Material: Zinc Height To Spout: 40" Spout Reach: 9" Ceramic Disc Cartridges: Yes Hot and Cold Indicators: No Handle Material: Metal **Tub Faucet Material: Metal** Height to Control Valve: 30-3/4"

REVISED 2/20/2024

VILAMONTE FREESTANDING TUB FAUCET WITH HAND SHOWER


SKU: 948665 Code: SHVLFS2000G, SHFSR2000WS



ADDITIONAL FEATURES

- Spout max. flow rate: 8 gpm (30 L/min) @ 60 psi.
- Hand shower max. flow rate: 1.8 gpm (6.8 L/min) @ 80 psi.
- Single function hand shower (full spray).
- Integral diverter to hand shower.
- Handshower includes factory installed backflow prevention check valve.
- Optional rough-in valve includes stops.
- Underfloor access is required for proper installation. Installation on an existing concrete slab will require cutting and concrete removal.

VILAMONTE FREESTANDING TUB FAUCET WITH HAND SHOWER




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty

VILAMONTE OPTIONAL TUB FAUCET ROUGH-IN VALVE WITH STOPS

SKU: 448006 SHFSR2000WS



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.



See Website For Warranty Information signaturehardware.com/warranty