LOWDEN

MULTIFUNCTION HAND SHOWER WITH HOSE SKU: 948087



FEATURES

Assembly Required: No Hand Shower Material: ABS NPT Connection: 1/2" 60" - 72" stretchable metal shower hose. Double spiral constructed hose. Handshower Length: 10-1/2" Handshower Width: 4-5/8" Handshower Depth: 1"

SIGNATURE HARDWARE Lifetime Warranty

See website for detailed warranty information.

CONTENTS


HAND SHOWER	 PAGE 2
HOSE	 PAGE 3

REVISED 1/13/2020

LOWDEN

MULTIFUNCTION HAND SHOWER

SKU: 948087



Product Code	Max Flow-rate (80psi)
SHHS4120G	1.8 gpm (6.8L/min) max @ 80 psi
SHHS4130	2.5 gpm (9.5L/min) max @ 80 psi

FEATURES

Material: Brass Shape: Square Features: Shower Head Only Height: 2-1/2" Handshower Length: 10-1/2" Handshower Width: 4-5/8" Handshower Depth: 1" Assembly Required: No Shower Head Spray: Rainfall Shower Arm Included: No Shower Head IPS: 1/2"

CODES/STANDARDS

cCSAus ASME A112.18.1/CSA B125.1 ASME A112.18.3

SIGNATURE HARDWARE LIFETIME WARRANTY

See website for warranty information






All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

CODE: SHHS4120GCP/SHHS4120GMB/SHHS4120GBN SHHS4130CP/SHHS4130MB/SHHS4130BN

LOWDEN

60" METAL HAND SHOWER HOSE SKU: 948087



FEATURES

Hose Included: Yes Hose Length: 60" 60" - 72" stretchable metal shower hose. Double spiral constructed hose.

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted SIGNATURE HARDWARE LIFETIME WARRANTY See website for warranty information





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

(ISI) SIGNATURE HARDWARE

customer service 1.800.221.3379 signature**hardware**.com