SIMPLE SELECT SHOWER SYSTEM WITH WALL-MOUNT RAINFALL SHOWER AND HAND SHOWER SKU: 949735



CONTENTS

TRIM	PAGE 2
ROUGH-IN VALVE	PAGE 3
SHOWER HEAD	PAGE 4
SHOWER ARM	PAGE 5
HAND SHOWER	PAGE 6
SLIDE BAR	PAGE 7
HOSE	PAGE 8
SUPPLY ELBOW	PAGE 9

FEATURES

Shape: Round Handle Type: Lever Features: Hand Shower Included, Pressure-Balanced Assembly Required: Yes Installation Type: Wall Mount Mounting Hardware Included: Yes Body Sprays: No Shower Head Installation Type: Wall Number of Shower Heads: 1 Shower Head Spray: Rainfall Shower Arm Included: Yes Shower Head Swivel: Yes Water Connection Included: Yes Diverter Included: Yes Diverter Outlets: 2 Dual Functionality Allows for One or Both Shower Features to Run at a Time Single Function Shower Heads (Full Spray) Easy-Clean Silicone Nozzles 3 Function Hand Shower: Full Spray, Massage Spray, Full & Massage Spray **Optional Rough-In Valve:** Pressure Balanced With Integral Stops One-Piece Cartridge Design For Ease of Maintenance Back-to-Back Capability Adjustable Temperature Limit Stop Quick Remove Plaster Guard Easy Mounting Brackets With Restrictor Installed, This Valve is

Compliant With CALGreen and the California Plumbing Code


REVISED 03/18/2021

) SIGNATURE HARDWARE

See Website For Warranty Information www.signaturehardware.com/warranty

SIMPLE SELECT TRIM

SKU: 949735



FEATURES

Material: Brass Diameter: 7-1/2" Depth: 3" Connection: 1/2" NPT

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 ICC/ANSI A117.1 (when installed according to ADA standards) Massachusetts Accepted

PRODUCT IMAGE





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.


PAGE 2 Code: SHGF8040Z

ISI) SIGNATURE HARDWARE


See Website For Warranty Information www.signaturehardware.com/warranty

OPTIONAL PRESSURE BALANCE ROUGH-IN VALVE

SKU: 949735



Water Outlet A



STANDARD:

Pressure (psi)		20	40	60	80
Simultaneous (Both Valves Open)	Total (gpm)	3.4	5	6.3	7.4
	Outlet A (gpm)	1.2	2.2	2.9	3.5
	Outlet B (gpm)	2.2	2.8	3.4	3.9
Separate (A or B Closed)	Outlet A (gpm)	2.5	3.9	4.8	5.5
	Outlet B (gpm)	2.5	3.9	4.8	5.5

WITH FLOW RESTRICTOR:

Pressure (psi)		20	40	60	80
Simultaneous (Both Valves Open)	Total (gpm)	1.20	1.40	1.53	1.64
	Outlet A (gpm)	0.43	0.56	0.64	0.68
	Outlet B (gpm)	0.77	0.84	0.89	0.96
Separate (A or B Closed)	Outlet A (gpm)	1.17	1.38	1.49	1.59
	Outlet B (gpm)	1.16	1.39	1.49	1.60

FEATURES

Length: 4-7/8" Width: 4-3/8" Depth: 5-1/2" Connection: 1/2"-14 NPT

CODES/STANDARDS

Water Outlet B

> cUPC ASME A112.18.1/CSA B125.1 ASSE 1016 Type P Massachusetts Accepted

PRODUCT IMAGE





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.


PAGE 3 Code: SH5001SSG


(ISI) SIGNATURE HARDWARE

See Website For Warranty Information www.signaturehardware.com/warranty

LOW PROFILE RAINFALL SHOWER HEAD

SKU: 949735





FEATURES

Material: Stainless Steel Diameter: 10" Height: 2-1/2" Connection: 1/2" IPS Shower Head Flow Rate: 1.75 gpm (6.6 L/min) max @ 80 psi

CODES/STANDARDS

cCSAus ASME A112.18.1/CSA B125.1 WaterSense CEC Listed Massachusetts Accepted

PRODUCT IMAGE






All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 4 Code: SHRS1020RG

ISI) SIGNATURE HARDWARE

See Website For Warranty Information www.signaturehardware.com/warranty

WALL-MOUNT RAINFALL SHOWER ARM SKU: 949735



FEATURES

Material: Brass Shower Arm Extension: 12" Height: 1-9/16" Base Plate Diameter: 2-3/8" Escutcheon Included Connection: 1/2" IPS

CODES/STANDARDS

cCSAus ASME A112.18.1/CSA B125.1 Massachusetts Accepted

PRODUCT IMAGE






All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 5 Code: SHRSA120



See Website For Warranty Information www.signaturehardware.com/warranty

HAND SHOWER SKU: 949735



FEATURES

Material: ABS Length: 4-5/8" Width: 1" Height: 10-1/2" Connection: 1/2" NPT Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) max (a) 80 psi

CODES/STANDARDS

cCSAus ASME A112.18.1/CSA B125.1 Massachusetts Accepted

PRODUCT IMAGE






All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 6 CODE: SHHS4120G

(ISI) SIGNATURE HARDWARE

See Website For Warranty Information www.signaturehardware.com/warranty

30" SLIDE BAR SKU: 949735



FEATURES

Length: 3" Width: 3-3/8" Height: 30" Base Plate Width: 3/4" Base Plate Height: 1-1/2" Slide bar outside diameter: 7/8" Mounting Centers: 23-1/2" **PRODUCT IMAGE**




All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.


PAGE 7 CODE: SHSB3050



See Website For Warranty Information www.signaturehardware.com/warranty

METAL HOSE FOR HAND SHOWER SKU: 949735





FEATURES

Length: 60" Connection: 1/2"-14 NPSM-2A Double Spiral Construction Metal Conical Nut

CODES/STANDARDS

cUPC ASME A112.18.1/CSA B125.1 Massachusetts Accepted

PRODUCT IMAGE





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.


PAGE 8 Code: SHH1010Z

(ISI) SIGNATURE HARDWARE

See Website For Warranty Information www.signaturehardware.com/warranty

ROUND WATER SUPPLY ELBOW FOR HAND SHOWER

SKU: 949735



FEATURES

Material: Brass Length: 2-1/4" Width: 1-1/2" Height: 2-1/4" Female Wall Connection: 1/2" NPT Male Hose Connection: 1/2"-14 NPSM

CODES/STANDARDS

cCSAus ASME A112.18.1/CSA B125.1 Massachusetts Accepted

PRODUCT IMAGE





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

PAGE 9 CODE: SHWE2060

SIGNATURE HARDWARE

See Website For Warranty Information www.signaturehardware.com/warranty